




Taylor Creek
RESTORATION NURSERIES

2021 Wholesale Catalog







*The highest-quality native,
local-genotype plants and seed.*

With three decades of experience in growing native plants, Taylor Creek Restoration Nurseries is a leader in native plant propagation. Taylor Creek supplies the entire Great Lakes, Midwest, and beyond. Our staff members have degrees in horticulture, ecology, conservation, and land-use planning. Just as important as the diplomas, our people are passionately dedicated to the promotion and use of native species.

17921 W Smith Rd, PO Box 256
Brodhead, WI 53520
P (608) 897-8641 | F (608) 897-2044
E taylor.creek@appliedeco.com

224 E 1260 Rd
Baldwin City, KS 66006
P (785) 594-2245 | F (785) 594-2250
E taylor.creek@appliedeco.com

Philosophy and Mission

Taylor Creek Restoration Nurseries is dedicated to the genetic preservation and production of the highest-quality, native, local genotype plants.

What are Native, Local-Genotype Species?

“Native” merely means the species was natural to the area before European settlement. “Local-genotype” means the strain is adapted to the area in which it is found. This is a very important detail. Just because *Panicum virgatum* (Switch grass) is native to your area doesn’t mean the genotype of a particular seed is properly “local”. We can probably agree that a genotype from Texas isn’t the same as one from Minnesota – even if the species is the same – and you probably don’t want to plant it in your Minnesota prairie. When a Texas switch grass is out of place, it’s not going to do well in the temperatures and rainfall typical of the Upper Midwest . . . if it survives at all.

Our Philosophy: Work with Nature, Not Against It

Why are we so enthusiastic about native plants?

- Natives thrive year after year because they are naturally adapted to local soils and climates.
- They’re vigorous, deep-rooted plants that produce a beautiful progression of blooms and textures throughout the year and attract a variety of pollinators (bees and butterflies), wildlife and birds.
- Native plant communities infiltrate rainwater, and filter runoff naturally - better than any other systems known to or made by man.
- Established native plantings are very easy to maintain. They will thrive and bloom without fertilizers, pesticides, or watering, even in dry seasons when conventional turf lawns turn brown. Mowing is virtually eliminated and you save money through the reduced need for gas-powered lawn-care equipment, fertilizers, and chemicals.

Our Mission: Share the Science

We are passionate about native plants and the ecosystems to which they contribute great value. For thirty years, our nursery has developed a unique expertise in the propagation, use and care of native species. Education – sharing of what we have learned – is a big part of our mission, and our professional staff is eager to educate and support our customers (and the public at large) in their species selections and land-use decisions.

Taylor Creek Restoration Nurseries is the nursery division of Applied Ecological Services, recognized nationally as a leader in ecological consulting, design and ecological restoration contracting. Through AES, Taylor Creek nursery managers have direct access to the latest scientific insights and practical application successes with native plants in ecological restoration and native landscaping. In turn, Taylor Creek propagation expertise helps inform AES consultants, designers, and contracting professionals to enhance installation survival and long-term success.

We encourage our customers to ask questions and learn more about the best ways to enjoy native species in your projects. Our commitment to customer service, quality products, and ecological science has helped us become one of the largest, most diverse native plant and seed nurseries in the country. We’re dedicated to offering you the best plants – and growing advice – to help make your landscape a source of pride and joy!



2021 Species List

Note: Pricing and availability are subject to change.

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|-----------------------------|--|-------------------------------|----------------|------------------|--------------------|--------------------|
| Achillea millefolium | | Yarrow | 10.00 | 10.00 | 1.35 | 1.10 |
| Acorus americanus | Acorus calamus | Sweet flag | 12.50 | 10.00 | 1.35 | 1.10 |
| Actaea pachypoda | | White baneberry | | 45.00 | | |
| Actaea rubra | | Red baneberry | | 45.00 | | |
| Adiantum pedatum | | Maidenhair fern | | | | |
| Agalinis purpurea | Gerardia purpurea | Purple false foxglove | 100.00 | 100.00 | | |
| Agalinis tenuifolia | | Slenderleaf false foxglove | 60.00 | 60.00 | | |
| Agastache foeniculum | | Fragrant lavender hyssop | 17.00 | 16.00 | 1.50 | |
| Agastache nepetoides | | Yellow giant hyssop | 34.00 | 34.00 | | |
| Agastache scrophulariifolia | | Purple giant hyssop | 28.00 | 28.00 | | |
| Ageratina altissima | Eupatorium rugosum | White snakeroot | 40.00 | 40.00 | 1.35 | |
| Alisma subcordatum | Alisma plantago-aquatica L. var. parviflorum | American water plantain | 5.00 | 4.75 | | |
| Alisma triviale | | Large-flowered water plantain | | 15.00 | | |
| Allium canadense | | Wild garlic | 16.00 | 12.00 | | |
| Allium cernuum | | Nodding wild onion | 24.00 | 20.00 | 1.35 | 1.10 |
| Allium stellatum | | Prairie onion | 26.00 | 21.00 | 1.53 | |
| Allium tricoccum | Allium burdickii | Wild leek | 55.00 | 50.00 | | |
| Ammannia robusta | | Grand redstem | 6.50 | 6.50 | | |
| Ammophila breviligulata | | American beachgrass | | | | |
| Amorpha canescens | | Leadplant | 22.00 | 20.00 | 1.70 | |
| Amorpha fruticosa | | False Indigo bush | 22.00 | 20.00 | | |
| Amphicarpaea bracteata | | Upland hog peanut | | | | |
| Amsonia hubrichtii | | Arkansas blue star | | | 1.53 | 1.25 |
| Amsonia illustris | | Shining blue star | | | 1.35 | 1.10 |
| Amsonia tabernaemontana | | Eastern blue star | | | 1.53 | 1.25 |
| Andropogon gerardii | | Big bluestem | 0.80 | 0.60 | 1.35 | 1.05 |
| Andropogon virginicus | | Broomsedge bluestem | | | 1.35 | |
| Anemone canadensis | | Meadow/Canada anemone | 45.00 | 40.00 | 1.70 | |
| Anemone cylindrica | | Thimbleweed | 80.00 | 70.00 | 1.25 | |
| Anemone quinquefolia | | Wood anemone | | | 4.50 | |
| Anemone virginiana | | Tall anemone | 66.00 | 60.00 | 1.40 | |
| Anemonella thalictroides | | Rue anemone | 93.00 | 78.00 | 4.50 | |
| Angelica atropurpurea | | Great angelica | 8.00 | 7.00 | 2.00 | |
| Antennaria neglecta | | field pussy toes | | 200.00 | 2.25 | |
| Antennaria plantaginifolia | Antennaria parlinii | Pussy toes | 325.00 | 200.00 | 2.25 | |
| Apocynum acanadensis | | Dog bane | | | | |
| Apocynum androsaemifolium | | Spreading dogbane | | | | |
| Apocynum cannabinum | | Indian hemp | | | | |
| Aquilegia canadensis | | Wild columbine | 55.00 | 45.00 | 1.50 | 1.10 |
| Aralia nudicaulis | | Wild sarsaparilla | 100.00 | 90.00 | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|--|---------------------------------------|-------------------------|----------------|------------------|--------------------|--------------------|
| <i>Aralia racemosa</i> | | American spikenard | 200.00 | 163.00 | | |
| <i>Argentina anserina</i> | <i>Potentilla anserina</i> | Silverweed cinquefoil | 45.00 | 38.00 | | |
| <i>Arisaema dracontium</i> | | Green dragon | 69.00 | 69.00 | | |
| <i>Arisaema triphyllum</i> | <i>Arisaema atrorubens</i> | Jack-in-the-pulpit | 50.00 | 37.00 | 3.50 | |
| <i>Aristolochia tomentosa</i> | | Dutchman's pipevine | | | 1.90 | |
| <i>Arnoglossum atriplicifolium</i> | <i>Cacalia atriplicifolia</i> | Pale Indian plantain | 27.00 | 18.00 | | |
| <i>Arnoglossum plantagineum</i> | <i>Cacalia tuberosa / plantaginea</i> | Prairie Indian plantain | 94.00 | 75.00 | | |
| <i>Artemisia campestris</i> | | Field sagewort | 20.00 | 15.00 | | |
| <i>Artemisia ludoviciana</i> | | White sage | | 41.00 | | |
| <i>Asarum canadense</i> | | Wild ginger | | 100.00 | 1.90 | |
| <i>Asclepias exaltata</i> | | Poke milkweed | | | 2.75 | |
| <i>Asclepias hirtella</i> | | Tall green milkweed | | | 2.10 | |
| <i>Asclepias incarnata</i> | | Swamp milkweed | 30.00 | 25.00 | 1.25 | 1.10 |
| <i>Asclepias purpurascens</i> | | Purple milkweed | | 600.00 | 2.25 | |
| <i>Asclepias speciosa</i> | | Showy milkweed | | | 1.70 | |
| <i>Asclepias sullivanti</i> | | Prairie milkweed | 68.00 | 53.00 | 1.70 | |
| <i>Asclepias syriaca</i> | | Common milkweed | 29.00 | 16.00 | 1.70 | |
| <i>Asclepias tuberosa</i> | | Butterfly milkweed | 45.00 | 25.00 | 1.50 | |
| <i>Asclepias verticillata</i> | | Whorled milkweed | 75.00 | 60.00 | 1.70 | 1.25 |
| <i>Asclepias viridiflora</i> | | Short green milkweed | 113.00 | 94.00 | 2.10 | |
| <i>Asclepias viridis</i> | | Spider milkweed | | | 1.53 | |
| <i>Astragalus canadensis</i> | | Canadian milk vetch | 12.00 | 10.00 | 1.70 | |
| <i>Astragalus crassicaulus</i> | | Prairie plum | | 90.00 | 1.70 | |
| <i>Athyrium filix-femina</i> | | Lady fern | | | 5.00 | |
| <i>Avena sativa</i> (cover crop) | | Seed oats | 0.06 | 0.06 | | |
| <i>Baptisia alba</i> | <i>Baptisia leucantha</i> | White wild indigo | 40.00 | 18.00 | 1.70 | |
| <i>Baptisia australis</i> v minor | | Blue indigo | 29.00 | 26.00 | 1.70 | |
| <i>Baptisia bracteata</i> var. <i>leucophaea</i> | <i>Baptisia leucophaea</i> | Cream wild indigo | 90.00 | 80.00 | 1.70 | |
| <i>Beckmannia syzigachne</i> | | American slough grass | 3.00 | 3.00 | | |
| <i>Besseyia bullii</i> | | Kitten tails | | | | |
| <i>Biden connata</i> | | Purplestem beggarticks | 23.00 | 15.00 | | |
| <i>Bidens aristosa</i> | <i>Bidens polyepis</i> | Bearded beggar's ticks | 15.00 | 9.00 | | |
| <i>Bidens cernua</i> | | Nodding bur marigold | 18.00 | 18.00 | | |
| <i>Bidens coronata</i> | | Tall swamp marigold | 25.00 | 18.00 | | |
| <i>Bidens frondosa</i> | | Common beggar's ticks | 24.00 | 20.00 | | |
| <i>Blephilia ciliata</i> | | Ohio horsemint | 98.00 | 98.00 | | |
| <i>Blephilia hirsuta</i> | | Hairy pagoda plant | 77.00 | 77.00 | | |
| <i>Boehmeria cylindrica</i> | | Smallspike false nettle | 30.00 | 25.00 | | |
| <i>Boltonia asteroides</i> | <i>Boltonia latisquama recognita</i> | False aster | 14.00 | 12.00 | 1.35 | |
| <i>Bouteloua curtipendula</i> | | Side oats grama | 1.10 | 0.95 | 1.25 | 1.10 |
| <i>Bouteloua dactyloides</i> | <i>Buchloe dactyloides</i> | Buffalograss | 1.90 | 1.60 | 1.25 | |
| <i>Bouteloua gracilis</i> | | Blue grama grass | | | | 1.10 |
| <i>Bouteloua hirsuta</i> | Hairy grama grass | Hairy grama | 11.00 | 9.00 | | |
| <i>Brachyelytrum erectum</i> | | Long awned wood grass | | | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|---------------------------|------------------------|------------------------------|----------------|------------------|--------------------|--------------------|
| Brickellia eupatorioides | Kuhnia eupatorioides | False boneset | 35.00 | 35.00 | | |
| Bromus ciliatus | | Fringed brome | 11.00 | 8.00 | | |
| Bromus kalmii | | Arctic brome | 11.00 | 8.00 | | |
| Bromus latiglumis | | Tall brome | 18.00 | 15.00 | | |
| Bromus pubescens | Bromus purgans | Woodland brome | 22.00 | 18.00 | | |
| Buchnera americana | | American bluehearts | | | 2.25 | |
| Calamagrostis canadensis | | Blue joint grass | 80.00 | 79.00 | 1.25 | 1.10 |
| Calamovilfa longifolia | | Sand reed grass | | | | |
| Calla palustris | | Calla lily/Water arum | | | | |
| Callicarpa americana | | American beautyberry | | | 1.70 | |
| Callirhoe bushii | | Bush's poppy mallow | | | 1.35 | |
| Callirhoe involucrata | | Purple poppy mallow | 50.00 | 45.00 | 1.35 | |
| Callirhoe triangulata | | Poppy mallow | | | | |
| Caltha palustris | | Marsh marigold | 85.00 | 75.00 | | |
| Camassia scilloides | | Wild hyacinth | 65.00 | 55.00 | | |
| Campanula rotundifolia | | Harebell | | | 1.70 | |
| Campanulastrum americanum | Campanula americana | Tall bellflower | 50.00 | 45.00 | 2.50 | |
| Cardamine bulbosa | | Bulbous bittercress | | 88.00 | | |
| Cardamine concatenata | Dentaria lacinata | Toothwort | 94.00 | 88.00 | 4.50 | |
| Carex albicans | | Whitetinge/Cedar sedge | | | 1.53 | |
| Carex amphibola | | Gray sedge | | | | |
| Carex annectens | | Yellow-fruited sedge | 20.00 | 14.00 | 1.25 | 1.10 |
| Carex aquatilis aquatilis | Carex aquatilis altior | Water sedge | | | 1.60 | |
| Carex atherodes | | Wheat sedge | | | | |
| Carex bebbii | | Bebb's sedge | 20.00 | 15.00 | 1.35 | |
| Carex bicknellii | | Bicknell's sedge | 35.00 | 25.00 | 1.25 | |
| Carex blanda | | Eastern woodland sedge | | | 1.53 | |
| Carex brevior | | Short beak sedge | 11.00 | 9.75 | 1.25 | 1.05 |
| Carex bromoides | | Brome hummox sedge | | | | |
| Carex bushii | | Long-scaled green sedge | | | 1.53 | |
| Carex buxbaumii | | Buxbaum's sedge | 44.00 | 40.00 | | |
| Carex cephalophora | | Rough clustered sedge | | | 1.70 | |
| Carex cephaloidea | | Thinleaf sedge | | | | |
| Carex cherokeensis | | Cherokee sedge | | | | |
| Carex comosa | | Longhair sedge | 15.00 | 11.25 | | |
| Carex crawei | | Early fen sedge | | | | |
| Carex crinita | | Fringed sedge | 14.50 | 13.00 | 1.50 | |
| Carex cristatella | | Crested sedge | 45.00 | 38.00 | | |
| Carex crus-corvi | | Crow foot fox sedge | | | | 1.25 |
| Carex davisii | | Awnead graceful sedge | 75.00 | 43.00 | | |
| Carex eburnea | | Cedar sedge | | | 1.53 | |
| Carex emoryi | | Riverbank sedge | | | | |
| Carex festucacea | | Fescue sedge | | | | |
| Carex frankii | | Frank's sedge | | 15.00 | 1.35 | |
| Carex gracilescens | | Slender loose-flowered sedge | | | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|----------------------|--------------------------------|--------------------------------|----------------|------------------|--------------------|--------------------|
| Carex gracillima | | Purple-sheathed graceful sedge | 75.00 | 75.00 | | |
| Carex granularis | | Pale sedge | 35.00 | 32.00 | | |
| Carex gravida | | Long-awned bracted sedge | 85.00 | 75.00 | 1.75 | |
| Carex grayi | | Common bur sedge | 40.00 | 28.00 | 1.70 | 1.25 |
| Carex grisea | | Inflated narrow-leaf sedge | 75.00 | 60.00 | | |
| Carex haydenii | | Hayden's sedge | 100.00 | 95.00 | | |
| Carex hirsutella | Carex complanata var. hirsuta | Hairy green sedge | 45.00 | 40.00 | | |
| Carex hirtifolia | | Pubescent sedge | | | | |
| Carex hyalinolepis | Carex lacustris var. laxiflora | Common lake sedge | 75.00 | 60.00 | 1.50 | |
| Carex hystericina | | Bottlebrush sedge | 12.50 | 10.00 | 1.25 | |
| Carex interior | | Inland sedge | | 33.00 | | |
| Carex jamesii | | Grass sedge | | | 1.70 | |
| Carex lacustris | | Hairy sedge | 118.00 | 107.00 | 2.00 | |
| Carex lasiocarpa | | Woolyfruit sedge | 60.00 | 50.00 | | |
| Carex laxiflora | | Beech wood sedge | | | | |
| Carex lupuliformis | | Knobbed hop sedge | | | | |
| Carex lupulina | | Common hop sedge | 24.00 | 22.00 | 1.70 | |
| Carex lurida | | Shallow sedge | | 19.00 | | |
| Carex meadii | Carex tetanica | Mead's stiff sedge | 32.00 | 32.00 | | |
| Carex molesta | | Field oval sedge | 18.00 | 14.00 | | |
| Carex muehlenbergii | | Sand bracted sedge | 43.00 | 38.00 | 1.70 | |
| Carex muskingumensis | | Broad-leaved wooly sedge | 43.00 | 38.00 | 1.25 | 1.05 |
| Carex normalis | | Spreading oval sedge | 20.00 | 15.00 | 1.50 | |
| Carex oligocarpa | | Sparse-fruited sedge | | | 1.70 | |
| Carex pellita | Carex languinosa | Broad leaved woolly sedge | 118.00 | 75.00 | 1.53 | |
| Carex pennsylvanica | | Common oak sedge | 155.00 | 155.00 | 1.90 | |
| Carex praegracilis | | Tollway sedge | | | 1.70 | 1.25 |
| Carex prairea | | Fen paniced sedge | 90.00 | 75.00 | | |
| Carex projecta | | Loose-headed oval sedge | | | | |
| Carex radiata | Carex rosea var. radiata | Curly wood sedge | 140.00 | 45.00 | 1.53 | |
| Carex retrorsa | | Retrorsa sedge | 20.00 | 11.00 | | |
| Carex richardsonii | | Richardson's sedge | | | | |
| Carex rosea | | Curly-styled wood sedge | 175.00 | 150.00 | 1.70 | |
| Carex sartwelli | | Sartwell's sedge | 120.00 | 90.00 | 2.00 | |
| Carex scoparia | | Broom sedge | 12.00 | 10.00 | 1.25 | |
| Carex shortiana | | Short's sedge | | 50.00 | 1.53 | |
| Carex sparganioides | | Loose-headed bracted sedge | 45.00 | 38.00 | | |
| Carex spengelii | | Long-beaked sedge | 38.00 | 33.00 | 1.70 | |
| Carex squarrosa | | Squarrose sedge | | | | |
| Carex sterilis | | Fen star sedge | | 65.00 | | |
| Carex stipata | | Owl-fruited sedge | 38.00 | 33.00 | 1.25 | |
| Carex stricta | | Common tussock sedge | 113.00 | 85.00 | 1.35 | 1.10 |
| Carex tenera | | Narrow-leaved oval sedge | 52.00 | 52.00 | | |
| Carex texensis | | Texas sedge | | | 1.53 | 1.25 |
| Carex tribuloides | | Blunt broom sedge | 40.00 | 34.00 | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|----------------------------------|-------------------------|----------------------------|----------------|------------------|--------------------|--------------------|
| Carex trichocarpa | | Hairyfruit sedge | 50.00 | 50.00 | | |
| Carex typhina | | Cattail sedge | 35.00 | 30.00 | | |
| Carex umbellata | | Parasol sedge | | | | |
| Carex utriculata | | Common yellow lake sedge | | | | |
| Carex vulpinoidea | | Fox sedge, Brown fox sedge | 17.00 | 13.00 | 1.25 | 1.05 |
| Castilleja coccinea | | Scarlet Indian paintbrush | | | | |
| Caulophyllum thalictroides | | Blue cohosh | 20.00 | 18.00 | | |
| Ceanothus americanus | | New Jersey tea | 100.00 | 90.00 | 1.70 | |
| Ceanothus herbaceus | Ceanthus ovatus | Inland New Jersey tea | | | | |
| Cephalanthus occidentalis | | Buttonbush | 16.00 | 12.00 | | |
| Ceratophyllum demersum (BR only) | | Coon's tail | | | 0.80 | |
| Chamaecrista fasciculata | Cassia fasciculata | Partridge pea | 3.00 | 3.00 | 1.70 | |
| Chamerion angustifolium | Epilobium angustifolium | Fireweed | 188.00 | 168.00 | | |
| Chasmanthium (Uniola) latifolium | | River oats | | | 1.35 | 1.10 |
| Chelone glabra | | Turtlehead | 81.00 | 69.00 | 1.70 | |
| Chelone obliqua | | Rose turtlehead | | | 1.70 | |
| Cicuta maculata | | Water hemlock | 18.00 | 16.00 | 2.00 | |
| Cinna arundinacea | | Common wood reed | 40.00 | 35.00 | | |
| Cirsium discolor | | Pasture thistle | 17.00 | 14.00 | | |
| Claytonia virginica | | Spring beauty | 160.00 | 140.00 | 3.50 | |
| Clematis virginiana | | Virgin's bower | 29.00 | 18.00 | 2.00 | |
| Comandra umbellata | | Bastard toad flax | | | | |
| Conoclinium coelestinum | Eupatorium coelestinum | Blue mistflower | 31.25 | 31.25 | 1.53 | 1.25 |
| Coreopsis lanceolata | | Sand coreopsis | 8.00 | 6.00 | 1.25 | 1.05 |
| Coreopsis palmata | | Prairie coreopsis | 55.00 | 50.00 | 1.53 | |
| Coreopsis pubescens | | Star tickseed | | | 1.53 | |
| Coreopsis tripteris | | Tall coreopsis | 27.00 | 25.00 | 1.25 | |
| Dactylis glomerata | | Orchard grass | 0.25 | 0.25 | | |
| Dalea candida | Petalostemum candidum | White prairie clover | 26.00 | 17.00 | 1.35 | |
| Dalea purpurea | Petalostemum purpureum | Purple prairie clover | 9.00 | 6.50 | 1.35 | |
| Danthonia spicata | | Poverty oat grass | 45.00 | 45.00 | | |
| Decodon verticillatus | | Swamp loosestrife | | | | |
| Delphinium carolinianum | Delphinium virescens | Prairie larkspur | 128.00 | 128.00 | | |
| Delphinium tricorne | | Dwarf larkspur | | | 2.25 | |
| Deschampsia cespitosa | | Tufted hairgrass | 25.00 | 23.00 | 1.25 | |
| Desmanthus illinoensis | | Illinois sensitive plant | 2.50 | 2.50 | 1.50 | |
| Desmodium canadense | | Showy tick trefoil | 15.00 | 13.00 | 1.50 | |
| Desmodium canescens | | Hoary tick trefoil | 68.75 | 68.75 | | |
| Desmodium cuspidatum | | Largebracted tick trefoil | 60.00 | 50.00 | | |
| Desmodium glutinosum | | Pointed leaf tick trefoil | 60.00 | | | |
| Desmodium illinoense | | Illinois tick trefoil | 20.00 | 12.00 | 1.50 | |
| Diarrhena americana | | American beak grass | 10.00 | 6.00 | | |
| Diarrhena obovata | | Obvate beakgrass | | | 1.53 | |
| Dicentra cucullaria | | Dutchman's britches | 95.00 | 75.00 | 4.50 | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|---------------------------------------|--------------------|--------------------------------|----------------|------------------|--------------------|--------------------|
| Dichanthelium acuminatum | Panicum implicatum | Old-field panic grass | | | | |
| Dichanthelium latifolium | Panicum latifolium | Broadleaf rosette grass | | | | |
| Dichanthelium leibergii | Panicum leibergii | Prairie panic-grass | 200.00 | 175.00 | | |
| Dichanthelium sphaerocarpon | | Round-seed dichanthelium | | | | |
| Dioscorea villosa | | Wild yam | | | | |
| Dodecatheon meadia | | Shooting star | 145.00 | 98.00 | 2.25 | |
| Doellingeria umbellata | Aster umbellatus | Flat-topped aster | 50.00 | 45.00 | 1.40 | |
| Echinacea angustifolia | | Narrow purple coneflower | | | | |
| Echinacea atrorubens | | Topeka coneflower | | | 1.70 | |
| Echinacea pallida | | Pale purple coneflower | 24.00 | 18.00 | 1.25 | 1.10 |
| Echinacea paradoxa | | Yellow coneflower | | | 1.53 | |
| Echinacea purpurea | | Broad-leaved purple coneflower | 12.00 | 8.00 | 1.25 | 1.05 |
| Echinacea simulata | | Glade coneflower | | | 1.53 | |
| Echinocystis lobata | | Wild cucumber | 45.00 | 43.00 | | |
| Echinodorus berteroi | | Burhead | | | | |
| Eleocharis acicularis | | Needle spikerush | 68.00 | 59.00 | 1.53 | |
| Eleocharis compressa | | Flat-stemmed spikerush | 68.00 | 59.00 | | |
| Eleocharis elliptica | | Golden-seed spikerush | 82.00 | 55.00 | | |
| Eleocharis erythropoda | | Red-rooted spikerush | 55.00 | 45.00 | 1.53 | |
| Eleocharis obtusa | Eleocharis ovata | Blunt spikerush | 82.00 | 75.00 | | |
| Eleocharis palustris | Eleocharis smallii | Common spikerush | 55.00 | 50.00 | | |
| Elodea canadensis (BR only) | | Canadian waterweed | | | | |
| Elymus canadensis | | Canada wild rye | 0.90 | 0.90 | 1.25 | |
| Elymus hystrix | Hystrix patula | Bottlebrush grass | 15.00 | 8.00 | 1.40 | |
| Elymus macgregorii | | MacGregor's rye grass | | | | |
| Elymus riparius | | River bank rye | 2.00 | 1.50 | | |
| Elymus trachycaulus | | Slender wheatgrass | 0.70 | 0.70 | | |
| Elymus villosus | | Silky wild rye | 8.00 | 5.00 | | |
| Elymus virginicus | | Virginia wild rye | 0.75 | 0.50 | 1.25 | |
| Epilobium coloratum | | Cinnamon willow herb | 60.00 | 60.00 | | |
| Equisetum arvense | | Horsetail | | | | |
| Equisetum fluviatile (plants BR only) | | Pipes | | | | |
| Equisetum hyemale (plants BR only) | | Horse tail | | | 1.70 | |
| Equisetum laevigatum | | Smooth scouring rush | | | | |
| Equisetum sylvaticum | | Woodland horsetail | | | | |
| Eragrostis spectabilis | | Purple love grass | 55.00 | 45.00 | | |
| Eragrostis trichodes | | Sand lovegrass | | 35.00 | 1.53 | |
| Erigeron annuus | | Annual fleabane | 8.00 | 6.00 | | |
| Erigeron philadelphicus | | Marsh fleabane | | | | |
| Erigeron pulchellus | | Robin's plantain | 140.00 | | 2.50 | |
| Erigeron strigosus | | Daisy fleabane | | | | |
| Eryngium yuccifolium | | Rattlesnake master | 35.00 | 30.00 | 1.35 | 1.10 |
| Erythronium albidum | | Trout lily | 157.00 | 137.00 | | |
| Eupatorium altissimum | | Tall boneset | 48.00 | 40.00 | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|---------------------------|--|-------------------------------|----------------|------------------|--------------------|--------------------|
| Eupatorium fistulosum | | Hollow Joe pye weed | | | | |
| Eupatorium perfoliatum | | Common boneset | 35.00 | 32.00 | 1.25 | |
| Eupatorium serotinum | | Late boneset | 29.00 | 24.00 | 1.35 | |
| Euphorbia corollata | | Flowering spurge | 60.00 | 60.00 | 1.70 | |
| Eurybia macrophylla | Aster macrophyllus | Big-leaved aster | 82.00 | 63.00 | 1.70 | |
| Euthamia graminifolia | Solidago graminifolia | Common grass-leaved goldenrod | 79.00 | 47.00 | 1.25 | |
| Eutrochium maculatus | Eupatorium maculatum, Eupatoriadelphus maculatus | Spotted Joe Pye weed | 28.00 | 24.00 | 1.25 | |
| Eutrochium purpureum | Eupatorium purpureum | Purple Joe Pye weed | 24.00 | 21.00 | 1.25 | |
| Festuca rubra | | Red fescue | 0.18 | 0.18 | | |
| Festuca subverticillata | Festuca obtusa | Nodding fescue | 60.00 | 49.00 | | |
| Filipendula rubra | | Queen of the prairie | | 69.00 | | |
| Floerkea proserpinacoides | | Mermaid weed | 90.00 | 90.00 | | |
| Fragaria virginiana | | Wild strawberry | | 335.00 | 1.53 | |
| Galium aparine | | Sticky willy | | | | |
| Galium boreale | | Northern bedstraw | 150.00 | 45.00 | 1.70 | |
| Galium circaezans | | Smooth wild licorice | | | | |
| Galium concinnum | | Shining bedstraw | | | | |
| Galium obtusum | | Wild madder | | | | |
| Gentiana alba | Gentiana flavida | Yellowish gentian | 54.00 | 47.00 | 3.00 | |
| Gentiana andrewsii | | Bottle gentian | 100.00 | 85.00 | 3.00 | |
| Gentiana puberulenta | | Downy gentian | 160.00 | 138.00 | 3.00 | |
| Gentianella quinquefolia | Gentiana quinquefolia | Stiff gentian | | 110.00 | | |
| Gentianopsis crinita | Gentiana crinita | Fringed gentian | | 75.00 | | |
| Geranium maculatum | | Wild geranium | 150.00 | 95.00 | 2.25 | |
| Geum aleppicum strictum | | Yellow avens | 12.00 | 10.00 | | |
| Geum laciniatum | | Northern rough avens | | | | |
| Geum rivale | | Purple avens | | | | |
| Geum triflorum | | Prairie smoke | 200.00 | 200.00 | 1.70 | |
| Glandularia canadensis | | Rose verbena | | | 1.53 | |
| Glyceria canadensis | | Rattlesnake manna grass | 32.00 | 28.00 | | |
| Glyceria grandis | | Reed manna grass | 10.00 | 9.00 | | |
| Glyceria septentrionalis | | Floating manna grass | 35.00 | 35.00 | | |
| Glyceria striata | | Fowl manna grass | 27.00 | 19.00 | | |
| Hasteola suaveolens | Cacalia suaveolens | Sweet Indian plantain | 26.00 | 22.00 | | |
| Helenium autumnale | | Sneezeweed | 25.00 | 22.00 | 1.25 | |
| Helianthus divaricatus | | Woodland sunflower | 60.00 | 53.00 | | |
| Helianthus grosseserratus | | Sawtooth sunflower | 46.00 | 42.00 | | |
| Helianthus hirsutus | | Hairy sunflower | | | | |
| Helianthus maximiliani | | Maximilian sunflower | | | | |
| Helianthus mollis | | Downy sunflower | | | | |
| Helianthus occidentalis | | Western sunflower | 50.00 | 35.00 | | |
| Helianthus pauciflorus | Helianthus rigidus / laetiflorus | Prairie sunflower | 50.00 | 33.00 | 1.40 | |
| Helianthus salicifolius | | Willow leaved sunflower | | | 1.53 | |
| Helianthus strumosus | | Pale-leaved sunflower | 45.00 | 31.00 | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|--------------------------|-----------------------|--------------------------|----------------|------------------|--------------------|--------------------|
| Helianthus tuberosus | | Jerusalem artichoke | | | | |
| Heliopsis helianthoides | | False sunflower | 6.00 | 4.00 | 1.25 | 1.10 |
| Hepatica nobilis | Hepatica acutiloba | Sharp-lobed hepatica | | 150.00 | 4.50 | |
| Heracleum maximum | | Cow parsnip | 7.50 | 7.50 | | |
| Hesperostipa spartea | Stipa spartea | Porcupine grass | 25.00 | 20.00 | 3.00 | |
| Heteranthera dubia | | Water star grass | | | | |
| Heuchera parviflora | | Little flower alumroot | | | 1.53 | |
| Heuchera richardsonii | | Prairie alumroot | 160.00 | 145.00 | 1.25 | |
| Hibiscus laevis | Hibiscus militaris | Swamp mallow | 16.00 | 12.00 | 1.70 | |
| Hibiscus lasiocarpus | | Rose mallow | | | 1.70 | |
| Hibiscus moscheutos | Hibiscus palustris | Swamp rose mallow | 38.00 | 15.00 | | |
| Hierochloe odorata | | Vanilla grass | 82.00 | 75.00 | | |
| Hordeum jubatum | | Squirrel-tail barley | | | | |
| Hydrophyllum virginianum | | Virginia waterleaf | 75.00 | 50.00 | 4.50 | |
| Hypericum ascyron | Hypericum pyramidatum | Great St. John's wort | 13.00 | 10.00 | 1.25 | |
| Hypericum prolificum | Hypericum spathulatum | Shrubby St. John's wort | 15.00 | 12.00 | | |
| Hypericum punctatum | | Spotted St. John's wort | | | | |
| Hypoxis hirsuta | Hypoxis decumbens | Yellow star grass | 175.00 | 150.00 | | |
| Iliamna rivularis | Iliamna remota | Kankakee mallow | | | | |
| Impatiens capensis | | Orange jewelweed | | 75.00 | | |
| Impatiens pallida | | Yellow jewelweed | | | | |
| Ionactis linariifolius | Aster linariifolius | Flax-leaved aster | 53.00 | 48.00 | | |
| Iris cristata | | Dwarf crested iris | | | 1.70 | |
| Iris fulva | | Copper iris | | | 2.25 | |
| Iris versicolor | | Northern blue flag iris | 26.00 | 20.00 | 1.50 | |
| Iris virginica | | Blue flag iris | 20.00 | 15.00 | 1.50 | 1.10 |
| Juncus acuminatus | | Tapertip rush | 20.00 | 13.00 | 1.50 | |
| Juncus canadensis | | Canada rush | 35.00 | 30.00 | 1.50 | |
| Juncus dudleyi | | Dudley's rush | 44.00 | 35.00 | 1.25 | |
| Juncus effusus | | Common rush | 31.00 | 25.00 | 1.35 | 1.10 |
| Juncus interior | | Inland rush | 41.00 | 33.00 | | |
| Juncus marginatus | | Grass-leaved rush | 41.00 | 40.00 | | |
| Juncus nodosus | | Joint rush | 65.00 | 65.00 | | |
| Juncus tenuis | | Path rush | 40.00 | 40.00 | 1.35 | |
| Juncus torreyi | | Torrey's rush | 65.00 | 52.00 | 1.53 | |
| Justicia americana | | American water-willow | | | 2.00 | |
| Koeleria macrantha | Koeleria cristatella | June grass | 20.00 | 17.00 | 1.35 | |
| Krigia biflora | | False dandelion | | | | |
| Lathyrus palustris | | Marsh vetchling | 38.00 | 34.00 | | |
| Leersia oryzoides | | Rice cut grass | 25.00 | 20.00 | 1.70 | |
| Leersia virginica | | White grass | | | | |
| Lespedeza capitata | | Round-headed bush clove | 17.00 | 13.00 | | |
| Lespedeza violacea | | Violet lespedeza | | 90.00 | | |
| Liatis aspera | | Rough blazing star | 55.00 | 44.00 | 1.35 | |
| Liatis cylindracea | | Cylindrical blazing star | 48.00 | 43.00 | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|------------------------------------|-----------------------------|-------------------------------|----------------|------------------|--------------------|--------------------|
| <i>Liatis ligulistylis</i> | | Meadow blazing star | 55.00 | 55.00 | 1.53 | |
| <i>Liatis punctata</i> | | Dotted blazing star | 45.00 | 42.00 | 1.53 | |
| <i>Liatis pycnostachya</i> | | Prairie blazing star | 17.00 | 15.00 | 1.25 | 1.10 |
| <i>Liatis scariosa nieuwlandii</i> | | Eastern blazing star | | | 1.53 | |
| <i>Liatis spicata</i> | | Marsh blazing star | 15.00 | 12.00 | 1.25 | 1.10 |
| <i>Lilium michiganense</i> | | Turk's cap lily | 280.00 | 218.00 | 5.00 | |
| <i>Lilium philadelphicum</i> | | Prairie lily | 335.00 | 200.00 | 7.00 | |
| <i>Lithospermum carolinense</i> | <i>Lithospermum croceum</i> | Hairy puccoon | | 165.00 | | |
| <i>Lithospermum incisum</i> | | Fringed puccoon | | 165.00 | | |
| <i>Lobelia cardinalis</i> | | Cardinal flower | 100.00 | 80.00 | 1.25 | 1.10 |
| <i>Lobelia inflata</i> | | Indian tobacco | | 95.00 | | |
| <i>Lobelia siphilitica</i> | | Great blue lobelia | 85.00 | 68.00 | 1.25 | 1.10 |
| <i>Lobelia spicata</i> | | Pale spiked lobelia | 140.00 | 140.00 | | |
| <i>Lolium multiflorum</i> | | Annual rye | 0.08 | 0.08 | | |
| Low Maintenance Lawn Blend | | Fescue blend | 0.24 | 0.24 | | |
| <i>Ludwigia alternifolia</i> | | Seedbox | 45.00 | 45.00 | | |
| <i>Ludwigia palustris</i> | | Marsh seedbox | 52.00 | 43.00 | | |
| <i>Ludwigia polycarpa</i> | | Manyfruit primrose-willow | 53.00 | 45.00 | | |
| <i>Lupinus perennis</i> | | Wild lupine | 35.00 | 22.00 | 1.25 | |
| <i>Luzula multiflora</i> | | Common wood rush | 87.50 | 75.00 | 1.40 | |
| <i>Lycopus americanus</i> | | American water horehound | 27.00 | 26.00 | 1.53 | |
| <i>Lycopus uniflorus</i> | | Northern bugleweed | | 37.00 | | |
| <i>Lysimachia ciliata</i> | | Fringed loosestrife | 82.00 | 69.00 | 1.30 | |
| <i>Lysimachia quadriflora</i> | | Fourflower yellow loosestrife | 200.00 | 112.00 | | |
| <i>Lysimachia terrestris</i> | | Swamp candles | | | | |
| <i>Lysimachia thyrsoiflora</i> | | Tufted loosestrife | | | | |
| <i>Lythrum alatum</i> | | Winged loosestrife | 110.00 | 90.00 | 1.35 | |
| <i>Mainathemum canadense</i> | <i>Smilacina canadense</i> | Canada mayflower | | | 5.25 | |
| <i>Maianthemum racemosum</i> | <i>Smilacina racemosa</i> | Feathery false solomon's seal | 28.00 | 26.00 | 5.25 | |
| <i>Maianthemum stellatum</i> | <i>Smilacina stellata</i> | Starry False solomon's seal | 134.00 | 115.00 | 5.25 | |
| <i>Medicago sativa</i> | | Alfalfa | 0.38 | 0.38 | | |
| <i>Mentha arvensis</i> | | Wild mint | 78.00 | 69.00 | | |
| <i>Mertensia virginica</i> | | Virginia bluebells | | | 3.00 | |
| <i>Mimulus ringens</i> | | Monkey flower | 30.00 | 27.00 | 1.25 | |
| <i>Minuartia michauxii</i> | <i>Arenaria stricta</i> | Stiff sandwort | 243.00 | 200.00 | | |
| <i>Mitella diphylla</i> | | Bishop's cap | | 280.00 | | |
| <i>Moehringia lateriflora</i> | | Blunt leaf stitchwort | | | | |
| <i>Monarda bradburiana</i> | | Eastern beebalm | | | 1.53 | |
| <i>Monarda fistulosa</i> | | Wild bergamot | 26.00 | 20.00 | 1.25 | 1.10 |
| <i>Monarda punctata</i> | | Horse mint | 40.00 | 35.00 | 1.35 | |
| <i>Muhlenbergia glomerata</i> | | Marsh wild timothy | 45.00 | 30.00 | | |
| <i>Muhlenbergia mexicana</i> | | Leafy satin grass | | 15.00 | 1.40 | |
| <i>Napaea dioica</i> | | Glade mallow | 11.00 | 7.50 | | |
| <i>Nelumbo lutea</i> | | American lotus | | | 7.00 | |
| <i>Nuphar lutea</i> | <i>Nuphar advena</i> | Yellow waterlily | | | 10.00 | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|-----------------------------|--|-----------------------------|----------------|------------------|--------------------|--------------------|
| Nuphar rubrodisca | | Yellow water lily | | | | |
| Nymphaea odorata | Nymphaea tuberosa | American white waterlily | | | 10.00 | |
| Oenothera biennis | | Common evening primrose | 3.50 | 3.00 | 1.35 | |
| Oenothera gaura | Gaura biennis | Biennial gaure | 22.00 | 20.00 | | |
| Oenothera macrocarpa | | Large flowered primrose | | | 1.45 | |
| Oenothera pilosella | | Prairie sundrops | 95.00 | 80.00 | | |
| Oenothera speciosa | | Pink petticoats primrose | | | | |
| Oligoneuron album | Solidago ptarmicoides / Aster ptarmicoides | Stiff aster (goldenrod) | 28.00 | 20.00 | 1.35 | |
| Oligoneuron ohioense | Solidago ohioensis | Ohio goldenrod | | 22.00 | 1.70 | |
| Oligoneuron riddellii | Solidago riddellii | Riddell's goldenrod | 32.00 | 25.00 | 1.25 | |
| Oligoneuron rigidum | Solidago rigida | Stiff goldenrod | 26.00 | 22.00 | 1.25 | 1.10 |
| Onoclea sensibilis | | Sensitive fern | 14.00 | 12.00 | | |
| Onosmodium bejariense | Onosmodium molle | Marbleseed | | 150.00 | | |
| Opuntia humifusa | | Prickly pear cactus | 31.00 | 31.00 | 1.25 - pads | |
| Osmorhiza claytonii | | Hairy sweet cicely | 33.00 | 24.00 | | |
| Osmorhiza longistylis | | Smooth sweet cicely | 33.00 | 24.00 | | |
| Osmunda cinnamomea | | Cinnamon fern | | | 5.00 | |
| Osmunda claytoniana | | Interrupted fern | 72.00 | 60.00 | 5.25 | |
| Osmunda regalis spectabilis | | Royal fern | | | 5.25 | |
| Oxalis violacea | | Wood sorel | | | 5.25 | |
| Oxypolis rigidior | | Cowbane | 72.00 | 60.00 | 5.25 | |
| Packera aurea | Senecio aurea | Golden ragwort | | | | |
| Packera obovata | Senecio obovatus | Squaw weed | | | 1.90 | |
| Packera paupercula | Senecio pauperculus | Balsam ragwort | 87.00 | 80.00 | 1.35 | |
| Packera plattensis | Senecio plattensis | Prairie groundsel | 87.00 | 80.00 | 1.35 | |
| Panicum oligosanthos | | Few-flowered panic grass | | | | |
| Panicum virgatum | | Switch grass | 0.75 | 0.60 | 1.25 | 1.05 |
| Parthenium integrifolium | | Wild quinine | 11.00 | 9.00 | 1.35 | |
| Pascopyrum smithii | Agropyron smithii | Western wheatgrass | 12.00 | 9.00 | | |
| Pedicularis canadensis | | Wood betony | 131.00 | 93.00 | | |
| Pedicularis lanceolata | | Swamp lousewort | 31.00 | 10.00 | | |
| Peltandra virginica | | Green arrow arum | | | 1.90 | |
| Penstemon calycosus | | Small beardtongue | 14.00 | 13.00 | 1.35 | |
| Penstemon cobaea | | Large flowered penstemon | | | 1.53 | 1.25 |
| Penstemon digitalis | | Beardtongue | 24.00 | 18.00 | 1.25 | 1.10 |
| Penstemon grandiflorus | | Large-flowered beard tongue | 80.00 | 24.00 | 2.00 | |
| Penstemon hirsutus | | Hairy beardtongue | 24.00 | 18.00 | 1.70 | |
| Penstemon pallidus | | Pale beard tongue | 120.00 | 100.00 | | |
| Penstemon tubaeflorus | | Western beard tongue | | | | |
| Penthorum sedoides | | Ditch stonecrop | 14.00 | 8.00 | 1.65 | |
| Phleum pretense | | Timothy | 0.22 | 0.22 | | |
| Phlox divaricata | | Blue/Woodland phlox | 180.00 | 160.00 | 1.53 | 1.25 |
| Phlox glaberrima | | Marsh phlox | | 155.00 | 1.53 | |
| Phlox maculata | | Wild sweetwilliam | | 40.00 | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|--|---|------------------------|----------------|------------------|--------------------|--------------------|
| Phlox paniculata | | Garden phlox | | | 1.70 | |
| Phlox pilosa | | Sand prairie phlox | 155.00 | 110.00 | 1.70 | |
| Phryma leptostachya | | Lopseed | 45.00 | 40.00 | | |
| Physostegia virginiana | | Prairie obedient plant | 25.00 | 20.00 | 1.35 | |
| Phytolacca americana | | Pokeweed | 7.50 | 7.50 | | |
| Poa palustris | | Fowl bluegrass | 3.50 | 3.50 | 1.70 | |
| Podophyllum peltatum | | Mayapple | | 150.00 | 2.25 | |
| Polemonium reptans | | Jacob's ladder | 115.00 | 105.00 | 3.00 | |
| Polygonatum biflorum | Polygonatum canaliculatum | Smooth Solomon's seal | 24.00 | 23.00 | | |
| Polygonum amphibium | Polygonum coccineum | Longroot smartweed | 26.00 | 22.00 | | |
| Polygonum amphibium stipulaceum | | Water smartweed | 26.00 | 22.00 | | |
| Polygonum hydropiperoides | | Mild water pepper | 9.50 | 7.50 | | |
| Polygonum lapathifolium | | Curly-topped knotweed | 4.00 | 3.00 | | |
| Polygonum pensylvanicum | | Pinkweed | 4.00 | 3.00 | | |
| Polygonum sagittatum | | Lady's tearthumb | 55.00 | 47.00 | | |
| Polygonum virginiana | | Jumpseed | | | | |
| Polygonum virginianum | Tovara virginiana | Woodland knotweed | | 25.00 | | |
| Polystichum acrostichoides | | Christmas fern | | | 5.00 | |
| Pontederia cordata | | Pickereel weed | 40.00 | 39.00 | 2.75 | |
| Potamogeton natans | | floating pondweed | | | | |
| Potamogeton nodosus | | Pondweed (BR only) | | | | |
| Potentilla anserina | | Silverweed cinquefoil | | | | |
| Potentilla arguta | Drymocallis arguta | Prairie cinquefoil | 35.00 | 30.00 | 1.35 | |
| Potentilla simplex | | Common cinquefoil | | | | |
| Prenanthes alba | | Lion's foot | 175.00 | 118.00 | | |
| Prenanthes racemosa | | Glaucous white lettuce | | 118.00 | | |
| Pseudognaphalium obtusifolium | Gnaphalium obtusifolium | Rabbit tobacco | | 25.00 | | |
| Psoralea tenuiflora | | French grass | | | | |
| Pulsatilla patens | Anemone patens wolfgangiana | Pasque flower | 55.00 | 42.00 | 2.50 | |
| Pycnanthemum tenuifolium | | Slender mountain mint | 55.00 | 42.00 | 1.35 | 1.10 |
| Pycnanthemum virginianum | | Virginia mountain mint | 65.00 | 60.00 | 1.35 | |
| Ranunculus abortivus | | Little leaf buttercup | | | | |
| Ranunculus fascicularis | | Early buttercup | 45.00 | 45.00 | | |
| Ranunculus hispidus | Ranunculus septentrionalis | Rough buttercup | 45.00 | 45.00 | | |
| Ranunculus sceleratus | | Cursed buttercup | 55.00 | 52.00 | | |
| Ratibida columnifera | | Upright coneflower | | 7.00 | 1.35 | |
| Ratibida pinnata | | Yellow coneflower | 20.00 | 16.00 | 1.25 | 1.10 |
| Regreen Tritium aestivum x Elymus trachycaulus | Regreen (Whiter wheat x slender wheatgrass) | Regreen | 0.35 | 0.35 | | |
| Rorippa palustris | Rorippa islandica | Yellow cress | 18.00 | 14.50 | | |
| Rosa arkansana | | Prairie rose | 42.00 | 25.00 | | |
| Rosa blanda | | Early wild rose | 44.00 | 40.00 | | |
| Rosa carolina | | Carolina rose | 44.00 | 40.00 | 3.00 | |
| Rosa palustris | | Swamp rose | 42.00 | 37.00 | 4.50 | |
| Rosa setigera | | Savanna rose | 42.00 | 37.00 | 4.50 | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|--------------------------------|--------------------------------------|-----------------------------|----------------|------------------|--------------------|--------------------|
| Rudbeckia fulgida speciosa | Rudbeckia speciosa | Orange coneflower | | 52.00 | 1.25 | 1.10 |
| Rudbeckia fulgida umbrosa | | Orange coneflower | | | 1.25 | 1.10 |
| Rudbeckia fulgida sullivantii | Rudbeckia fulgida | Showy black-eyed Susan | | 52.00 | 1.53 | |
| Rudbeckia hirta | | Black-eyed Susan | 5.00 | 3.00 | 1.53 | |
| Rudbeckia laciniata | | Wild golden glow | 23.00 | 17.00 | | |
| Rudbeckia missouriensis | | Missouri black-eyed Susan | | | 1.35 | |
| Rudbeckia subtomentosa | | Sweet black-eyed Susan | 20.00 | 16.00 | 1.35 | |
| Rudbeckia triloba | | Brown-eyed Susan | 15.00 | 11.00 | | |
| Ruellia humilis | | Wild petunia, Hairy ruellia | 50.00 | 40.00 | 2.50 | |
| Rumex altissimus | | Pale dock | 19.00 | 15.00 | | |
| Rumex orbiculatus | | Great water dock | 19.00 | 15.00 | | |
| Rumex verticillatus | | Swamp dock | 19.00 | 15.00 | | |
| Sagittaria graminea | | Grass leaved-duck potato | | | | |
| Sagittaria latifolia | | Broad-leaved duck potato | 20.00 | 20.00 | 1.53 | |
| Sagittaria rigida | | Stiff arrowhead | | | | |
| Salvia azurea | | Blue sage | | | 1.53 | 1.25 |
| Sanguinaria canadensis | | Bloodroot | 53.00 | 45.00 | 4.50 | |
| Sanicula marilandica | | Snakeroot | 53.00 | 45.00 | | |
| Saururus cernuus | | Lizard's tail | | | 1.90 | |
| Saxifraga pensylvanica | | Eastern swamp saxifrage | 81.00 | 75.00 | | |
| Schizachyrium scoparium | Andropogon scoparius | Little bluestem | 1.50 | 1.50 | 1.25 | 1.05 |
| Schoenoplectus acutus | Scirpus acutus | Hard-stemmed bulrush | 30.00 | 25.00 | 1.35 | |
| Schoenoplectus fluviatilis | Scirpus fluviatilis | River bulrush | 16.00 | 12.00 | 1.35 | 1.05 |
| Schoenoplectus pungens | Scirpus pungens / Scirpus americanus | Chairmaker's rush | 45.00 | 40.00 | | |
| Schoenoplectus tabernaemontani | Scirpus validus creber | Soft-stem bulrush | 16.00 | 12.00 | 1.35 | 1.05 |
| Scirpus atrovirens | | Green bulrush | 6.00 | 5.00 | 1.25 | 1.05 |
| Scirpus cyperinus | | Wool grass | 10.00 | 9.00 | 1.25 | |
| Scirpus lineatus | | Drooping bulrush | | | | |
| Scirpus pendulus | | Red bulrush | 43.00 | 17.00 | 1.35 | |
| Scleria triglomerata | | White nutrush | | | | |
| Scrophularia lanceolata | | Early figwort | 45.00 | 32.00 | | |
| Scrophularia marilandica | | Late figwort | 26.00 | 22.00 | | |
| Scutellaria galericulata | Scutellaria epilobiifolia | Marsh skullcap | 90.00 | 84.00 | | |
| Scutellaria incarna | | Hoary skullcap | | | 2.10 | |
| Scutellaria lateriflora | | Mad dog skullcap | 43.00 | 43.00 | | |
| Scutellaria ovata | | Heart leaf skullcap | | | | |
| Secale cereale | | Winter rye | 0.08 | 0.08 | | |
| Sedum ternatum | | Wild stonecrop | | | 1.53 | |
| Senna hebecarpa | Cassia hebecarpa | Wild senna | 9.00 | 6.00 | 1.50 | |
| Silene nivea | | Snowy campion | | | | |
| Silene regia | | Royal catchfly | 90.00 | 84.00 | 1.75 | |
| Silene stellata | | Starry campion | 145.00 | 95.00 | | |
| Silphium integrifolium | | Rosin weed | 19.00 | 16.00 | 1.50 | |
| Silphium laciniatum | | Compass plant | 47.00 | 35.00 | 1.35 | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|-----------------------------------|---|-------------------------------|----------------|------------------|--------------------|--------------------|
| <i>Silphium perfoliatum</i> | | Cup plant | 13.00 | 9.00 | 1.35 | |
| <i>Silphium terebinthinaceum</i> | | Prairie dock | 24.00 | 19.00 | 1.35 | |
| <i>Sisyrinchium albidum</i> | | Common blue-eyed grass | 118.00 | 85.00 | | |
| <i>Sisyrinchium angustifolium</i> | | Narrow-leaved blue-eyed grass | 118.00 | 85.00 | | |
| <i>Sisyrinchium campestre</i> | | Prairie blue-eyed grass | 118.00 | 85.00 | | |
| <i>Sium suave</i> | | Hemlock waterparsnip | 50.00 | 46.00 | | |
| <i>Smilax herbacea</i> | | Carrion flower | 23.00 | 16.00 | | |
| <i>Smilax lasioneura</i> | | Smooth carrion flower | 11.25 | 11.25 | | |
| <i>Solidago caesia</i> | | Blue stemmed goldenrod | 150.00 | 130.00 | | |
| <i>Solidago canadensis</i> | | Canada goldenrod | 34.00 | 29.00 | | |
| <i>Solidago flexicaulis</i> | | Broad-leaved goldenrod | 95.00 | 95.00 | 1.53 | |
| <i>Solidago gigantea</i> | | Late goldenrod | 113.00 | 88.00 | | |
| <i>Solidago juncea</i> | | Early goldenrod | 35.00 | 30.00 | 1.70 | |
| <i>Solidago missouriensis</i> | | Missouri goldenrod | 42.00 | 35.00 | 1.70 | |
| <i>Solidago nemoralis</i> | | Old-field goldenrod | 35.00 | 30.00 | 1.35 | |
| <i>Solidago patula</i> | | Swamp goldenrod | | | | |
| <i>Solidago rugosa</i> | <i>Solidago drummondii</i> | Wrinkleleaf goldenrod | | | 1.53 | |
| <i>Solidago speciosa</i> | | Showy goldenrod | 50.00 | 30.00 | 1.35 | 1.05 |
| <i>Solidago ulmifolia</i> | | Elm-leaved goldenrod | 46.00 | 42.00 | 1.53 | |
| <i>Sorghastrum nutans</i> | | Indian grass | 0.65 | 0.50 | 1.25 | 1.05 |
| <i>Sparganium americanum</i> | | American bur reed | | | | |
| <i>Sparganium emersum</i> | <i>Sparganium chlorocarpum</i> | Narrow leaved bur reed | 25.00 | 16.00 | | |
| <i>Sparganium eurycarpum</i> | | Common bur reed | 10.00 | 8.00 | 1.60 | |
| <i>Spartina pectinata</i> | | Prairie cord grass | 13.00 | 12.00 | 1.25 | 1.05 |
| <i>Sphenopholis intermedia</i> | | Slender wedge grass | 120.00 | 100.00 | 1.70 | |
| <i>Sphenopholis obtusata</i> | | Prairie wedge grass | 14.00 | 12.00 | | |
| <i>Spigelia marilandica</i> | | Indian pink | | | 2.25 | |
| <i>Spiraea alba</i> | | Meadow sweet | 63.00 | 56.00 | 3.00 | |
| <i>Spiraea tomentosa</i> | | Steeple bush | | | 3.00 | |
| <i>Spiranthes cernua</i> | | Nodding ladies tresses | 280.00 | 250.00 | | |
| <i>Spiranthes magnicamporum</i> | | Great plains ladies tresses | | | | |
| <i>Sporobolus compositus</i> | <i>Sporobolus asper</i> | Composite dropseed | 4.00 | 3.75 | | |
| <i>Sporobolus cryptandrus</i> | | Sand dropseed | 4.00 | 3.75 | | |
| <i>Sporobolus heterolepis</i> | | Prairie dropseed | 22.00 | 16.00 | 1.25 | 1.25 |
| <i>Stachys aspera</i> | <i>Stachys hyssopifolia ambigua</i> | Rough hedge nettle | 45.00 | 45.00 | | |
| <i>Stachys pilosa</i> | <i>Stachys palustris homotricha</i> | Marsh hedge nettle | 40.00 | | | |
| <i>Stachys tenuifolia</i> | <i>Stachys hispida</i> | Smooth nettle hedge | 45.00 | 45.00 | | |
| <i>Stuckenia pectinata</i> | <i>Potamogeton pectinatus</i> | Sago pondweed | | | | |
| <i>Stylophorum diphyllum</i> | | Celandine poppy | | | 2.25 | |
| <i>Symphotrichum cordifolium</i> | <i>Aster sagittifolius</i> , <i>Aster cordifolius</i> | Arrow-leaved aster | 120.00 | 95.00 | 1.70 | |
| <i>Symphotrichum drummondii</i> | <i>Aster drummondii</i> | Drummond's aster | 30.00 | 21.00 | 1.70 | |
| <i>Symphotrichum dumosum</i> | <i>Aster dumosus</i> | Rice-button aster | | | | |
| <i>Symphotrichum ericoides</i> | <i>Aster ericoides</i> | Heath aster | 128.00 | 128.00 | 1.70 | |
| <i>Symphotrichum laeve</i> | <i>Aster laevis</i> | Smooth blue aster | 42.00 | 36.00 | 1.35 | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|---------------------------------------|---|-------------------------|----------------|------------------|--------------------|--------------------|
| <i>Symphytotrichum lanceolatum</i> | <i>Aster simplex</i> | Panicked aster | 48.00 | 44.00 | 1.35 | |
| <i>Symphytotrichum lateriflorum</i> | <i>Aster lateriflorus</i> | Side-flowering aster | 70.00 | 70.00 | 1.35 | |
| <i>Symphytotrichum novae-angliae</i> | <i>Aster n-a</i> | New England aster | 50.00 | 45.00 | 1.25 | 1.10 |
| <i>Symphytotrichum oblongifolium</i> | <i>Aster oblongifolius</i> | Aromatic aster | 41.00 | 25.00 | 1.25 | 1.10 |
| <i>Symphytotrichum oolentangiense</i> | <i>Aster azureus</i> | Sky-blue aster | 55.00 | 50.00 | 1.35 | |
| <i>Symphytotrichum pilosum</i> | <i>Aster pilosus</i> | Hairy aster | 35.00 | 25.00 | 1.25 | |
| <i>Symphytotrichum praealtum</i> | <i>Aster praealtus</i> | Willow aster | | 85.00 | 1.25 | |
| <i>Symphytotrichum prenanthoides</i> | <i>Aster prenanthoides</i> | Crooked-stemmed aster | | 85.00 | | |
| <i>Symphytotrichum puniceum</i> | <i>Aster puniceus</i> | Marsh aster | 55.00 | 55.00 | 1.35 | |
| <i>Symphytotrichum sericeum</i> | <i>Aster sericeus</i> | Silky aster | 54.00 | 40.00 | 1.53 | |
| <i>Symphytotrichum shortii</i> | <i>Aster shortii</i> | Short's aster | 90.00 | 85.00 | 1.70 | |
| <i>Symphytotrichum urophyllum</i> | <i>Aster sagittifolius</i> | Arrow-leaved aster | 120.00 | 95.00 | | |
| <i>Taenidia integerrima</i> | | Yellow pimpernel | 85.00 | 65.00 | | |
| <i>Talinum calycinum</i> | | Rock pink | | | 1.70 | |
| <i>Tephrosia virginiana</i> | | Goats rue | 65.00 | 40.00 | 1.70 | |
| <i>Teucrium canadense</i> | | Wood germander | 35.00 | 32.00 | 1.35 | |
| <i>Thalictrum dasycarpum</i> | | Purple meadow rue | 25.00 | 22.00 | | |
| <i>Thalictrum dioicum</i> | | Early meadow rue | 77.00 | 75.00 | | |
| <i>Thalictrum revolutum</i> | | Waxy meadow rue | 77.00 | 75.00 | | |
| <i>Thaspium trifoliatum</i> | | Purple meadowparsnip | 45.00 | 35.00 | | |
| <i>Thelypteris palustris</i> | <i>Dryopteris thelypteris pubescens</i> | Marsh sheild fern | | | 8.00 | |
| <i>Tiarella cordifolia</i> | | Heartleaf foamflower | | | | |
| <i>Tradescantia bracteata</i> | | Long-bracted spiderwort | 60.00 | 55.00 | 1.53 | |
| <i>Tradescantia occidentalis</i> | | Prairie Spiderwort | 40.00 | 35.00 | 1.53 | |
| <i>Tradescantia ohimensis</i> | | Spiderwort | 28.00 | 25.00 | 1.35 | |
| <i>Trillium erectum</i> | | Red trillium | | | | |
| <i>Trillium grandiflorum</i> | | White trillium | | | 5.00 | |
| <i>Trillium recurvatum</i> | | Prairie trillium | | | | |
| <i>Triodanis perfoliata</i> | <i>Specularia perfoliata</i> | Venus's looking glass | 50.00 | 43.00 | | |
| <i>Triosteum aurantiacum</i> | | Early horse gentian | | | | |
| <i>Triosteum perfoliatum</i> | | Late horse gentian | | 29.00 | | |
| <i>Tripsacum dactyloides</i> | | Eastern gamma grass | | 2.50 | | |
| <i>Typha latifolia</i> | | Common cat-tail | | | | |
| <i>Utricularia macrorhiza</i> | <i>Utricularia vulgaris</i> | Common bladderwort | | | | |
| <i>Uvularia grandiflora</i> | | Bellwort | 94.00 | 75.00 | 5.00 | |
| <i>Vallisneria americana</i> | | American eelgrass | | | 2.40 | |
| <i>Verbena hastata</i> | | Blue vervain | 10.00 | 7.00 | 1.25 | |
| <i>Verbena stricta</i> | | Hoary vervain | 15.00 | 12.00 | 1.25 | |
| <i>Verbena urticifolia</i> | | White vervain | 15.00 | 11.25 | | |
| <i>Verbesina alternifolia</i> | <i>Actinomeris alternifolia</i> | Wingstem | 19.00 | 18.00 | 1.70 | |
| <i>Vernonia arkansana</i> | | Curly-topped ironweed | | | 1.70 | |
| <i>Vernonia baldwinii</i> | | Western ironweed | | | 1.53 | |
| <i>Vernonia fasciculata</i> | | Common ironweed | 30.00 | 20.25 | 1.35 | |
| <i>Veronica americana</i> | | American brooklime | | | | |

| Botanical Name | Alias | Common Name | Specified / oz | Unspecified / oz | 32 Cell Plug Price | 50 Cell Plug Price |
|--------------------------|--------------------|--------------------------------|----------------|------------------|--------------------|--------------------|
| Veronicastrum virginicum | | Culver's root | 90.00 | 80.00 | 1.35 | |
| Viola pedata | | Bird's foot violet | 260.00 | 220.00 | 4.50 | |
| Viola pedatifida | Viola palmata | Prairie violet | 130.00 | 115.00 | 2.50 | |
| Viola pubescens | | Yellow violet | | 140.00 | | |
| Viola sororia | viola papilionacea | Common violet | 130.00 | 115.00 | | |
| Xyris torta | | Slender yellow eyed grass | | | | |
| Zizia aptera | | Heart leaved Golden Alexanders | 55.00 | 50.00 | 1.53 | |
| Zizia aurea | | Golden Alexanders | 18.00 | 12.00 | 1.53 | |



Pricing and Product Information

Pricing and availability are subject to change; prices are for in-stock items only. We are pleased to broker items from other native nurseries for your convenience. Please contact us for this service.

Contract Growing Qualifications

Custom Grow 50: Requires an 800-plant minimum and 12 weeks advance notice.

Wholesale 32/38 Cell Contract Grow: Requires a minimum 12 weeks advance for most species.

All contract growing orders and early orders require a 15% down payment.

Quantity Discounts are also offered. Please call for pricing.







Contract Growing & Custom Propagation

We offer contract growing and custom propagation for large projects/quantities with unique species or specific sizes. “Our experience propagating plants from diverse habitats in regions across the US gives us the knowledge to grow almost any species to meet your project’s specification.

We can custom-grow to meet most any genotype requirements for restoration projects.

Please note that contract growing requires a minimum of 120 days lead time, a non-refundable security deposit, and an agreed upon ship date. We encourage you to speak with your representative or member of our staff to see if a contract-grow is a good fit for your needs.

2021 Wholesale Seed Mix Pricing

Please see individual mix descriptions for more specific information (pages numbers below). To add further diversity see our full species availability. All mixes may vary slightly in % composition and species.

Pollinator Seed Mixes

| Seed Mix | estimated seeds per square foot | typical \$ per acre | page number |
|---------------------|---------------------------------|---------------------|-------------|
| Diversity Meadow | 40 | \$450 | 27 |
| Pollinator Friendly | 45 | \$625 | 37 |

Upland Seed Mixes

| Seed Mix | estimated seeds per square foot | typical \$ per acre | page number |
|--|---------------------------------|---------------------|-------------|
| Clay Soils - Mesic Prairie | 40 | \$280 | 27 |
| Dry Mesic Prairie | 40 | \$330 | 27 |
| Herbicide Tolerant Shortgrass and Wildflower Prairie | 40 | \$415 | 29 |
| Mesic Prairie - Habitat | 40 | \$375 | 33 |
| Mesic Prairie | 40 | \$360 | 33 |
| Short Grass Dry Prairie | 40 | \$375 | 38 |

Wet Seed Mixes

| Seed Mix | estimated seeds per square foot | typical \$ per acre | page number |
|---|---------------------------------|---------------------|-------------|
| Emergent Shoreline Mix | 50 | \$475 | 28 |
| Herbicide Tolerant Tall Grass Wet-Mesic Prairie | 23 | \$275 | 29 |
| Native Waterway | 75 | \$140 | 35 |
| Sedge Meadow | 50 | \$520 | 38 |
| Stormwater | 90 | \$575 | 39 |
| Swale and Basin | 50 | \$390 | 39 |

Conservation Seed Mixes

| Seed Mix | estimated seeds per square foot | typical \$ per acre | page number |
|--|---------------------------------|---------------------|-------------|
| Eastern KS CP42 Upland Pollinator | 20 | \$180 | 28 |
| Eastern KS Safe Mix | 20 | \$99 | 28 |
| IA CP2 Dry to Mesic | 40 | \$95 | 29 |
| IA CP2 Wet to Mesic | 40 | \$110 | 29 |
| IA CP25 Dry to Mesic Prairie | 40 | call for quote | 30 |
| IA CP42 Dry to Mesic Prairie | 40 | call for quote | 30 |
| IA CP42 Wet to Mesic Prairie | 40 | call for quote | 30 |
| IA CP43 Prairie Strips | 40 | \$163 | 30 |
| IL CP2 Native Seed Mixture 4 | 20 | \$163 | 30 |
| IL CP42 Dry to Mesic Prairie | 20 | call for quote | 31 |
| IL CP42 Wet Prairie | 20 | call for quote | 31 |
| IL CP43 Dry Mesic Prairie Strips | 20 | \$91 | 31 |
| IL CP43 Wet to Mesic Prairie Strips | 20 | \$87 | 31 |
| IN CP2 General Purpose Poorly Drained | 14 | \$98 | 31 |
| IN CP2 General Purpose Well Drained | 15 | \$87 | 32 |
| IN CP42 Pollinator Habitat Poorly Drained | 20 | call for quote | 32 |
| IN CP42 Pollinator Habitat Well Drained | 20 | call for quote | 32 |
| KS CP43 Dry Mesic Prairie Strips | 40 | \$220 | 32 |
| KS CP43 Wet to Mesic Prairie Strips | 40 | \$185 | 32 |
| MN BWSR MNDOT 32-241 Native Construction | 65 | \$390 | 34 |
| MN BWSR Pollinator Plot Southeast | 140 | call for quote | 34 |
| MN BWSR U8; 35-641 Mesic Prairie Southeast | 37 | \$275 | 34 |
| MN BWSR W3; MNDOT 325; 34-262 Wet Prairie | 84 | \$950 | 34 |
| MO CP2 CRP | 35 | \$285 | 34 |
| MO Upland CP42 Pollinator | 30 | call for quote | 35 |
| MO Wet CP42 Pollinator | 40 | call for quote | 35 |
| NY Pollinator Meadow | 35 | \$310 | 35 |
| NY Upland Meadow Restoration | 40 | \$280 | 35 |
| NY Wet to Mesic Meadow Restoration | 40 | \$235 | 36 |
| OH Seed Mixture for Birds, Bees, and Butterflies | 40 | \$250 | 36 |
| OH Wet Prairie Seeding Mixture | 40 | \$250 | 36 |
| PA Restoration Seed Mixture for Birds, Bees, and Butterflies | 40 | \$250 | 36 |
| PA Restoration Wetland / Wet Meadow Seeding Mixture | 40 | \$250 | 36 |
| WI CP2_3 Dry to Mesic | 23 | \$82 | 40 |
| WI CP2_7 Wet to Mesic | 23 | \$110 | 40 |
| WI CP25-DM Dry to Mesic Prairie | 40 | call for quote | 40 |
| WI CP25-WM Wet to Mesic Prairie | 33 | \$152 | 40 |

Conservation Seed Mixes

| Seed Mix | estimated seeds per square foot | typical \$ per acre | page number |
|--------------------------------|---------------------------------|---------------------|-------------|
| WI CP43 Prairie Strips - Dry | 18 | \$105 | 40 |
| WI CP43 Prairie Strips - Mesic | 18 | \$115 | 41 |
| WI CP43 Prairie Strips - Wet | 18 | \$115 | 41 |
| WI Dry Mesic CP42 Pollinator | 40 | call for quote | 41 |
| WI Mesic CP42 Pollinator | 40 | call for quote | 41 |

Special Use Seed Mixes

| Seed Mix | estimated seeds per square foot | typical \$ per acre | page number |
|---|---------------------------------|---------------------|-------------|
| Landfill - Basic Native Cover | 45 | \$220 | 33 |
| Savanna and Open Woodland | 45 | \$785 | 37 |
| Solar Field Basics - Native and Naturalized - Well Drained Ground | 55 | \$270 | 38 |
| Solar Field Pollinator Enhancement | 20 | \$240 | 39 |



2021 Wholesale Seed Mixes (A-Z)

Clay Soils

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Carex bicknellii* (Bicknell's sedge), *Carex normalis* (Spreading oval sedge), *Carex scoparia* (Broom sedge), *Elymus canadensis* (Canada wild rye), *Elymus virginicus* (Virginia wild rye), *Panicum virgatum* (Switch grass), *Sorghastrum nutans* (Indian grass), *Spartina pectinata* (Prairie cord grass)

Total \$280/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: *Asclepias syriaca* (Common milkweed), *Coreopsis tripteris* (Tall coreopsis), *Dalea purpurea* (Purple prairie clover), *Desmodium canadense* (Showy tick trefoil), *Eryngium yuccifolium* (Rattlesnake master), *Eupatorium altissimum* (Tall boneset), *Eutrochium maculatus* (Spotted Joe Pye weed), *Heliopsis helianthoides* (False sunflower), *Hypericum ascyron* (Great St. Johns wort), *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Oligoneuron rigidum* (Stiff goldenrod), *Parthenium integrifolium* (Wild quinine), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed susan), *Silphium perfoliatum* (Cup plant), *Symphotrichum novae-angliae* (New England aster), *Symphotrichum pilosum* (Hairy aster), *Verbena hastata* (Blue vervain), *Zizia aurea* (Golden alexanders)

Diversity Meadow

GRASSES/GRASS-LIKE: *Elymus virginicus* (Virginia wild rye), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

Total \$450/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Blephilia ciliata* (Ohio horsemint), *Brickellia eupatorioides* (False boneset), *Chamaecrista fasciculata* (Partridge pea), *Coreopsis lanceolata* (Sand coreopsis), *Dalea candida* (White prairie clover), *Dalea purpurea* (Purple prairie clover), *Echinacea purpurea* (Broad-leaved purple coneflower), *Heuchera richardsonii* (Prairie alum root), *Liatris aspera* (Rough blazing star), *Liatris cylindracea* (Cylindrical blazing star), *Lupinus perennis* (Wild lupine), *Monarda punctata* (Horse mint), *Oligoneuron album* (Stiff aster, goldenrod), *Penstemon digitalis* (Beardtongue), *Penstemon hirsutus* (Hairy beardtongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Tradescantia ohiensis* (Spiderwort), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum oolentangiense* (Sky-blue aster), *Verbena stricta* (Hoary vervain)

Dry Mesic Prairie

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Sorghastrum nutans* (Indian grass), *Panicum virgatum* (Switch grass), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Elymus canadensis* (Canada wild rye), *Schizachyrium scoparium* (Little bluestem), *Koeleria macrantha* (June grass), *Sporobolus heterolepis* (Prairie dropseed)

Total \$330/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Coreopsis lanceolata* (Sand coreopsis), *Dalea purpurea* (Purple prairie clover), *Echinacea purpurea* (Broad-leaved purple coneflower), *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Beardtongue), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Verbena stricta* (Hoary vervain), *Zizia aurea* (Golden alexanders)

Eastern KS CP42 Upland Pollinator

GRASSES/GRASS-LIKE: Elymus virginicus (Virginia wild rye), Elymus canadensis (Canada wild rye), Panicum virgatum (Switch grass), Bouteloua curtipendula (Side oats grama), Sorghastrum nutans (Indian grass), Andropogon gerardii (Big bluestem), Schizachyrium scoparium (Little bluestem)

FORBS: Achillea millefolium (Common yarrow), Asclepias syriaca (Common milkweed), Chamaecrista fasciculata (Partridge pea), Coreopsis palmata (Prairie coreopsis), Coreopsis tinctoria (Plains coreopsis), Dalea candida (White prairie clover), Dalea purpurea (Purple prairie clover), Desmanthus illinoensis (Illinois sensitive plant), Echinacea purpurea (Broad-leaved purple coneflower), Helianthus grosseserratus (Sawtooth sunflower), Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Potentilla arguta (Prairie cinquefoil), Ratibida pinnata (Yellow coneflower), Rudbeckia fulgida (Showy black-eyed susan), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum oolentangiense (Sky-blue aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders)

Total \$180/ac

| | | | |
|-------------|---|-------------|----|
| grass/sq ft | 5 | forbs/sq ft | 15 |
|-------------|---|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Eastern KS Safe Mix

GRASSES/GRASS-LIKE: Panicum virgatum (Switch grass), Bouteloua curtipendula (Side oats grama), Sorghastrum nutans (Indian grass), Schizachyrium scoparium (Little bluestem), Andropogon gerardii (Big bluestem)

FORBS: Chamaecrista fasciculata (Partridge pea), Coreopsis palmata (Prairie coreopsis), Coreopsis tinctoria (Plains coreopsis), Dalea candida (White prairie clover), Dalea purpurea (Purple prairie clover), Desmanthus illinoensis (Illinois sensitive plant), Helianthus grosseserratus (Sawtooth sunflower), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan)

Total \$99/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 15 | forbs/sq ft | 5 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Emergent Shorline Mix

GRASSES/GRASS-LIKE: Carex typhina (Cattail sedge), Carex stipata (Owl-fruited sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus canadensis (Canada wild rye), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Panicum virgatum (Switch grass), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass), Schoenoplectus fluviatilis (River bulrush), Schoenoplectus tabernaemontani (Soft-stem bulrush), Spartina pectinata (Prairie cord grass)

FORBS: Acorus americanus (Sweet flag iris), Alisma subcordatum (Mud/water plantain), Bidens cernua (Nodding bur marigold), Eutrochium maculatus (Spotted Joe Pye weed), Helenium autumnale (Sneezeweed), Iris virginica (Blue flag iris), Lobelia siphilitica (Great blue lobelia), Lythrum alatum (Winged loosestrife), Sagittaria latifolia (Broad-leaved duck potato)

Total \$475/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 30 | forbs/sq ft | 15 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Herbicide Tolerant Shortgrass and Wildflower Prairie

GRASSES/GRASS-LIKE: *Bouteloua curtipendula* (Side oats grama), *Elymus virginicus* (Virginia wild rye), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Amorpha canescens* (Leadplant), *Asclepias tuberosa* (Butterfly weed), *Symphotrichum oolentangiense* (Sky-blue aster), *Coreopsis lanceolata* (Sand coreopsis), *Dalea purpurea* (Purple prairie clover), *Desmanthus illinoensis* (Illinois sensitive plant), *Echinacea purpurea* (Broad-leaved purple coneflower), *Lespedeza capitata* (Round-headed bush clover), *Lupinus perennis* (Wild lupine), *Rudbeckia hirta* (Black-eyed Susan)

Total \$290/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Herbicide Tolerant Tall Grass Wet-Mesic Prairie

GRASSES/GRASS-LIKE: *Carex annectens* (Yellow-fruited sedge), *Carex scoparia* (Broom sedge), *Elymus virginicus* (Virginia wild rye), *Andropogon gerardii* (Big bluestem), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass)

FORBS: *Symphotrichum novae-angliae* (New England aster), *Symphotrichum lanceolatum* (Panicked aster), *Bidens frondosa* (Common beggar's ticks), *Senna hebecarpa* (Wild senna), *Coreopsis tripteris* (Tall coreopsis), *Desmodium canadense* (Showy tick trefoil)

Total \$275/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 20 | forbs/sq ft | 3 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP2 Dry to Mesic

State: Iowa

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$95/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 30 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP2 Wet to Mesic

State: Iowa

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$110/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 30 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP25 Dry to Mesic Prairie

State: Iowa

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$110/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 30 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP42 Dry to Mesic Prairie

State: Iowa

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP42 Wet to Mesic Prairie

State: Iowa

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP43 Wet to Mesic Prairie Strips

State: Iowa

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$163/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP2 Native Seed Mixture 4

State: Illinois

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Wet Prairie

Total \$163/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 10 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Dry to Mesic Prairie

State: Illinois

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 10 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Wet Prairie

State: Illinois

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 10 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP43 Dry Mesic Prairie Strips

State: Illinois

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$91/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 10 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP43 Wet to Mesic Prairie Strips

State: Illinois

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$87/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 10 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP2 General Purpose Poorly Drained

State: Indiana

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$98/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 12 | forbs/sq ft | 2 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP2 General Purpose Well Drained

State: Indiana

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$87/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 12 | forbs/sq ft | 3 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator Habitat Well Drained

State: Indiana

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|---|-------------|----|
| grass/sq ft | 5 | forbs/sq ft | 15 |
|-------------|---|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator Habitat Poorly Drained

State: Indiana

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|---|-------------|----|
| grass/sq ft | 5 | forbs/sq ft | 15 |
|-------------|---|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Dry Mesic Prairie Strips

State: Kansas

Height: 3' - 5'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$220/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Wet to Mesic Prairie Strips

State: Kansas

Height: 3' - 5'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$185/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Landfill - Basic Native Cover

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Elymus canadensis (Canada wild rye), Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Carex normalis (Spreading oval sedge)

FORBS: Monarda fistulosa (Wild bergamot), Dalea purpurea (Purple prairie clover), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster), Penstemon digitalis (Beardtongue), Verbena stricta (Hoary vervain)

Total \$220/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 25 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Mesic Prairie

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

FORBS: Allium cernuum (Nodding wild onion), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Chamaecrista fasciculata (Partridge pea), Coreopsis palmata (Prairie coreopsis), Dalea purpurea (Purple prairie clover), Echinacea purpurea (Broad-leaved purple coneflower), Hypericum ascyron (Great St. Johns wort), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Pycnanthemum tenuifolium (Slender mountain mint), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed susan), Solidago juncea (Early goldenrod), Solidago speciosa (Showy goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum novae-angliae (New England aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders)

Total \$360/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Mesic Prairie - Habitat

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Carex normalis (Spreading oval sedge), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

FORBS: Agastache nepetoides (Yellow giant hyssop), Allium cernuum (Nodding wild onion), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Dalea purpurea (Purple prairie clover), Desmodium illinoense (Illinois tick trefoil), Echinacea purpurea (Broad-leaved purple coneflower), Eryngium yuccifolium (Rattlesnake master), Eutrochium purpureum (Purple joe pye weed), Heliopsis helianthoides (False sunflower), Hypericum ascyron (Great St. Johns wort), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Oenothera gaura (Biennial gaure), Oligoneuron rigidum (Stiff goldenrod), Parthenium integrifolium (Wild quinine), Penstemon digitalis (Beardtongue), Potentilla arguta (Prairie cinquefoil), Pycnanthemum tenuifolium (Slender mountain mint), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed susan), Silphium integrifolium (Rosin weed), Solidago juncea (Early goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum pilosum (Hairy aster), Tradescantia ohiensis (Spiderwort), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders)

Total \$360/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR MNDOT 32-241 Native Construction

State: Minnesota

Height: 3' - 5'

Bloom Period: Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$390/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 60 | forbs/sq ft | 5 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR Pollinator Plot Southeast

State: Minnesota

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|-----|
| grass/sq ft | 20 | forbs/sq ft | 120 |
|-------------|----|-------------|-----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR U8; 35-641 Mesic Prairie Southeast

State: Minnesota

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Mesic Prairie

Total \$275/ac

| | | | |
|-------------|---|-------------|----|
| grass/sq ft | 3 | forbs/sq ft | 35 |
|-------------|---|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR W3; MNDOT 325; 34-262 Wet Prairie 80/4

State: Minnesota

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$950/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 80 | forbs/sq ft | 4 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO CP2 CRP

State: Missouri

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$285/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 15 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Upland CP42 Pollinator

State: Missouri

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 25 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Wet CP42 Pollinator

State: Missouri

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 10 | forbs/sq ft | 30 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Native Waterway

GRASSES/GRASS-LIKE: *Lolium multiflorum* (Annual rye), *Carex annectens* (Yellow-fruited sedge), *Carex scoparia* (Broom sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Elymus canadensis* (Canada wild rye), *Elymus virginicus* (Virginia wild rye), *Juncus dudleyi* (Dudley's rush), *Panicum virgatum* (Switch grass), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass), *Spartina pectinata* (Prairie cord grass)

Total \$140/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 75 | forbs/sq ft | 0 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Pollinator Meadow

State: New York

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Mesic Prairie

Total \$310/ac

| | | | |
|-------------|---|-------------|----|
| grass/sq ft | 5 | forbs/sq ft | 30 |
|-------------|---|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Upland Meadow Restoration

State: New York

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$280/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Wet to Mesic Meadow Restoration

State: New York

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$235/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

OH Seed Mixture for Birds, Bees, and Butterflies

State: Ohio

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$250/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 15 | forbs/sq ft | 25 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

OH Wet Prairie Seeding Mixture

State: Ohio

Height: 3' - 7'

Bloom Period: Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$250/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

PA Restoration Seed Mixture for Birds, Bees, and Butterflies

State: Pennsylvania

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$250/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 15 | forbs/sq ft | 25 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

PA Restoration Wetland / Wet Meadow Seeding Mixture

State: Pennsylvania

Height: 3' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie / Mesic Prairie

Total \$250/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 30 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Pollinator Friendly Seed Mix

GRASSES/GRASS-LIKE: Schizachyrium scoparium (Little bluestem), Elymus canadensis (Canada wild rye)

FORBS: Agastache nepetoides (Yellow giant hyssop), Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), Dalea purpurea (Purple prairie clover), Chamaecrista fasciculata (Partridge pea), Echinacea pallida (Pale purple coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Eryngium yuccifolium (Rattlesnake master), Eutrochium purpureum (Purple joe pye weed), Lupinus perennis (Wild lupine), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Penstemon hirsutus (Hairy beardtongue), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed susan), Solidago juncea (Early goldenrod), Solidago nemoralis (Old-field goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum novae-angliae (New England aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root)

Total \$625/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 30 | forbs/sq ft | 10 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Savanna and Open Woodland

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Bromus pubescens (Woodland brome), Carex normalis (Spreading oval sedge), Carex radiata (Curly wood sedge), Carex shortiana (Short's sedge), Carex sprengei (Long-beaked sedge), Elymus canadensis (Canada wild rye), Elymus hystrix (Bottlebrush grass), Luzula multiflora (Common wood rush), Muhlenbergia mexicana (Leafy satin grass), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem)

FORBS: Allium cernuum (Nodding wild onion), Anemone canadensis (Meadow anemone), Anemone virginiana (Tall/Virginia anemone), Aquilegia canadensis (Wild columbine), Baptisia alba (White wild indigo), Chamaecrista fasciculata (Partridge pea), Coreopsis palmata (Prairie coreopsis), Claytonia virginica (Spring beauty), Thalictrum dasycarpum (Purple meadow rue), Arnoglossum atriplicifolium (Pale Indian plantain), Dalea purpurea (Purple prairie clover), Desmodium canadense (Showy tick trefoil), Dicentra cucullaria (Dutchman's britches), Dodecatheon meadia (Shooting star), Eupatorium altissimum (Tall boneset), Eutrochium purpureum (Purple joe pye weed), Geranium maculatum (Wild geranium), Helianthus pauciflorus (Prairie sunflower), Heuchera richardsonii (Prairie alum root), Hypericum ascyron (Great St. Johns wort), Lupinus perennis (Wild lupine), Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Oenothera gaura (Biennial gaure), Solidago juncea (Early goldenrod), Parthenium integrifolium (Wild quinine), Penstemon calycosus (Small beardtongue), Penstemon digitalis (Beardtongue), Polygonatum biflorum (Smooth Solomon's seal), Potentilla arguta (Prairie cinquefoil), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia triloba (Brown-eyed susan), Sanguinaria canadensis (Bloodroot), Solidago juncea (Early goldenrod), Solidago ulmifolia (Elm-leaved goldenrod), Symphyotrichum laeve (Smooth blue aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders)

Total \$785/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 25 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Sedge Meadow

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Calamagrostis canadensis (Blue joint grass), Carex annectens (Yellow-fruited sedge), Carex comosa (Longhair sedge), Carex bebbii (Bebb's sedge), Carex cristatella (Crested sedge), Carex hystericina (Bottlebrush sedge), Carex muskingumensis (Muskingum sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Eleocharis obtusa (Blunt spike bush), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Spartina pectinata (Prairie cord grass), Scirpus atrovirens (Green bulrush)

Total \$520/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 30 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: Angelica atropurpurea (Great angelica), Anemone canadensis (Meadow anemone), Thalictrum dasycarpum (Purple meadow rue), Napaea dioica (Glade mallow), Asclepias incarnata (Swamp milkweed), Symphyotrichum lanceolatum (Panicled aster), Symphyotrichum novae-angliae (New England aster), Rorippa palustris (Bog yellowcress), Bidens cernua (Nodding bur marigold), Senna hebecarpa (Wild senna), Astragalus canadensis (Canadian milk vetch), Hasteola suaveolens (Sweet Indian plantain), Eutrochium maculatus (Spotted Joe Pye weed), Eupatorium perfoliatum (Common boneset), Gentiana andrewsii (Bottle gentian), Helenium autumnale (Sneezeweed), Heracleum maximum (Cow parsnip), Hypericum ascyron (Great St. Johns wort), Lobelia siphilitica (Great blue lobelia), Lycopodium americanum (American water horehound), Lythrum alatum (Winged loosestrife), Penthorum sedoides (Ditch stonecrop), Polygonum pensylvanicum (Pinkweed), Rudbeckia subtomentosa (Sweet black-eyed susan), Rumex orbiculatus (Great water dock), Euthamia graminifolia (Common grass-leaved goldenrod), Zizia aurea (Golden alexanders)

Short Grass Dry Prairie

GRASSES/GRASS-LIKE: Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Schizachyrium scoparium (Little bluestem), Koeleria macrantha (June grass), Sporobolus heterolepis (Prairie dropseed)

Total \$375/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Brickellia eupatorioides (False boneset), Coreopsis lanceolata (Sand coreopsis), Dalea purpurea (Purple prairie clover), Echinacea pallida (Pale purple coneflower), Lupinus perennis (Wild lupine), Penstemon digitalis (Beardtongue), Penstemon hirsutus (Hairy beardtongue), Potentilla arguta (Prairie cinquefoil), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum sericeum (Silky aster), Verbena stricta (Hoary vervain), Zizia aurea (Golden alexanders)

Solar Field Basics - Native and Naturalized - Well Drained Ground

GRASSES/GRASS-LIKE: Lolium multiflorum (Annual rye), Bouteloua curtipendula (Side oats grama), Bouteloua hirsuta (Hairy grama), Carex brevior (Short beak sedge), Carex normalis (Spreading oval sedge), Elymus villosus (Silky wild rye), Festuca rubra (Canada, Red), Juncus tenuis (Path rush), Festuca subverticillata (Nodding fescue), Schizachyrium scoparium (Little bluestem), Sporobolus cryptandrus (Sand dropseed)

Total \$270/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 50 | forbs/sq ft | 5 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: Coreopsis lanceolata (Sand coreopsis), Penstemon calycosus (Small beardtongue), Trifolium pratense (Red clover), Solidago ulmifolia (Elm-leaved goldenrod), Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Dalea purpurea (Purple prairie clover), Annuals for sun (Annual flower), Chamaecrista fasciculata (Partridge pea), Monarda punctata (Horse mint), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod)

Solar Field Pollinator Enhancement

FORBS: *Coreopsis lanceolata* (Sand coreopsis), *Anemone canadensis* (Meadow anemone), *Tradescantia ohiensis* (Spiderwort), *Conoclinium coelestinum* (Blue mistflower), *Symphotrichum ericoides* (Heath aster), *Allium cernuum* (Nodding wild onion), *Rudbeckia hirta* (Black-eyed Susan), *Asclepias tuberosa* (Butterfly weed), *Dalea purpurea* (Purple prairie clover), *Coreopsis palmata* (Prairie coreopsis), *Monarda punctata* (Horse mint), *Liatris aspera* (Rough blazing star), *Triodanis perfoliata* (Venus's looking glass), *Agalinis tenuifolia* (Slenderleaf false foxglove), *Penstemon hirsutus* (Hairy beardtongue), *Penstemon digitalis* (Beardtongue), *Chamaecrista fasciculata* (Partridge pea), *Solidago nemoralis* (Old-field goldenrod), *Oligoneuron album* (Stiff aster, goldenrod)

Total \$240/ac

| | | | |
|-------------|---|-------------|----|
| grass/sq ft | 0 | forbs/sq ft | 20 |
|-------------|---|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Stormwater

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Calamagrostis canadensis* (Blue joint grass), *Elymus virginicus* (Virginia wild rye), *Elymus canadensis* (Canada wild rye), *Juncus dudleyi* (Dudley's rush), *Panicum virgatum* (Switch grass), *Poa palustris* (Fowl bluegrass), *Sorghastrum nutans* (Indian grass), *Spartina pectinata* (Prairie cord grass), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass)

Total \$575/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 70 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: *Anemone canadensis* (Meadow anemone), *Asclepias incarnata* (Swamp milkweed), *Bidens frondosa* (Common beggar's ticks), *Lythrum alatum* (Winged loosestrife), *Doellingeria umbellata* (Flat-topped aster), *Eutrochium maculatus* (Spotted Joe Pye weed), *Helenium autumnale* (Sneezeweed), *Physostegia virginiana* (Prairie obedient plant), *Rudbeckia laciniata* (Wild golden glow), *Symphotrichum novae-angliae* (New England aster), *Verbena hastata* (Blue vervain), *Zizia aurea* (Golden alexanders)

Swale and Basin

GRASSES/GRASS-LIKE: *Carex scoparia* (Broom sedge), *Carex hystericina* (Bottlebrush sedge), *Carex normalis* (Spreading oval sedge), *Carex cristatella* (Crested sedge), *Carex stipata* (Owl-fruited sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass), *Juncus dudleyi* (Dudley's rush), *Elymus virginicus* (Virginia wild rye)

Total \$390/ac

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 25 | forbs/sq ft | 25 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

FORBS: *Asclepias incarnata* (Swamp milkweed), *Senna hebecarpa* (Wild senna), *Heliopsis helianthoides* (False sunflower), *Monarda fistulosa* (Wild bergamot), *Lythrum alatum* (Winged loosestrife), *Penthorum sedoides* (Ditch stonecrop), *Lycopus americanus* (American water horehound), *Oenothera biennis* (Common evening primrose), *Penstemon digitalis* (Beardtongue), *Polygonum pensylvanicum* (Pinkweed), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed susan), *Verbena hastata* (Blue vervain)

WI CP2_3 Dry to Mesic

State: Wisconsin

Height: 4' - 7'

Bloom Period: Middle-Late

Habitat Type: Mesic Prairie

Total \$82/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 20 | forbs/sq ft | 3 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP2_7 Wet to Mesic

State: Wisconsin

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Mesic Prairie

Total \$110/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 20 | forbs/sq ft | 3 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-DM Dry to Mesic Prairie

State: Wisconsin

Height: 4' - 7'

Bloom Period: Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

| | | | |
|-------------|----|-------------|----|
| grass/sq ft | 20 | forbs/sq ft | 20 |
|-------------|----|-------------|----|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-WM Wet to Mesic Prairie

State: Wisconsin

Height: 4' - 7'

Bloom Period: Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total \$152/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 25 | forbs/sq ft | 8 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Dry

State: Wisconsin

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie

Total \$105/ac

| | | | |
|-------------|----|-------------|---|
| grass/sq ft | 10 | forbs/sq ft | 8 |
|-------------|----|-------------|---|

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Mesic

State: Wisconsin

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Mesic Prairie

Total \$115/ac

grass/sq ft 10

forbs/sq ft 8

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Wet

State: Wisconsin

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Wet Prairie

Total \$115/ac

grass/sq ft 10

forbs/sq ft 8

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI Dry Mesic CP42 Pollinator

State: Wisconsin

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

grass/sq ft 10

forbs/sq ft 30

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI Mesic CP42 Pollinator

State: Wisconsin

Height: 4' - 7'

Bloom Period: Early-Middle-Late

Habitat Type: Dry Prairie / Mesic Prairie

Total Call for quote

grass/sq ft 10

forbs/sq ft 30

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres



17921 W Smith Rd, PO Box 256
Brodhead, WI | 53520
P (608) 897-8641 | F (608) 897-2044
E taylor.creek@appliedeco.com

224 E 1260 Rd
Baldwin City, KS | 66006
P (785) 594-2245 | F (785) 594-2250
E taylor.creek@appliedeco.com

The highest-quality native, local-genotype plants and seed.

www.taylorcreeknurseries.com