


2023
**Wholesale
Catalog**



Production Facilities: Brodhead, WI | Baldwin City, KS



The highest-quality, wild-type local and regional genetic native plants and seed.

Founded in 1987, Taylor Creek Restoration Nurseries is one of the largest, most diverse native plant and seed nurseries in the country. We have the expertise to grow native species for any situation, from backyard gardens to high-diversity restoration projects with strict genotype and quality requirements. Our staff members have degrees in horticulture, reclamation, conservation, and land-use planning. Just as important as the diplomas, our people are passionate about promoting and using native species—and dedicated to the success of our customers.

17921 W Smith Rd
PO Box 256
Brodhead, WI 53520

224 E 1260 Rd
Baldwin City, KS 66006

P (608) 897-8641

F (608) 897-2044

E taylorcreek@res.us

taylorcreeknurseries.com

The background of the entire page is a close-up photograph of numerous pink flowers, likely Phlox, with soft green foliage in the background. The flowers are in various stages of bloom, with some showing distinct yellow centers.

Contents

Native Plants at Taylor Creek	4-5
Contract Growing & Custom Propagation	6
Species List	7-21
Wholesale Seed Mix Pricing.	22-23
Wholesale Seed Mix List	24-40
The Taylor Creek / RES Difference	41
Order Forms	42-43



Taylor Creek is dedicated to the genetic preservation and ethical production of the highest-quality native plants.

What are native plants?


Native plants are the species that grew in an area before humans began introducing plants to new places through colonization, global trade, and other processes. In North America, plants are generally considered native to an area if they grew there before European settlement disrupted thousands of years of land stewardship by Indigenous peoples.

These broad geographical and historical definitions are meant to exclude plant species introduced from other continents or some faraway state.

Why use native plants?

Native plants thrive because they are adapted to local soils and climates. Working *with* nature has many benefits:

- Native plants produce beautiful blooms and textures throughout the year while supporting pollinators (like bees and butterflies), birds, and other wildlife.
- Native plant communities produce deep roots that infiltrate rainwater and filter runoff naturally—better than any other system known to or made by humans.
- Established native plantings are generally easy and inexpensive to maintain. They grow year after year without fertilizers, pesticides, gas-powered lawn care equipment, or watering.



Why choose wild-type, local and regional genetic native plants and seed?

Wild-type, local genotype native plants and seed are as close as you can get to the wild native plant populations that have thrived in local habitat remnants for *thousands* of years.

Our wild-type native plants and seed originate from ethically hand-collected seed harvested from healthy wild populations in habitat remnants. These small quantities of seed are grown into hundreds of plants in our nurseries. The plants are then set into fields, producing a second generation of seed that we grow into tens of thousands of plants for further plant and seed production.

We focus on preserving and producing local genotypes because these strains of native plant species have adapted to the local area where they grow over many generations.

While *Panicum virgatum* (switch grass) is native to both Texas and Minnesota, that doesn't mean seed from switch grass adapted to soil and climate conditions in Texas will grow plants that can thrive in a Minnesota prairie—where conditions are very different. The opposite can also be true: A displaced genotype lacking the competition it evolved with may do *too well* and take over a site. Selecting a local genotype minimizes these issues.

For thoughts on climate-resilient plants, maintaining genetic diversity, and more, see our Growing Philosophy: taylorcreeknurseries.com/growing-philosophy



Contract Growing & Custom Propagation

Our experience propagating plants for restoration projects gives us the knowledge to grow almost any species to meet your project's genotype and quality requirements. We offer contract growing and custom propagation for large projects/quantities with unique species or specific sizes.

We encourage you to speak with your representative or a member of our staff to see if a contract grow is a good fit for your needs.

Contact us at (608) 897-8641 or taylorcreek@res.us.

Contract Growing Qualifications

Contract growing requires a minimum 12-week* lead time, a non-refundable security deposit, and an agreed-upon ship date. All contract growing orders and early orders require a 15% down payment.

- **Custom Grow 50 Cell:** Minimum 800-plant order / 12-week* lead time.
- **Wholesale 32 Cell Contract Grow:** Minimum 12-week* lead time.

**Orders with slower germinating species may require up to a 17-week lead time.*

2023 Species List (A-Z)

Pricing and availability are subject to change; prices are for in-stock items only. Please contact us for quantity discounts.

Don't see what you need? We can broker items from other native plant nurseries for your convenience. Please contact us for this service.

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Achillea millefolium</i>		Yarrow	20.00	20.00	1.40	
<i>Acorus americanus</i>	<i>Acorus calamus</i>	Sweet flag	12.50	10.00	1.40	1.15
<i>Actaea pachypoda</i>		White baneberry		45.00		
<i>Actaea rubra</i>		Red baneberry		45.00		
<i>Adiantum pedatum</i>		Maidenhair fern				
<i>Agalinis purpurea</i>	<i>Gerardia purpurea</i>	Purple false foxglove	100.00	100.00		
<i>Agalinis tenuifolia</i>		Slenderleaf false foxglove	60.00	60.00		
<i>Agastache foeniculum</i>		Fragrant lavender hyssop	17.00	16.00	1.50	
<i>Agastache nepetoides</i>		Yellow giant hyssop	34.00	34.00		
<i>Agastache scrophulariifolia</i>		Purple giant hyssop	28.00	28.00		
<i>Ageratina altissima</i>	<i>Eupatorium rugosum</i>	White snakeroot	40.00	40.00	1.50	
<i>Alisma subcordatum</i>	<i>Alisma plantago-aquatica</i> L. var. <i>parviflorum</i>	American water plantain	5.00	4.75	1.70	
<i>Alisma triviale</i>		Large-flowered water plantain		15.00		
<i>Allium canadense</i>		Wild garlic	16.00	12.00		
<i>Allium cernuum</i>		Nodding wild onion	24.00	20.00	1.35	1.15
<i>Allium stellatum</i>		Prairie onion	26.00	21.00	2.25	
<i>Allium tricoccum</i>	<i>Allium burdickii</i>	Wild leek	55.00	50.00		
<i>Ammannia robusta</i>		Grand redstem	6.50	6.50		
<i>Ammophila breviligulata</i>		American beachgrass				
<i>Amorpha canescens</i>		Leadplant	22.00	20.00	1.70	
<i>Amorpha fruticosa</i>		False Indigo bush	22.00	20.00		
<i>Amphicarpaea bracteata</i>		Upland hog peanut				
<i>Amsonia hubrichtii</i>		Arkansas blue star			1.70	1.25
<i>Amsonia illustris</i>		Shining blue star			1.35	1.25
<i>Amsonia tabernaemontana</i>		Eastern blue star			1.70	1.25
<i>Andropogon gerardii</i>		Big bluestem	1.00	0.85	1.40	1.10
<i>Andropogon glomeratus</i>		Bushy bluestem				1.25
<i>Andropogon ternarius</i>		Splitbeard bluestem			1.50	
<i>Andropogon virginicus</i>		Broomsedge bluestem			1.40	
<i>Anemone canadensis</i>		Meadow/Canada anemone	45.00	40.00	1.70	
<i>Anemone cylindrica</i>		Thimbleweed	80.00	70.00	1.25	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Anemone quinquefolia</i>		Wood anemone			5.00	
<i>Anemone virginiana</i>		Tall anemone	66.00	60.00	1.40	
<i>Angelica atropurpurea</i>		Great angelica	10.00	7.00	2.25	
<i>Antennaria neglecta</i>		field pussy toes		200.00	2.25	
<i>Antennaria parlinii</i>		Pussy toes			2.25	
<i>Antennaria plantaginifolia</i>		Pussy toes	325.00	200.00	2.25	
<i>Apocynum acanadensis</i>		Dog bane				
<i>Apocynum androsaemifolium</i>		Spreading dogbane				
<i>Apocynum cannabinum</i>		Indian hemp				
<i>Aquilegia canadensis</i>		Wild columbine	55.00	45.00	1.50	
<i>Aralia nudicaulis</i>		Wild sarsaparilla	100.00	90.00		
<i>Aralia racemosa</i>		American spikenard	200.00	163.00	2.25	
<i>Argentina anserina</i>	<i>Potentilla anserina</i>	Silverweed cinquefoil	45.00	38.00		
<i>Arisaema dracontium</i>		Green dragon	69.00	69.00		
<i>Arisaema triphyllum</i>	<i>Arisaema atrorubens</i>	Jack-in-the-pulpit	50.00	37.00	4.00	
<i>Aristolochia tomentosa</i>		Dutchman's pipevine			2.25	
<i>Arnoglossum atriplicifolium</i>	<i>Cacalia atriplicifolia</i>	Pale Indian plantain	27.00	18.00	2.25	
<i>Arnoglossum plantagineum</i>	<i>Cacalia tuberosa / plantaginea</i>	Prairie Indian plantain	94.00	75.00	1.90	
<i>Artemisia campestris</i>		Field sagewort	20.00	15.00		
<i>Artemisia ludoviciana</i>		White sage		41.00		
<i>Asarum canadense</i>		Wild ginger		100.00	2.25	
<i>Asclepias exaltata</i>		Poke milkweed			2.25	
<i>Asclepias hirtella</i>		Tall green milkweed			2.25	
<i>Asclepias incarnata</i>		Swamp milkweed	30.00	25.00	1.35	1.15
<i>Asclepias purpurascens</i>		Purple milkweed			2.25	
<i>Asclepias speciosa</i>		Showy milkweed			1.90	
<i>Asclepias sullivanti</i>		Prairie milkweed	68.00	53.00	1.90	
<i>Asclepias syriaca</i>		Common milkweed	29.00	16.00	1.70	
<i>Asclepias tuberosa</i>		Butterfly milkweed	45.00	25.00	1.50	
<i>Asclepias verticillata</i>		Whorled milkweed	75.00	60.00	1.70	1.35
<i>Asclepias viridiflora</i>		Short green milkweed	113.00	94.00	2.25	
<i>Asclepias viridis</i>		Spider milkweed			1.70	
<i>Astragalus canadensis</i>		Canadian milk vetch	12.00	10.00	1.70	
<i>Astragalus crassicaupus</i>		Prairie plum		40.00	2.25	
<i>Athyrium filix-femina</i>		Lady fern			5.00	
<i>Avena sativa</i>	Cover crop	Seed oats	0.12	0.12		
<i>Baptisia alba</i>	<i>Baptisia leucantha</i>	White wild indigo	40.00	18.00	1.70	
<i>Baptisia australis</i> var. <i>minor</i>		Blue indigo	29.00	26.00	1.70	
<i>Baptisia bracteata</i> var. <i>leucophaea</i>	<i>Baptisia leucophaea</i>	Cream wild indigo	90.00	80.00	1.70	
<i>Baptisia sphaerocarpa</i>		Yellow wild indigo			1.70	
<i>Beckmannia syzigachne</i>		American slough grass	3.00	3.00		
<i>Besseyia bullii</i>		Kitten tails				
<i>Bidens aristosa</i>	<i>Bidens polyepis</i>	Bearded beggar's ticks	15.00	9.00		

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Bidens cernua</i>		Nodding bur marigold	18.00	18.00		
<i>Bidens connata</i>		Purplestem beggar's ticks	23.00	15.00		
<i>Bidens coronata</i>		Tall swamp marigold	25.00	18.00		
<i>Bidens frondosa</i>		Common beggar's ticks	24.00	20.00		
<i>Blephilia ciliata</i>		Ohio horsemint	98.00	98.00	1.35	
<i>Blephilia hirsuta</i>		Hairy pagoda plant	77.00	77.00	1.40	
<i>Boehmeria cylindrica</i>		Smallspike false nettle	30.00	25.00		
<i>Bolboschoenus maritimus</i>	<i>Scirpus maritimus</i>	Alkali bulrush			2.00	
<i>Boltonia asteroides</i>	<i>Boltonia latisquama recognita</i>	False aster	14.00	12.00	1.40	
<i>Bouteloua curtipendula</i>		Side oats grama	1.10	0.95	1.35	1.10
<i>Bouteloua dactyloides</i>	<i>Buchloe dactyloides</i>	Buffalograss	1.90	1.60	1.40	
<i>Bouteloua gracilis</i>		Blue grama grass			1.35	1.10
<i>Bouteloua hirsuta</i>	<i>Hairy grama grass</i>	Hairy grama	11.00	9.00		
<i>Brachelytrum erectum</i>		Long awned wood grass			1.70	
<i>Brickellia eupatorioides</i>	<i>Kuhnia eupatorioides</i>	False boneset	35.00	35.00	1.50	
<i>Bromus ciliatus</i>		Fringed brome	11.00	8.00	1.50	
<i>Bromus kalmii</i>		Arctic brome	11.00	8.00	1.70	
<i>Bromus latiglumis</i>		Tall brome	18.00	15.00		
<i>Bromus pubescens</i>	<i>Bromus purgans</i>	Woodland brome	22.00	18.00	1.40	
<i>Calamagrostis canadensis</i>		Blue joint grass	80.00	79.00	1.35	1.10
<i>Calamovilfa longifolia</i>		Sand reed grass			1.50	
<i>Calla palustris</i>		Calla lily/Water arum				
<i>Callicarpa americana</i>		American beautyberry			2.25	
<i>Callirhoe bushii</i>		Bush's poppy mallow			1.40	
<i>Callirhoe involucrata</i>		Purple poppy mallow	40.00	35.00	1.40	
<i>Callirhoe triangulata</i>		Poppy mallow				
<i>Caltha palustris</i>		Marsh marigold	85.00	75.00	1.75	
<i>Camassia scilloides</i>		Wild hyacinth	65.00	55.00	3.00	
<i>Campanula rotundifolia</i>		Harebell			1.70	
<i>Campanulastrum americanum</i>	<i>Campanula americana</i>	Tall bellflower	50.00	45.00	1.90	
<i>Cardamine bulbosa</i>		Bulbous bittercress		88.00		
<i>Cardamine concatenata</i>	<i>Dentaria lacinata</i>	Toothwort	94.00	88.00	5.00	
<i>Carex albicans</i>		Whiteninge/Cedar sedge			1.70	
<i>Carex annectens</i>		Yellow-fruited sedge	20.00	14.00	1.35	1.10
<i>Carex aquatilis aquatilis</i>	<i>Carex aquatilis altior</i>	Water sedge			1.70	1.50
<i>Carex aurea</i>		Golden sedge			1.70	
<i>Carex bebbii</i>		Bebb's sedge	20.00	15.00	1.40	1.15
<i>Carex bicknellii</i>		Bicknell's sedge	35.00	25.00	1.35	1.15
<i>Carex blanda</i>		Eastern woodland sedge			1.50	
<i>Carex brevior</i>		Short beak sedge	11.00	9.75	1.35	1.10
<i>Carex bromoides</i>		Brome hummock sedge			1.75	
<i>Carex bushii</i>		Long-scaled green sedge			1.70	
<i>Carex buxbaumii</i>		Buxbaum's sedge	44.00	40.00	1.50	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Carex cephalophora</i>		Rough clustered sedge			1.90	
<i>Carex cephaloidea</i>		Thinleaf sedge			1.90	
<i>Carex cherokeensis</i>		Cherokee sedge			1.70	
<i>Carex comosa</i>		Longhair sedge	15.00	11.25	1.35	1.25
<i>Carex crinita</i>		Fringed sedge	14.50	13.00	1.35	
<i>Carex cristatella</i>		Crested sedge	45.00	38.00	1.35	
<i>Carex crus-corvi</i>		Crow foot fox sedge			1.50	
<i>Carex davisii</i>		Awned graceful sedge	75.00	43.00		
<i>Carex eburnea</i>		Cedar sedge			2.25	
<i>Carex emoryi</i>		Riverbank sedge			1.90	
<i>Carex frankii</i>		Frank's sedge		15.00	1.70	1.15
<i>Carex gracillima</i>		Purple-sheathed graceful sedge	75.00	75.00	1.90	
<i>Carex granularis</i>		Pale sedge	35.00	32.00	1.70	
<i>Carex gravida</i>		Long-awned bracted sedge	85.00	75.00	1.70	
<i>Carex grayi</i>		Common bur sedge	40.00	28.00	1.70	1.30
<i>Carex grisea</i>		Inflated narrow-leaf sedge	75.00	60.00	1.70	
<i>Carex haydenii</i>		Hayden's sedge	100.00	95.00	1.70	
<i>Carex hirsutella</i>	<i>Carex complanata</i> var. <i>hirsuta</i>	Hairy green sedge	45.00	40.00	1.70	
<i>Carex hyalinolepis</i>	<i>Carex lacustris</i> var. <i>laxiflora</i>	Common lake sedge	75.00	60.00		
<i>Carex hystericina</i>		Bottlebrush sedge	12.50	10.00	1.35	1.10
<i>Carex interior</i>		Inland sedge		33.00		
<i>Carex jamesii</i>		Grass sedge			2.25	
<i>Carex lacustris</i>		Hairy sedge	118.00	107.00	2.50	
<i>Carex lasiocarpa</i>		Woolyfruit sedge	60.00	50.00	1.70	
<i>Carex lupulina</i>		Common hop sedge	24.00	22.00	1.70	1.30
<i>Carex lurida</i>		Shallow sedge		19.00	1.70	
<i>Carex meadii</i>	<i>Carex tetanica</i>	Mead's stiff sedge	32.00	32.00	1.70	
<i>Carex molesta</i>		Field oval sedge	18.00	14.00	1.70	1.25
<i>Carex muehlenbergii</i>		Sand bracted sedge	43.00	38.00	1.70	
<i>Carex muskingumensis</i>		Palm sedge	43.00	38.00	1.35	1.10
<i>Carex normalis</i>		Spreading oval sedge	20.00	19.00	1.50	
<i>Carex oligocarpa</i>		Sparse-fruited sedge			2.25	
<i>Carex pellita</i>	<i>Carex languinosa</i>	Wooly sedge	118.00	75.00	1.60	
<i>Carex pensylvanica</i>		Common oak sedge	155.00	155.00	1.90	1.50
<i>Carex praegracilis</i>		Tollway sedge			1.70	1.25
<i>Carex prairea</i>		Fen paniced sedge	90.00	75.00	1.70	
<i>Carex projecta</i>		Loose-headed oval sedge			1.50	
<i>Carex radiata</i>	<i>Carex rosea</i> var. <i>radiata</i>	Curly wood sedge	140.00	45.00	1.70	
<i>Carex retrorsa</i>		Retrorsa sedge	20.00	11.00	1.70	
<i>Carex richardsonii</i>		Richardson's sedge			2.25	
<i>Carex rosea</i>		Curly-styled wood sedge	175.00	150.00	1.70	
<i>Carex sartwelli</i>		Sartwell's sedge	120.00	90.00	1.70	
<i>Carex scoparia</i>		Broom sedge	12.00	10.00	1.35	1.15

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Carex shortiana</i>		Short's sedge		50.00	1.50	
<i>Carex sparganioides</i>		Loose-headed bracted sedge	45.00	38.00	1.70	
<i>Carex sprengei</i>		Long-beaked sedge	38.00	33.00	1.50	
<i>Carex squarrosa</i>		Squarrose sedge			1.90	
<i>Carex sterilis</i>		Fen star sedge		65.00	1.70	
<i>Carex stipata</i>		Owl-fruited sedge	38.00	33.00	1.35	
<i>Carex stricta</i>		Common tussock sedge	113.00	85.00	1.50	1.25
<i>Carex swanii</i>		Downy green sedge	87.50	70.00		
<i>Carex tenera</i>		Narrow-leaved oval sedge	52.00	52.00	1.70	
<i>Carex texensis</i>		Texas sedge			1.50	1.25
<i>Carex tribuloides</i>		Blunt broom sedge	40.00	34.00	1.50	
<i>Carex trichocarpa</i>		Hairyfruit sedge	50.00	50.00		
<i>Carex typhina</i>		Cattail sedge	35.00	30.00	1.70	
<i>Carex utriculata</i>		Common yellow lake sedge			1.50	
<i>Carex viridula</i>		Little green sedge			2.10	
<i>Carex vulpinoidea</i>		Fox sedge, Brown fox sedge	6.25	2.50	1.30	1.10
<i>Castilleja coccinea</i>		Scarlet Indian paintbrush				
<i>Caulophyllum thalictroides</i>		Blue cohosh	20.00	18.00		
<i>Ceanothus americanus</i>		New Jersey tea	100.00	90.00	1.50	
<i>Ceanothus herbaceus</i>	<i>Ceanthus ovatus</i>	Inland New Jersey tea			3.00	
<i>Celastrus scandens</i>		American bittersweet			2.25	
<i>Cephalanthus occidentalis</i>		Buttonbush	16.00	12.00	1.70	
<i>Ceratophyllum demersum</i>	Bare root only	Coon's tail			2.10	
<i>Chamaecrista fasciculata</i>	<i>Cassia fasciculata</i>	Partridge pea	3.00	3.00	1.70	
<i>Chamerion angustifolium</i>	<i>Epilobium angustifolium</i>	Fireweed	188.00	168.00		
<i>Chasmanthium (Uniola) latifolium</i>		River oats			1.40	1.10
<i>Chelone glabra</i>		Turtlehead	81.00	69.00	1.70	
<i>Chelone obliqua</i>		Rose turtlehead			1.70	
<i>Cicuta maculata</i>		Water hemlock	18.00	16.00	2.25	
<i>Cinna arundinacea</i>		Common wood reed	40.00	35.00	1.70	
<i>Cirsium discolor</i>		Pasture thistle	70.00	60.00		
<i>Claytonia virginica</i>		Spring beauty	160.00	140.00		
<i>Clematis virginiana</i>		Virgin's bower	29.00	18.00	2.25	
<i>Clinopodium arkansanum</i>	<i>Calamintha arkansas</i>	Limestone calamint			2.25	
<i>Comandra umbellata</i>		Bastard toad flax				
<i>Conoclinium coelestinum</i>	<i>Eupatorium coelestinum</i>	Blue mistflower	31.25	31.25	1.50	
<i>Coreopsis lanceolata</i>		Sand coreopsis	8.00	6.00	1.25	
<i>Coreopsis palmata</i>		Prairie coreopsis	55.00	50.00	1.50	
<i>Coreopsis pubescens</i>		Star tickseed			1.70	
<i>Coreopsis tripteris</i>		Tall coreopsis	27.00	25.00	1.35	
<i>Corydalis sempervirens</i>		Rock harlequin			2.30	
<i>Dalea candida</i>	<i>Petalostemum candidum</i>	White prairie clover	26.00	17.00	1.40	
<i>Dalea foliosa</i>	<i>Petalostemum foliosum</i>	Leafy prairie clover			2.40	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Dalea purpurea</i>	<i>Petalostemum purpureum</i>	Purple prairie clover	9.00	6.50	1.35	
<i>Danthonia spicata</i>		Poverty oat grass	45.00	45.00	1.40	
<i>Decodon verticullatus</i>		Swamp loosestrife			2.25	
<i>Delphinium carolinianum</i>	<i>Delphinium virescens</i>	Prairie larkspur	128.00	128.00		
<i>Delphinium tricornes</i>		Dwarf larkspur			2.25	
<i>Deschampsia cespitosa</i>		Tufted hairgrass	25.00	23.00	1.35	
<i>Desmanthus illinoensis</i>		Illinois sensitive plant	2.50	2.50	1.70	
<i>Desmodium canadense</i>		Showy tick trefoil	15.00	13.00	1.50	
<i>Desmodium canescens</i>		Hoary tick trefoil	68.75	68.75	1.70	
<i>Desmodium cuspidatum</i>		Largebracted tick trefoil	60.00	50.00		
<i>Desmodium glutinosum</i>		Pointed leaf tick trefoil	60.00	45.00	1.70	
<i>Desmodium illinoense</i>		Illinois tick trefoil	20.00	12.00		
<i>Diarrhena americana</i>		American beak grass	10.00	6.00	1.40	
<i>Diarrhena obovata</i>		Obvate beakgrass			1.70	
<i>Dicentra cucullaria</i>		Dutchman's britches	95.00	75.00	4.00	
<i>Dichanthelium acuminatum</i>	<i>Panicum implicatum</i>	Old-field panic grass			2.25	
<i>Dichanthelium oligosanthes</i> var. <i>scribnerianum</i>	<i>Panicum oligosanthes</i> var. <i>scribnerianum</i>	Scribner's rosette grass			1.70	
<i>Dichanthelium leibergii</i>	<i>Panicum leibergii</i>	Prairie panic-grass	200.00	175.00	2.25	
<i>Diervilla lonicera</i>		Dwarf honeysuckle			3.00	
<i>Dioscorea villosa</i>		Wild yam				
<i>Dryopteris intermedia</i>		Wood fern			5.00	
<i>Dodecatheon meadia</i>		Shooting star	145.00	98.00	1.90	
<i>Doellingeria umbellata</i>	<i>Aster umbellatus</i>	Flat-topped aster	50.00	45.00	1.50	
<i>Echinacea angustifolia</i>		Narrow purple coneflower			1.50	
<i>Echinacea atrorubens</i>		Topeka coneflower			1.90	
<i>Echinacea pallida</i>		Pale purple coneflower	9.00	7.50	1.30	1.25
<i>Echinacea paradoxa</i>		Yellow coneflower			1.50	
<i>Echinacea purpurea</i>		Broad-leaved purple coneflower	12.00	8.00	1.25	1.25
<i>Echinacea simulata</i>		Glade coneflower			1.50	
<i>Echinocystis lobata</i>		Wild cucumber	45.00	43.00		
<i>Echinodorus berteri</i>		Burhead				
<i>Eleocharis acicularis</i>		Needle spikerush	68.00	59.00	1.50	
<i>Eleocharis compressa</i>		Flat-stemmed spikerush	68.00	59.00	1.70	
<i>Eleocharis elliptica</i>		Golden-seed spikerush	82.00	55.00		
<i>Eleocharis erythropoda</i>		Red-rooted spikerush	55.00	45.00	1.70	
<i>Eleocharis obtusa</i>	<i>Eleocharis ovata</i>	Blunt spikerush	82.00	75.00	1.70	
<i>Eleocharis palustris</i>	<i>Eleocharis smallii</i>	Common spikerush	55.00	50.00	1.70	
<i>Elymus canadensis</i>		Canada wild rye	0.90	0.90	1.35	1.10
<i>Elymus hystrix</i>	<i>Hystrix patula</i>	Bottlebrush grass	15.00	8.00	1.50	1.15
<i>Elymus riparius</i>		River bank rye	2.00	1.50		
<i>Elymus trachycaulus</i>		Slender wheatgrass	0.70	0.70	1.50	
<i>Elymus villosus</i>		Silky wild rye	8.00	5.00	1.50	1.15

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Elymus virginicus</i>		Virginia wild rye	1.00	0.90	1.35	1.10
<i>Enemion biternatum</i>	<i>Isopyrum biternatum</i>	False rue anemone				
<i>Epilobium coloratum</i>		Cinnamon willow herb	60.00	60.00		
<i>Equisetum hyemale</i>		Horse tail			1.70	
<i>Eragrostis spectabilis</i>		Purple love grass	55.00	45.00	1.70	
<i>Eragrostis trichodes</i>		Sand lovegrass		35.00	1.50	
<i>Erigeron annuus</i>		Annual fleabane	8.00	6.00		
<i>Erigeron philadelphicus</i>		Marsh fleabane				
<i>Erigeron pulchellus</i>		Robin's plantain	140.00	99.50	2.25	
<i>Eryngium yuccifolium</i>		Rattlesnake master	35.00	30.00	1.35	1.25
<i>Erythronium albidum</i>		Trout lily	157.00	137.00		
<i>Eupatorium altissimum</i>		Tall boneset	48.00	40.00	1.50	
<i>Eupatorium fistulosum</i>		Hollow Joe pye weed				
<i>Eupatorium perfoliatum</i>		Common boneset	35.00	32.00	1.35	
<i>Eupatorium serotinum</i>		Late boneset	29.00	24.00	1.40	
<i>Euphorbia corollata</i>		Flowering spurge	60.00	60.00	1.70	
<i>Eurybia macrophylla</i>	<i>Aster macrophyllus</i>	Big-leaved aster	82.00	63.00	1.50	
<i>Euthamia graminifolia</i>	<i>Solidago graminifolia</i>	Common grass-leaved goldenrod	79.00	47.00	1.35	
<i>Eutrochium maculatus</i>	<i>Eupatorium maculatum</i> , <i>Eupatoriadelphus maculatus</i>	Spotted Joe Pye weed	28.00	24.00	1.35	
<i>Eutrochium purpureum</i>	<i>Eupatorium purpureum</i>	Purple Joe Pye weed	24.00	21.00	1.35	
<i>Festuca rubra</i>		Red fescue	0.50	0.50		
<i>Festuca subverticillata</i>	<i>Festuca obtusa</i>	Nodding fescue	60.00	49.00	3.00	
<i>Filipendula rubra</i>		Queen of the prairie		69.00	1.90	
<i>Floerkea proserpinacoides</i>		Mermaid weed	90.00	90.00		
<i>Fragaria virginiana</i>		Wild strawberry		335.00	1.50	
<i>Galium boreale</i>		Northern bedstraw	150.00	45.00	1.70	
<i>Galium circaezans</i>		Smooth wild licorice				
<i>Galium concinnum</i>		Shining bedstraw				
<i>Gentiana alba</i>	<i>Gentiana flavida</i>	Yellowish gentian	54.00	47.00	3.00	
<i>Gentiana andrewsii</i>		Bottle gentian	100.00	85.00	3.00	
<i>Gentiana puberulenta</i>		Downy gentian	160.00	138.00	4.00	
<i>Gentianella quinquefolia</i>	<i>Gentiana quinquefolia</i>	Stiff gentian		110.00	3.00	
<i>Gentianopsis crinita</i>	<i>Gentiana crinita</i>	Fringed gentian		75.00	3.00	
<i>Geranium maculatum</i>		Wild geranium	150.00	95.00	1.70	
<i>Geum aleppicum strictum</i>		Yellow avens	12.00	10.00		
<i>Geum laciniatum</i>		Northern rough avens				
<i>Geum rivale</i>		Purple avens				
<i>Geum triflorum</i>		Prairie smoke	200.00	200.00	1.70	
<i>Glandularia canadensis</i>		Rose verbena			1.70	
<i>Glyceria canadensis</i>		Rattlesnake manna grass	32.00	28.00	1.50	
<i>Glyceria grandis</i>		Reed manna grass	10.00	9.00	1.50	
<i>Glyceria septentrionalis</i>		Floating manna grass	35.00	35.00	1.50	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Glyceria striata</i>		Fowl manna grass	27.00	19.00	1.35	
<i>Hasteola suaveolens</i>	<i>Cacalia suaveolens</i>	Sweet Indian plantain	26.00	22.00	1.90	
<i>Helenium autumnale</i>		Sneezeweed	25.00	22.00	1.35	
<i>Helianthus divaricatus</i>		Woodland sunflower	60.00	53.00	1.70	
<i>Helianthus grosseserratus</i>		Sawtooth sunflower	46.00	42.00	1.40	
<i>Helianthus maximiliani</i>		Maximilian sunflower				
<i>Helianthus mollis</i>		Downy sunflower			1.50	
<i>Helianthus occidentalis</i>		Western sunflower	50.00	35.00	1.70	
<i>Helianthus pauciflorus</i>	<i>Helianthus rigidus / laetiflorus</i>	Prairie sunflower	50.00	33.00	1.70	
<i>Helianthus salicifolius</i>		Willow leaved sunflower			1.70	
<i>Helianthus strumosus</i>		Pale-leaved sunflower	45.00	31.00	1.50	
<i>Helianthus tuberosus</i>		Jerusalem artichoke				
<i>Heliopsis helianthoides</i>		False sunflower	6.00	4.00	1.35	1.25
<i>Hepatica nobilis</i>	<i>Hepatica acutiloba</i>	Sharp-lobed hepatica		150.00	4.00	
<i>Heracleum maximum</i>		Cow parsnip	7.50	7.50	1.50	
<i>Hesperostipa spartea</i>	<i>Stipa spartea</i>	Porcupine grass	25.00	20.00	1.90	
<i>Heuchera americana</i>		American alumroot			1.70	
<i>Heuchera parviflora</i>		Little flower alumroot			1.70	
<i>Heuchera richardsonii</i>		Prairie alumroot	160.00	145.00	1.35	
<i>Hibiscus laevis</i>	<i>Hibiscus militaris</i>	Swamp mallow	16.00	12.00	1.70	
<i>Hibiscus lasiocarpus</i>		Rose mallow			1.70	
<i>Hibiscus moscheutos</i>	<i>Hibiscus palustris</i>	Swamp rose mallow	38.00	15.00	1.70	
<i>Hierochloa odorata</i>		Vanilla grass	82.00	75.00	1.50	
<i>Hordeum jubatum</i>		Squirrel-tail barley				1.10
<i>Hydrangea arborescens</i>		Wild hydrangea			2.25	
<i>Hydrophyllum virginianum</i>		Virginia waterleaf	75.00	50.00	1.90	
<i>Hypericum ascyron</i>	<i>Hypericum pyramidatum</i>	Great St. John's wort	13.00	10.00	1.90	
<i>Hypericum prolificum</i>	<i>Hypericum spathulatum</i>	Shrubby St. John's wort	15.00	12.00		
<i>Hypericum punctatum</i>		Spotted St. John's wort				
<i>Hypoxis hirsuta</i>	<i>Hypoxis decumbens</i>	Yellow star grass	175.00	150.00		
<i>Iliamna rivularis</i>	<i>Iliamna remota</i>	Kankakee mallow				
<i>Impatiens capensis</i>		Orange jewelweed		75.00		
<i>Impatiens pallida</i>		Yellow jewelweed				
<i>Ionactis linariifolius</i>	<i>Aster linariifolius</i>	Flax-leaved aster	53.00	48.00	1.90	
<i>Iris cristata</i>		Dwarf crested iris			2.25	
<i>Iris fulva</i>		Copper iris			2.25	
<i>Iris versicolor</i>		Northern blue flag iris	26.00	20.00	1.50	
<i>Iris virginica</i>		Blue flag iris	20.00	15.00	1.70	1.15
<i>Juncus acuminatus</i>		Tapertip rush	20.00	13.00	1.50	
<i>Juncus arcticus littoralis</i>	<i>Juncus balticus</i>	Arctic rush			1.50	
<i>Juncus canadensis</i>		Canada rush	35.00	30.00	1.50	
<i>Juncus dudleyi</i>		Dudley's rush	44.00	35.00	1.35	
<i>Juncus effusus</i>		Common rush	31.00	25.00	1.40	1.15
<i>Juncus interior</i>		Inland rush	41.00	33.00		

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Juncus marginatus</i>		Grass-leaved rush	41.00	40.00	1.90	
<i>Juncus nodosus</i>		Joint rush	65.00	65.00	1.50	
<i>Juncus tenuis</i>		Path rush	40.00	40.00	1.35	
<i>Juncus torreyi</i>		Torrey's rush	65.00	52.00	1.50	
<i>Justicia americana</i>		American water-willow			1.90	
<i>Koeleria macrantha</i>	<i>Koeleria cristatella</i>	June grass	20.00	17.00	1.35	1.15
<i>Krigia biflora</i>		False dandelion			2.25	
<i>Lathyrus palustris</i>		Marsh vetchling	38.00	34.00		
<i>Leersia oryzoides</i>		Rice cut grass	25.00	20.00	1.50	
<i>Leersia virginica</i>		White grass			1.70	
<i>Lespedeza capitata</i>		Round-headed bush clove	17.00	13.00	1.50	
<i>Lespedeza violacea</i>		Violet lespedeza		32.00		
<i>Liatris aspera</i>		Rough blazing star	55.00	44.00	1.40	
<i>Liatris cylindracea</i>		Cylindrical blazing star	48.00	43.00	1.50	
<i>Liatris ligulistylis</i>		Meadow blazing star	55.00	55.00	1.50	
<i>Liatris punctata</i>		Dotted blazing star	45.00	42.00	1.50	
<i>Liatris pycnostachya</i>		Prairie blazing star	17.00	15.00	1.35	1.25
<i>Liatris scariosa nieuwlandii</i>		Eastern blazing star			1.50	
<i>Liatris spicata</i>		Marsh blazing star	15.00	12.00	1.35	1.25
<i>Lilium michiganense</i>		Turk's cap lily	280.00	218.00	1.90	
<i>Lilium philadelphicum</i>		Prairie lily	335.00	200.00	7.00	
<i>Lithospermum caroliniense</i>	<i>Lithospermum croceum</i>	Hairy puccoon		165.00		
<i>Lithospermum incisum</i>		Fringed puccoon		165.00		
<i>Lobelia cardinalis</i>		Cardinal flower	100.00	80.00	1.25	1.10
<i>Lobelia inflata</i>		Indian tobacco		95.00		
<i>Lobelia siphilitica</i>		Great blue lobelia	85.00	68.00	1.25	1.10
<i>Lobelia spicata</i>		Pale spiked lobelia	140.00	140.00	1.70	
<i>Lolium multiflorum</i>		Annual rye	0.08	0.08		
Low Maintenance Lawn Blend		Fescue blend	0.35	0.35		
<i>Ludwigia alternifolia</i>		Seedbox	45.00	45.00		
<i>Ludwigia palustris</i>		Marsh seedbox	52.00	43.00		
<i>Ludwigia polycarpa</i>		Manyfruit primrose-willow	53.00	45.00		
<i>Lupinus perennis</i>		Wild lupine	35.00	22.00	1.50	
<i>Luzula multiflora</i>		Common wood rush	87.50	75.00	1.50	
<i>Lycopus americanus</i>		American water horehound	27.00	26.00	1.50	
<i>Lycopus uniflorus</i>		Northern bugleweed		37.00		
<i>Lysimachia ciliata</i>		Fringed loosestrife	82.00	69.00	1.40	
<i>Lysimachia quadriflora</i>		Fourflower yellow loosestrife	200.00	112.00		
<i>Lysimachia terrestris</i>		Swamp candles				
<i>Lysimachia thysiflora</i>		Tufted loosestrife				
<i>Lythrum alatum</i>		Winged loosestrife	110.00	90.00	1.50	
<i>Mainathemum canadense</i>	<i>Smilacina canadense</i>	Canada mayflower			3.00	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Maianthemum racemosum</i>	<i>Smilacina racemosa</i>	Feathery false Solomon's seal	28.00	26.00	4.00	
<i>Maianthemum stellatum</i>	<i>Smilacina stellata</i>	Starry False Solomon's seal	134.00	115.00	5.00	
<i>Manfreda virginica</i>		False aloe/American agave			1.90	
<i>Mentha arvensis</i>		Wild mint	78.00	69.00	1.40	
<i>Mertensia virginica</i>		Virginia bluebells			1.90	
<i>Mimulus ringens</i>		Monkey flower	30.00	27.00	1.35	1.25
<i>Minuartia michauxii</i>	<i>Arenaria stricta</i>	Stiff sandwort	243.00	200.00		
<i>Mitella diphylla</i>		Bishop's cap		280.00	1.90	
<i>Moehringia lateriflora</i>		Blunt leaf stitchwort				
<i>Monarda bradburiana</i>		Eastern beebalm			1.50	
<i>Monarda didyma</i>		Scarlet beebalm			1.35	
<i>Monarda fistulosa</i>		Wild bergamot	26.00	20.00	1.35	1.25
<i>Monarda punctata</i>		Horse mint	40.00	35.00	1.35	
<i>Muhlenbergia glomerata</i>		Marsh wild Timothy	45.00	30.00		
<i>Muhlenbergia mexicana</i>		Leafy satin grass		15.00	1.50	
<i>Napaea dioica</i>		Glade mallow	11.00	7.50	1.50	
<i>Nelumbo lutea</i>		American lotus			10.00	
<i>Nuphar advena</i>	<i>Nuphar lutea</i>	Yellow waterlily			10.00	
<i>Nymphaea tuberosa</i>	<i>Nymphaea odorata</i>	American white waterlily			10.00	
<i>Oenothera biennis</i>		Common evening primrose	3.50	3.00	1.50	
<i>Oenothera gaura</i>	<i>Gaura biennis</i>	Biennial gaura	22.00	20.00		
<i>Oenothera macrocarpa</i>		Large flowered primrose			1.50	
<i>Oenothera pilosella</i>		Prairie sundrops	95.00	80.00	1.50	
<i>Oenothera speciosa</i>		Pink petticoats primrose			1.50	
<i>Oligoneuron album</i>	<i>Solidago ptarmicoides</i> / <i>Aster ptarmicoides</i>	Stiff aster (goldenrod)	28.00	20.00	1.35	
<i>Oligoneuron ohioense</i>	<i>Solidago ohioensis</i>	Ohio goldenrod		22.00	1.70	
<i>Oligoneuron riddellii</i>	<i>Solidago riddellii</i>	Riddell's goldenrod	32.00	25.00	1.35	
<i>Oligoneuron rigidum</i>	<i>Solidago rigida</i>	Stiff goldenrod	26.00	22.00	1.35	
<i>Onoclea sensibilis</i>		Sensitive fern	14.00	12.00		
<i>Onosmodium bejariense</i>	<i>Onosmodium molle</i>	Marbleseed		150.00		
<i>Opuntia humifusa</i>		Prickly pear cactus	31.00	31.00	1.25 pads	
<i>Opuntia macrorhiza</i>		Plains prickly pear			1.25 pads	
<i>Osmorhiza claytonii</i>		Hairy sweet cicely	33.00	24.00	1.50	
<i>Osmorhiza longistylis</i>		Smooth sweet cicely	33.00	24.00		
<i>Osmunda cinnamomea</i>		Cinnamon fern			5.00	
<i>Osmunda claytoniana</i>		Interrupted fern	72.00	60.00	5.00	
<i>Osmunda regalis spectabilis</i>		Royal fern			5.00	
<i>Oxalis violacea</i>		Wood sorrel			2.25	
<i>Oxypolis rigidior</i>		Cowbane	72.00	60.00	5.00	
<i>Packera aurea</i>	<i>Senecio aurea</i>	Golden ragwort			1.90	
<i>Packera obovata</i>	<i>Senecio obovatus</i>	Squaw weed			1.90	
<i>Packera paupercula</i>	<i>Senecio pauperculus</i>	Balsam ragwort	87.00	80.00	1.70	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Packera plattensis</i>	<i>Senecio plattensis</i>	Prairie groundsel	87.00	80.00	1.70	
<i>Panicum oligosanthos</i>		Few-flowered panic grass				
<i>Panicum virgatum</i>		Switch grass	0.75	0.60	1.35	1.10
<i>Parthenium integrifolium</i>		Wild quinine	11.00	9.00	1.35	
<i>Pascopyrum smithii</i>	<i>Agropyron smithii</i>	Western wheatgrass		0.98		1.25
<i>Pedicularis canadensis</i>		Wood betony	131.00	93.00		
<i>Pedicularis lanceolata</i>		Swamp lousewort	31.00	10.00		
<i>Peltandra virginica</i>		Green arrow arum			2.25	
<i>Penstemon calycosus</i>		Small beardtongue	14.00	13.00	1.40	
<i>Penstemon cobraea</i>		Large flowered penstemon			1.70	
<i>Penstemon digitalis</i>		Foxglove beard tongue	24.00	18.00	1.25	1.25
<i>Penstemon grandiflorus</i>		Large-flowered beard tongue	80.00	24.00	1.70	
<i>Penstemon hirsutus</i>		Hairy beard tongue	24.00	18.00	1.30	
<i>Penstemon pallidus</i>		Pale beard tongue	120.00	100.00		
<i>Penthorum sedoides</i>		Ditch stonecrop	14.00	8.00	1.70	
<i>Phemeranthus calycinus</i>	<i>Talinum calycinum</i>	Rock pink			1.70	
<i>Phleum pretense</i>		Timothy	0.22	0.22		
<i>Phlox bifida</i>		Sand cleft phlox			1.70	
<i>Phlox divaricata</i>		Blue/Woodland phlox	180.00	160.00	1.50	
<i>Phlox glaberrima</i>		Marsh phlox		155.00	1.50	
<i>Phlox maculata</i>		Spotted phlox		40.00		
<i>Phlox paniculata</i>		Garden phlox			1.70	
<i>Phlox pilosa</i>		Sand prairie phlox	155.00	110.00	1.70	
<i>Phryma leptostachya</i>		Lopseed	45.00	40.00		
<i>Physostegia virginiana</i>		Prairie obedient plant	25.00	20.00	1.35	
<i>Phytolacca americana</i>		Pokeweed	7.50	7.50		
<i>Poa palustris</i>		Fowl bluegrass	3.50	3.50		
<i>Podophyllum peltatum</i>		Mayapple		150.00	3.00	
<i>Polemonium reptans</i>		Jacob's ladder	115.00	105.00	2.25	
<i>Polygonatum biflorum</i>	<i>Polygonatum canaliculatum</i>	Smooth Solomon's seal	24.00	23.00	4.00	
<i>Polygonum amphibium</i>	<i>Polygonum coccineum</i>	Longroot smartweed	26.00	22.00		
<i>Polygonum amphibium stipulaceum</i>		Water smartweed	26.00	22.00		
<i>Polygonum hydropiperoides</i>		Mild water pepper	9.50	7.50		
<i>Polygonum lapathifolium</i>		Curly-topped knotweed	4.00	3.00		
<i>Polygonum pensylvanicum</i>		Pinkweed	4.00	3.00		
<i>Polygonum sagittatum</i>		Lady's tearthumb	55.00	47.00		
<i>Polygonum virginianum</i>	<i>Tovara virginiana</i>	Woodland knotweed		25.00		
<i>Polystichum acrostichoides</i>		Christmas fern			5.00	
<i>Pontederia cordata</i>		Pickerel weed	40.00	39.00	2.50	
<i>Potamogeton natans</i>		Floating pondweed				
<i>Potamogeton nodosus</i>	<i>Bare root only</i>	Pondweed				
<i>Potentilla anserina</i>		Silverweed cinquefoil				

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Potentilla arguta</i>	<i>Drymocallis arguta</i>	Prairie cinquefoil	35.00	30.00	1.50	
<i>Potentilla simplex</i>		Common cinquefoil				
<i>Prenanthes alba</i>		Lion's foot	175.00	118.00	2.25	
<i>Prenanthes racemosa</i>		Glaucous white lettuce		118.00		
<i>Pseudognaphalium obtusifolium</i>	<i>Gnaphalium obtusifolium</i>	Rabbit tobacco		100.00		
<i>Pulsatilla patens</i>	<i>Anemone patens wolfgangiana</i>	Pasque flower	55.00	42.00	2.50	
<i>Pycnanthemum muticum</i>		Blunt mountain mint			1.40	
<i>Pycnanthemum tenuifolium</i>		Slender mountain mint	55.00	42.00	1.40	1.15
<i>Pycnanthemum virginianum</i>		Virginia mountain mint	65.00	60.00	1.40	1.15
<i>Quercus macrocarpa</i>		Bur oak	6.25	5.00		
<i>Ranunculus abortivus</i>		Little leaf buttercup				
<i>Ranunculus fascicularis</i>		Early buttercup	45.00	45.00		
<i>Ranunculus hispidus</i>	<i>Ranunculus septentrionalis</i>	Rough buttercup	90.00	75.00		
<i>Ranunculus sceleratus</i>		Cursed buttercup	55.00	52.00		
<i>Ratibida columnifera</i>		Upright coneflower		7.00	1.50	
<i>Ratibida pinnata</i>		Yellow coneflower	8.00	5.00	1.35	1.15
<i>Regreen Triticum aestivum x Elymus trachycaulus</i>	<i>Regreen (Winter wheat x slender wheatgrass)</i>	Regreen	0.35	0.35		
<i>Rorippa palustris</i>	<i>Rorippa islandica</i>	Yellow cress	18.00	14.50		
<i>Rosa arkansana</i>		Prairie rose	42.00	25.00	2.25	
<i>Rosa blanda</i>		Early wild rose	44.00	40.00	2.25	
<i>Rosa carolina</i>		Carolina rose	44.00	40.00	2.25	
<i>Rosa palustris</i>		Swamp rose	42.00	37.00	2.25	
<i>Rosa setigera</i>		Savanna rose	42.00	37.00	2.75	
<i>Rhexia virginica</i>		Meadow beauty			2.25	
<i>Rubus hispidus</i>		Bristly dewberry			2.25	
<i>Rudbeckia fulgida</i>	<i>Rudbeckia speciosa</i>	Orange coneflower		52.00	1.35	
<i>Rudbeckia fulgida umbrosa</i>		Orange coneflower			1.35	
<i>Rudbeckia fulgida sullivantii</i>	<i>Rudbeckia fulgida</i>	Showy black-eyed Susan		52.00	1.70	
<i>Rudbeckia hirta</i>		Black-eyed Susan	5.00	3.00	1.50	
<i>Rudbeckia laciniata</i>		Wild golden glow	23.00	17.00	1.35	
<i>Rudbeckia missouriensis</i>		Missouri black-eyed Susan			1.70	
<i>Rudbeckia subtomentosa</i>		Sweet black-eyed Susan	20.00	16.00	1.35	
<i>Rudbeckia triloba</i>		Brown-eyed Susan	15.00	11.00	1.40	
<i>Ruellia humilis</i>		Wild petunia, Hairy ruellia	50.00	40.00	1.50	
<i>Rumex altissimus</i>		Pale dock	19.00	15.00	1.70	
<i>Rumex orbiculatus</i>		Great water dock	19.00	15.00	1.70	
<i>Rumex verticillatus</i>		Swamp dock	19.00	15.00	1.70	
<i>Sabatia angularis</i>		Rosepink			1.90	
<i>Sagittaria graminea</i>		Grass leaved-duck potato				
<i>Sagittaria latifolia</i>		Broad-leaved duck potato	20.00	20.00	1.70	
<i>Sagittaria rigida</i>		Stiff arrowhead				
<i>Salvia azurea</i>		Blue sage			1.50	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Sanguinaria canadensis</i>		Bloodroot	53.00	45.00		
<i>Sanicula marilandica</i>		Snakeroot	53.00	45.00	1.70	
<i>Saururus cernuus</i>		Lizard's tail			2.25	
<i>Saxifraga pensylvanica</i>		Eastern swamp saxifrage	81.00	75.00		
<i>Schizachyrium scoparium</i>	<i>Andropogon scoparius</i>	Little bluestem	1.50	1.50	1.35	1.10
<i>Schoenoplectus acutus</i>	<i>Scirpus acutus</i>	Hard-stemmed bulrush	30.00	25.00	1.50	
<i>Schoenoplectus fluviatilis</i>	<i>Scirpus fluviatilis</i>	River bulrush	16.00	12.00	1.50	
<i>Schoenoplectus pungens</i>	<i>Scirpus pungens</i> / <i>Scirpus americanus</i>	Chairmaker's rush	45.00	40.00	1.50	
<i>Schoenoplectus tabernaemontani</i>	<i>Scirpus validus creber</i>	Soft-stem bulrush	16.00	12.00	1.40	1.25
<i>Scirpus atrovirens</i>		Green bulrush	6.00	5.00	1.35	1.10
<i>Scirpus cyperinus</i>		Wool grass	10.00	9.00	1.35	1.10
<i>Scirpus lineatus</i>		Drooping bulrush				
<i>Scirpus pendulus</i>		Red bulrush	43.00	17.00	1.40	1.15
<i>Scrophularia lanceolata</i>		Early figwort	45.00	32.00	1.70	
<i>Scrophularia marilandica</i>		Late figwort	26.00	22.00	1.70	
<i>Scutellaria galericulata</i>	<i>Scutellaria epilobiifolia</i>	Marsh skullcap	90.00	84.00		
<i>Scutellaria incarna</i>		Hoary skullcap			1.70	
<i>Scutellaria lateriflora</i>		Mad dog skullcap	43.00	43.00	3.00	
<i>Scutellaria ovata</i>		Heart leaf skullcap				
<i>Scutellaria parvula</i>		Small skullcap			1.70	
<i>Secale cereale</i>		Winter rye	0.08	0.08		
<i>Sedum ternatum</i>		Wild stonecrop			1.60	
<i>Senna hebecarpa</i>	<i>Cassia hebecarpa</i>	Wild senna	9.00	6.00	1.70	
<i>Silene regia</i>		Royal catchfly	90.00	84.00	1.70	
<i>Silene stellata</i>		Starry campion	145.00	95.00	1.70	
<i>Silphium integrifolium</i>		Rosin weed	19.00	16.00	1.50	
<i>Silphium laciniatum</i>		Compass plant	47.00	35.00	1.40	
<i>Silphium perfoliatum</i>		Cup plant	13.00	9.00	1.40	
<i>Silphium terebinthinaceum</i>		Prairie dock	24.00	19.00	1.40	
<i>Sisyrinchium albidum</i>		Common blue-eyed grass	118.00	85.00	2.25	
<i>Sisyrinchium angustifolium</i>		Narrow-leaved blue-eyed grass	118.00	85.00		
<i>Sisyrinchium campestre</i>		Prairie blue-eyed grass	118.00	85.00		
<i>Sium suave</i>		Hemlock waterparsnip	50.00	46.00	2.25	
<i>Smilax herbacea</i>		Carrion flower	23.00	16.00		
<i>Smilax lasioneura</i>		Smooth carrion flower	11.25	11.25		
<i>Solidago caesia</i>		Blue stemmed goldenrod	150.00	130.00	1.70	
<i>Solidago canadensis</i>		Canada goldenrod	34.00	29.00		
<i>Solidago drummondii</i>		Cliff goldenrod			1.70	
<i>Solidago flexicaulis</i>		Broad-leaved goldenrod	95.00	95.00	1.50	
<i>Solidago gigantea</i>		Late goldenrod	113.00	88.00	1.35	
<i>Solidago juncea</i>		Early goldenrod	35.00	30.00	1.70	
<i>Solidago missouriensis</i>		Missouri goldenrod	42.00	35.00	1.70	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Solidago nemoralis</i>		Old-field goldenrod	35.00	30.00	1.40	
<i>Solidago odora</i>		Sweet goldenrod			1.70	
<i>Solidago patula</i>		Swamp goldenrod			1.70	
<i>Solidago rugosa</i>		Wrinkleleaf goldenrod			1.50	
<i>Solidago speciosa</i>		Showy goldenrod	50.00	30.00	1.35	
<i>Solidago ulmifolia</i>		Elm-leaved goldenrod	46.00	42.00	1.50	
<i>Sorghastrum nutans</i>		Indian grass	0.65	0.50	1.35	1.10
<i>Sparganium americanum</i>		American bur reed				
<i>Sparganium emersum</i>	<i>Sparganium chlorocarpum</i>	Narrow leaved bur reed	25.00	16.00		
<i>Sparganium eurycarpum</i>		Common bur reed	10.00	8.00	1.70	
<i>Spartina pectinata</i>		Prairie cord grass	13.00	12.00	1.35	1.10
<i>Sphenopholis intermedia</i>		Slender wedge grass	120.00	100.00	1.90	
<i>Sphenopholis obtusata</i>		Prairie wedge grass	14.00	12.00	1.90	
<i>Spigelia marilandica</i>		Indian pink			2.25	
<i>Spiraea alba</i>		Meadow sweet	63.00	56.00	1.70	
<i>Spiraea tomentosa</i>		Steeple bush			1.90	
<i>Spiranthes cernua</i>		Nodding ladies tresses	280.00	250.00		
<i>Spiranthes magnicamporum</i>		Great plains ladies tresses				
<i>Sporobolus compositus</i>	<i>Sporobolus asper</i>	Composite dropseed	4.00	3.75		
<i>Sporobolus cryptandrus</i>		Sand dropseed	4.00	3.75		
<i>Sporobolus heterolepis</i>		Prairie dropseed	22.00	16.00	1.35	1.25
<i>Stachys aspera</i>	<i>Stachys hyssopifolia ambigua</i>	Rough hedge nettle	45.00	45.00		
<i>Stachys pilosa</i>	<i>Stachys palustris homotricha</i>	Marsh hedge nettle	40.00			
<i>Stachys tenuifolia</i>	<i>Stachys hispida</i>	Smooth nettle hedge	45.00	45.00		
<i>Stuckenia pectinata</i>	<i>Potamogeton pectinatus</i>	Sago pondweed				
<i>Stylophorum diphyllum</i>		Celandine poppy			2.25	
<i>Symphyotrichum cordifolium</i>	<i>Aster sagittifolius, Aster cordifolius</i>	Arrow-leaved aster	120.00	95.00	1.70	
<i>Symphyotrichum drummondii</i>	<i>Aster drummondii</i>	Drummond's aster	30.00	21.00	1.70	
<i>Symphyotrichum dumosum</i>	<i>Aster dumosus</i>	Rice-button aster				
<i>Symphyotrichum ericoides</i>	<i>Aster ericoides</i>	Heath aster	128.00	128.00	1.50	
<i>Symphyotrichum laeve</i>	<i>Aster laevis</i>	Smooth blue aster	30.00	25.00	1.40	
<i>Symphyotrichum lanceolatum</i>	<i>Aster simplex</i>	Panicked aster	48.00	44.00	1.90	
<i>Symphyotrichum lateriflorum</i>	<i>Aster lateriflorus</i>	Side-flowering aster	70.00	70.00	1.70	
<i>Symphyotrichum novae-angliae</i>	<i>Aster n-a</i>	New England aster	50.00	45.00	1.35	1.25
<i>Symphyotrichum oblongifolium</i>	<i>Aster oblongifolius</i>	Aromatic aster	41.00	25.00	1.35	1.25
<i>Symphyotrichum oolentangiense</i>	<i>Aster azureus</i>	Sky-blue aster	55.00	50.00	1.40	
<i>Symphyotrichum patens</i>	<i>Aster patens</i>	Late purple aster			1.70	
<i>Symphyotrichum pilosum</i>	<i>Aster pilosus</i>	Hairy aster	35.00	25.00	1.40	
<i>Symphyotrichum praealtum</i>	<i>Aster praealtus</i>	Willow aster		85.00	1.70	
<i>Symphyotrichum prenanthoides</i>	<i>Aster prenanthoides</i>	Crooked-stemmed aster		85.00		
<i>Symphyotrichum puniceum</i>	<i>Aster puniceus</i>	Marsh aster	55.00	55.00	1.50	

Botanical Name	Alias / Notes	Common Name	Specified Seed (\$/oz)	Unspecified Seed (\$/oz)	32 Cell Plug (\$/plug)	50 Cell Plug (\$/plug)
<i>Symphyotrichum sericeum</i>	<i>Aster sericeus</i>	Silky aster	54.00	40.00	1.60	
<i>Symphyotrichum shortii</i>	<i>Aster shortii</i>	Short's aster	90.00	85.00	1.70	
<i>Symphyotrichum urophyllum</i>	<i>Aster sagittifolius</i>	Arrow-leaved aster	120.00	95.00	1.70	
<i>Taenidia integerrima</i>		Yellow pimpernel	85.00	65.00		
<i>Tephrosia virginiana</i>		Goats rue	65.00	40.00	1.70	
<i>Teucrium canadense</i>		Wood germander	35.00	32.00	1.50	
<i>Thalictrum dasycarpum</i>		Purple meadow rue	25.00	22.00	1.70	
<i>Thalictrum dioicum</i>		Early meadow rue	77.00	75.00	2.50	
<i>Thalictrum revolutum</i>		Waxy meadow rue	77.00	75.00		
<i>Thalictrum thalictroides</i>	<i>Anemonella thalictroides</i>	Rue anemone	93.00	78.00	4.50	
<i>Thaspium trifoliatum</i>		Purple meadowparsnip	45.00	35.00		
<i>Thelypteris palustris</i>	<i>Dryopteris thelypteris pubescens</i>	Marsh sheild fern			3.00	
<i>Tiarella cordifolia</i>		Heartleaf foamflower			1.90	
<i>Tradescantia bracteata</i>		Long-bracted spiderwort	60.00	55.00	1.70	
<i>Tradescantia occidentalis</i>		Prairie Spiderwort	40.00	35.00	1.70	
<i>Tradescantia ohiensis</i>		Spiderwort	28.00	25.00	1.35	
<i>Tradescantia subaspera</i>		Zigzag spiderwort			1.70	
<i>Trillium erectum</i>		Red trillium			4.00	
<i>Trillium grandiflorum</i>		White trillium			4.00	
<i>Trillium recurvatum</i>		Prairie trillium			4.00	
<i>Triodanis perfoliata</i>	<i>Specularia perfoliata</i>	Venus's looking glass	50.00	43.00		
<i>Triosteum aurantiacum</i>		Early horse gentian				
<i>Triosteum perfoliatum</i>		Late horse gentian		29.00		
<i>Tripsacum dactyloides</i>		Eastern gamma grass		2.50		
<i>Typha latifolia</i>		Common cat-tail				
<i>Uvularia grandiflora</i>		Bellwort	94.00	75.00	4.00	
<i>Verbena hastata</i>		Blue vervain	10.00	7.00	1.35	
<i>Verbena stricta</i>		Hoary vervain	15.00	12.00	1.35	
<i>Verbena urticifolia</i>		White vervain	15.00	11.25		
<i>Verbesina alternifolia</i>	<i>Actinomeris alternifolia</i>	Wingstem	19.00	18.00	1.70	
<i>Vernonia arkansana</i>		Curly-topped ironweed			1.70	
<i>Vernonia baldwinii</i>		Western ironweed			1.60	
<i>Vernonia fasciculata</i>		Common ironweed	30.00	20.25	1.35	
<i>Veronicastrum virginicum</i>		Culver's root	100.00	90.00	1.40	
<i>Viola lanceolata</i>		Lanceleaved violet			2.25	
<i>Viola pedata</i>		Bird's foot violet	260.00	220.00		
<i>Viola pedatifida</i>	<i>Viola palmata</i>	Prairie violet	160.00	140.00	3.00	
<i>Viola pubescens</i>		Yellow violet		140.00		
<i>Viola sororia</i>	<i>Viola papilionacea</i>	Common violet	130.00	115.00	1.50	
<i>Waldsteinia fragarioides</i>		Barren strawberry			2.70	
<i>Zizia aptera</i>		Heart leaved golden Alexanders	55.00	50.00	1.60	
<i>Zizia aurea</i>		Golden Alexanders	18.00	12.00	1.50	1.15

2023 Wholesale Seed Mix Pricing

Pricing and availability are subject to change; prices are for in-stock items only. Please contact us for quantity discounts.

Please see individual mix descriptions for more specific information (*page numbers below*). All mixes may vary slightly in composition and species. None of our mixes are premade—we custom blend each seed mix to meet your needs. To add further diversity, see our full species availability (*starting on page 7*).

Don't see what you need? We can broker items from other native plant nurseries for your convenience. Please contact us for this service.

Pollinator Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Diversity Meadow - Low Growing Pollinator Meadow: Diverse Option	40	\$480	24
Midwest Knee High Pollinator 30/15	45	\$575	30
Pollinator Friendly	40	\$595	33
Rusty Patch Bumblebee Savanna 20/20	40	\$650	34

Upland Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Clay Soils - Mesic Prairie	40	\$325	24
Dry Mesic Prairie	40	\$310	25
Herbicide Tolerant Shortgrass and Wildflower Prairie	40	\$440	26
Mesic Prairie	40	\$415	29
Shortgrass Dry Prairie	40	\$360	36

Special Use Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Landfill - Basic Native Cover	45	\$230	29
Savanna and Open Woodland	45	\$760	35
Solar Field Basics - Native and Naturalized - Well Drained Ground	55	\$150	37
Solar Field Pollinator Enhancement	20	\$240	37

Wet Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Emergent Shoreline	45	\$540	26
Herbicide Tolerant Tall Grass Wet-Mesic Prairie	23	\$300	27
Native Waterway	75	\$199	31
Sedge Meadow	50	\$510	36
Stormwater	90	\$550	38
Swale and Basin	50	\$360	39

Conservation Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Eastern KS CP42 Upland Pollinator	20	\$235	25
Eastern KS Safe Mix	20	\$125	26
IA CP2 Dry to Mesic	40	\$120	27
IA CP2 Wet to Mesic	40	\$100	27
IL CP42 Dry to Mesic Prairie	20	\$160	27
IL CP42 Wet Prairie	20	\$175	28
IN CP42 Pollinator Habitat Well Drained	20	\$280	28
IN CP42 Pollinator Habitat Poorly Drained	20	\$310	28
KS CP43 Dry to Mesic Prairie Strips	40	\$220	28
KS CP43 Wet to Mesic Prairie Strips	40	\$190	29
MN BWSR MNDOT 32-241 Native Construction	65	\$449	30
MN BWSR U8; 35-641 Mesic Prairie Southeast	38	\$290	30
MO Upland CP42 Pollinator	45	\$374	31
MO Wet CP42 Pollinator	40	\$315	31
NY Pollinator Meadow	40	\$386	31
NY Upland Meadow Restoration	40	\$296	32
NY Wet to Mesic Meadow Restoration	40	\$240	32
OH Seed Mixture for Birds, Bees, and Butterflies	40	\$359	32
OH Wet Prairie Seeding Mixture	40	\$317	32
PA Restoration Mixture for Birds, Bees, and Butterflies	40	\$363	33
PA Restoration Wetland / Wet Meadow Seeding Mixture	40	\$317	33
WI CP25-DM Dry to Mesic Prairie	40	\$299	39
WI CP25-WM Wet to Mesic Prairie	33	\$160	39
WI CP43 Prairie Strips - Dry	18	\$128	40
WI CP43 Prairie Strips - Mesic	18	\$130	40
WI CP43 Prairie Strips - Wet	18	\$120	40
WI Mesic CP42 Pollinator	40	\$434	40

2023 Wholesale Seed Mixes (A-Z)

Clay Soils - Mesic Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$325**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem), *Sorghastrum nutans* (Indian grass), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Asclepias syriaca* (Common milkweed), *Coreopsis tripteris* (Tall coreopsis), ***Dalea purpurea* (Purple prairie clover)**, ***Desmanthus illinoensis* (Illinois sensitive plant)**, ***Desmodium illinoense* (Illinois tick trefoil)**, *Eryngium yuccifolium* (Rattlesnake master), *Eupatorium altissimum* (Tall boneset), *Eutrochium maculatus* (Spotted Joe-Pye weed), *Heliopsis helianthoides* (False sunflower), *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Oligoneuron rigidum* (Stiff goldenrod), *Parthenium integrifolium* (Wild quinine), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Silphium perfoliatum* (Cup plant), *Symphyotrichum lateriflorum* (Side-flowering aster), *Symphyotrichum pilosum* (Hairy aster), *Verbena hastata* (Blue vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Diversity Meadow - Low Growing Pollinator Meadow: Diverse Option

POLLINATOR
SEED MIX

AVERAGE PRICE: **\$480**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Elymus virginicus* (Virginia wild rye), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Blephilia ciliata* (Ohio horsemint), *Brickellia eupatorioides* (False boneset), ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis lanceolata* (Sand coreopsis), ***Dalea candida* (White prairie clover)**, ***Dalea purpurea* (Purple prairie clover)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Heuchera richardsonii* (Prairie alum root), *Liatris aspera* (Rough blazing star), *Liatris cylindracea* (Cylindrical blazing star), ***Lupinus perennis* (Wild lupine)**, *Monarda punctata* (Horse mint), *Oligoneuron album* (Stiff aster, goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Tradescantia ohiensis* (Spiderwort), *Solidago nemoralis* (Old-field goldenrod), *Symphyotrichum oolentangiense* (Sky-blue aster), *Verbena stricta* (Hoary vervain)

NOTES:

- Usually about 3 feet
- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Dry Mesic Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$310**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Sorghastrum nutans* (Indian grass), *Panicum virgatum* (Switch grass), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Elymus canadensis* (Canada wild rye), *Schizachyrium scoparium* (Little bluestem), *Koeleria macrantha* (June grass), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea* (Purple prairie clover)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Verbena stricta* (Hoary vervain), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Eastern KS CP42 Upland Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$235**/ac

GRASS: **5** seeds/sq ft

FORBS: **15** seeds/sq ft

GRASSES/GRASS-LIKE: *Elymus virginicus* (Virginia wild rye), *Elymus canadensis* (Canada wild rye), *Panicum virgatum* (Switch grass), *Bouteloua curtipendula* (Side oats grama), *Sorghastrum nutans* (Indian grass), *Andropogon gerardii* (Big bluestem), *Schizachyrium scoparium* (Little bluestem)

FORBS: *Achillea millefolium* (Common yarrow), *Asclepias syriaca* (Common milkweed), ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis palmata* (Prairie coreopsis), *Coreopsis tinctoria* (Plains coreopsis), ***Dalea candida* (White prairie clover)**, ***Dalea purpurea* (Purple prairie clover)**, ***Desmanthus illinoensis* (Illinois sensitive plant)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Helianthus grosseserratus* (Sawtooth sunflower), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia fulgida* (Showy black-eyed Susan), *Rudbeckia hirta* (Black-eyed Susan), *Symphotrichum oolentangiense* (Sky-blue aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Eastern KS Safe Mix

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$125**/ac

GRASS: **15** seeds/sq ft

FORBS: **5** seeds/sq ft

GRASSES/GRASS-LIKE: *Panicum virgatum* (Switch grass), *Bouteloua curtipendula* (Side oats grama), *Sorghastrum nutans* (Indiangrass), *Schizachyrium scoparium* (Little bluestem), *Andropogon gerardii* (Big bluestem)

FORBS: *Acorus americanus* (Sweet flag iris), *Alisma subcordatum* (Mud/water plantain), *Bidens cernua* (Nodding bur marigold), *Eutrochium maculatus* (Spotted Joe Pye weed), *Helenium autumnale* (Sneezeweed), *Iris virginica* (Blue flag iris), *Lobelia siphilitica* (Great blue lobelia), *Lythrum alatum* (Winged loosestrife), *Sagittaria latifolia* (Broad-leaved duck potato)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Emergent Shoreline

WET
SEED MIX

AVERAGE PRICE: **\$540**/ac

GRASS: **30** seeds/sq ft

FORBS: **15** seeds/sq ft

GRASSES/GRASS-LIKE: *Carex typhina* (Cattail sedge), *Carex stipata* (Owl-fruited sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Elymus canadensis* (Canada wild rye), *Elymus virginicus* (Virginia wild rye), *Juncus dudleyi* (Dudley's rush), *Panicum virgatum* (Switch grass), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass), *Schoenoplectus fluviatilis* (River bulrush), *Schoenoplectus tabernaemontani* (Soft-stem bulrush), *Spartina pectinata* (Prairie cord grass)

FORBS: *Acorus americanus* (Sweet flag iris), *Alisma subcordatum* (Mud/water plantain), *Bidens cernua* (Nodding bur marigold), *Eutrochium maculatus* (Spotted Joe Pye weed), *Helenium autumnale* (Sneezeweed), *Iris virginica* (Blue flag iris), *Lobelia siphilitica* (Great blue lobelia), *Lythrum alatum* (Winged loosestrife), *Sagittaria latifolia* (Broad-leaved duck potato)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Herbicide Tolerant Shortgrass and Wildflower Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$440**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Bouteloua curtipendula* (Side oats grama), *Elymus virginicus* (Virginia wild rye), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Amorpha canescens* (**Leadplant**), *Asclepias tuberosa* (Butterfly weed), *Symphyotrichum oolentangiense* (Sky-blue aster), *Coreopsis lanceolata* (Sand coreopsis), *Dalea purpurea* (**Purple prairie clover**), *Desmanthus illinoensis* (**Illinois sensitive plant**), *Echinacea purpurea* (Broad-leaved purple coneflower), *Lespedeza capitata* (Round-headed bush clover), *Lupinus perennis* (**Wild lupine**), *Rudbeckia hirta* (Black-eyed Susan)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Herbicide Tolerant Tall Grass Wet-Mesic Prairie

WET
SEED MIX

AVERAGE PRICE: **\$300**/ac

GRASS: **20** seeds/sq ft

FORBS: **3** seeds/sq ft

GRASSES/GRASS-LIKE: *Carex annectens* (Yellow-fruited sedge), *Carex scoparia* (Broom sedge), *Elymus virginicus* (Virginia wild rye), *Andropogon gerardii* (Big bluestem), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass)

FORBS: *Bidens frondosa* (Common beggar's ticks), *Coreopsis tripteris* (Tall coreopsis), *Desmodium canadense* (Showy tick trefoil), *Senna hebecarpa* (Wild senna), *Symphyotrichum lanceolatum* (Panicled aster), *Symphyotrichum novae-angliae* (New England aster)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

IA CP2 Dry to Mesic

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$120**/ac

GRASS: **30** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP2 Wet to Mesic

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$100**/ac

GRASS: **30** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Dry to Mesic Prairie

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$160**/ac

GRASS: **10** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Illinois

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Wet Prairie

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$175**/ac

GRASS: **10** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Illinois

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator Habitat Well Drained

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$280**/ac

GRASS: **5** seeds/sq ft

FORBS: **15** seeds/sq ft

STATE: Indiana

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator Habitat Poorly Drained

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$310**/ac

GRASS: **5** seeds/sq ft

FORBS: **15** seeds/sq ft

STATE: Indiana

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Dry to Mesic Prairie Strips

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$220**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Kansas

HEIGHT: 3' - 5'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Wet to Mesic Prairie Strips

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$190**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Kansas

HEIGHT: 3' - 5'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Landfill - Basic Native Cover

SPECIAL USE
SEED MIX

AVERAGE PRICE: **\$230**/ac

GRASS: **25** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Elymus canadensis* (Canada wild rye), *Sorghastrum nutans* (Indian grass), *Panicum virgatum* (Switch grass), *Carex normalis* (Spreading oval sedge)

FORBS: *Dalea purpurea* (Purple prairie clover), *Monarda fistulosa* (Wild bergamot), *Penstemon digitalis* (Foxglove beard tongue), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Symphotrichum novae-angliae* (New England aster), *Verbena stricta* (Hoary vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Mesic Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$415**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Elymus canadensis* (Canada wild rye), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem), *Sorghastrum nutans* (Indian grass)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias syriaca* (Common milkweed), *Asclepias tuberosa* (Butterfly weed), ***Chamaecrista fasciculata*** (Partridge pea), *Coreopsis palmata* (Prairie coreopsis), ***Dalea purpurea*** (Purple prairie clover), *Echinacea purpurea* (Broad-leaved purple coneflower), *Hypericum ascyron* (Great St. Johns wort), *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Solidago juncea* (Early goldenrod), *Solidago speciosa* (Showy goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Symphotrichum novae-angliae* (New England aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Midwest Knee High Pollinator 30/15

POLLINATOR
SEED MIX

AVERAGE PRICE: **\$575**/ac

GRASS: **30** seeds/sq ft

FORBS: **15** seeds/sq ft

GRASSES/GRASS-LIKE: *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Copper-shouldered oval sedge), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Anemone virginiana* (Virginia anemone), *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Asclepias verticillata* (Whorled milkweed), *Brickellia eupatorioides* (False boneset), *Coreopsis lanceolata* (Sand coreopsis), *Dalea candida* (White prairie clover), *Dalea purpurea* (Purple prairie clover), *Liatris cylindracea* (Cylindric blazing star), *Lupinus perennis* (Wild lupine), *Monarda punctata* (Horsemint), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

MN BWSR MNDOT 32-241 Native Construction

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$449**/ac

GRASS: **60** seeds/sq ft

FORBS: **5** seeds/sq ft

STATE: Minnesota

HEIGHT: 3' - 5'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie / Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR U8; 35-641 Mesic Prairie Southeast

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$290**/ac

GRASS: **3** seeds/sq ft

FORBS: **35** seeds/sq ft

STATE: Minnesota

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Upland CP42 Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$374**/ac

GRASS: **25** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Missouri

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Wet CP42 Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$315**/ac

GRASS: **10** seeds/sq ft

FORBS: **30** seeds/sq ft

STATE: Missouri

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Native Waterway

WET
SEED MIX

AVERAGE PRICE: **\$199**/ac

GRASS: **75** seeds/sq ft

FORBS: **0** seeds/sq ft

GRASSES/GRASS-LIKE: *Lolium multiflorum* (Annual rye), *Carex annectens* (Yellow-fruited sedge), *Carex scoparia* (Broom sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Elymus canadensis* (Canada wild rye), *Elymus virginicus* (Virginia wild rye), *Juncus dudleyi* (Dudley's rush), *Panicum virgatum* (Switch grass), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass), *Spartina pectinata* (Prairie cord grass)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Pollinator Meadow

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$386**/ac

GRASS: **15** seeds/sq ft

FORBS: **25** seeds/sq ft

STATE: New York

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Upland Meadow Restoration

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$296**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: New York

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Wet to Mesic Meadow Restoration

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$240**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: New York

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

OH Seed Mixture for Birds, Bees, and Butterflies

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$359**/ac

GRASS: **15** seeds/sq ft

FORBS: **25** seeds/sq ft

STATE: Ohio

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

OH Wet Prairie Seeding Mixture

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$317**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Ohio

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

PA Restoration Seed Mixture for Birds, Bees, and Butterflies

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$363**/ac

GRASS: **15** seeds/sq ft

FORBS: **25** seeds/sq ft

STATE: Pennsylvania

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

PA Restoration Wetland/Wet Meadow Seeding Mixture

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$317**/ac

GRASS: **30** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Pennsylvania

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Pollinator Friendly

POLLINATOR
SEED MIX

AVERAGE PRICE: **\$595**/ac

GRASS: **30** seeds/sq ft

FORBS: **10** seeds/sq ft

GRASSES/GRASS-LIKE: *Schizachyrium scoparium* (Little bluestem), *Elymus canadensis* (Canada wild rye)

FORBS: *Agastache nepetoides* (Yellow giant hyssop), *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), ***Chamaecrista fasciculata*** (Partridge pea), *Coreopsis lanceolata* (Sand coreopsis), *Coreopsis palmata* (Prairie coreopsis), ***Dalea purpurea*** (Purple prairie clover), *Echinacea pallida* (Pale purple coneflower), *Echinacea purpurea* (Broad-leaved purple coneflower), *Eryngium yuccifolium* (Rattlesnake master), *Eutrochium purpureum* (Purple Joe Pye weed), ***Lupinus perennis*** (Wild lupine), *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Solidago juncea* (Early goldenrod), *Solidago nemoralis* (Old-field goldenrod), *Symphyotrichum laeve* (Smooth blue aster), *Symphyotrichum novae-angliae* (New England aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

AVERAGE PRICE: **\$650**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Elymus canadensis* (Canada wild rye), *Elymus villosus* (Silky wild rye), *Elymus hystrix* (Bottlebrush grass), *Schizachyrium scoparium* (Little bluestem), *Carex normalis* (Spreading oval sedge), *Carex brevior* (Fescue sedge)

FORBS: *Agastache nepetoides* (Yellow giant hyssop), *Ageratina altissima* (Whitesnakeroot), *Anemone virginiana* (Virginia anemone), ***Amorpha canescens* (Leadplant)**, *Aquilegia canadensis* (Wild columbine), ***Baptisia alba* (White wild indigo)**, ***Dalea purpurea* (Purple prairie clover)**, *Dodecatheon meadia* (Shooting star), *Echinacea purpurea* (Broad-leaved purple coneflower), *Eupatorium altissimum* (Tall boneset), *Eutrochium purpureum* (Purple Joe Pye weed), *Gentiana alba* (Yellowish gentian), *Geranium maculatum* (Wild geranium), *Liatris aspera* (Rough blazing star), ***Lupinus perennis* (Wild lupine)**, *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Penstemon calycosus* (Small beard tongue), *Penstemon digitalis* (Foxglove beard tongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Solidago speciosa* (Showy goldenrod), *Solidago ulmifolia* (Elm-leaved goldenrod), *Symphyotrichum laeve* (Smooth blue aster), *Veronicastrum virginicum* (Culver's root)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Supporting Monarchs

We understand that no milkweed means no monarchs. That's why we've partnered with non-profits to distribute more than one million milkweed plugs throughout the Eastern United States since 2012.

Including milkweed (*Asclepias* spp.) in your garden or restoration project is a great way to support these migrating marvels.



AVERAGE PRICE: **\$760**/ac

GRASS: **20** seeds/sq ft

FORBS: **25** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Bromus pubescens* (Woodland brome), *Carex normalis* (Spreading oval sedge), *Carex radiata* (Curly wood sedge), *Carex shortiana* (Short's sedge), *Carex sprengelii* (Long-beaked sedge), *Elymus canadensis* (Canada wild rye), *Elymus hystrix* (Bottlebrush grass), *Luzula multiflora* (Common wood rush), *Muhlenbergia mexicana* (Leafy satin grass), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem)

FORBS: *Allium cernuum* (Nodding wild onion), *Anemone canadensis* (Meadow anemone), *Anemone virginiana* (Tall/Virginia anemone), *Aquilegia canadensis* (Wild columbine), ***Baptisia alba* (White wild indigo)**, ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis palmata* (Prairie coreopsis), *Claytonia virginica* (Spring beauty), *Arnoglossum atriplicifolium* (Pale Indian plantain), ***Dalea purpurea* (Purple prairie clover)**, ***Desmodium canadense* (Showy tick trefoil)**, *Dicentra cucullaria* (Dutchman's britches), *Dodecatheon meadia* (Shooting star), *Eupatorium altissimum* (Tall boneset), *Eutrochium purpureum* (Purple Joe Pye weed), *Geranium maculatum* (Wild geranium), *Helianthus pauciflorus* (Prairie sunflower), *Heuchera richardsonii* (Prairie alum root), *Hypericum ascyron* (Great St. Johns wort), *Lupinus prennis* (Wild lupine), *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Oenothera gaura* (Biennial gaura), *Solidago juncea* (Early goldenrod), *Parthenium integrifolium* (Wild quinine), *Penstemon calycosus* (Small beard tongue), *Penstemon digitalis* (Foxglove beard tongue), *Polygonatum biflorum* (Smooth Solomon's seal), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia triloba* (Brown-eyed Susan), *Sanguinaria canadensis* (Bloodroot), *Solidago juncea* (Early goldenrod), *Solidago ulmifolia* (Elm-leaved goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Thalictrum dasycarpum* (Purple meadow rue), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Sedge Meadow

WET
SEED MIX

AVERAGE PRICE: **\$510**/ac

GRASS: **30** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Calamagrostis canadensis* (Blue joint grass), *Carex annectens* (Yellow-fruited sedge), *Carex comosa* (Longhair sedge), *Carex bebbii* (Bebb's sedge), *Carex cristatella* (Crested sedge), *Carex hystericina* (Bottlebrush sedge), *Carex muskingumensis* (Palm sedge), *Carex scoparia* (Broom sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Eleocharis obtusa* (Blunt spike bush), *Elymus virginicus* (Virginia wild rye), *Juncus dudleyi* (Dudley's rush), *Spartina pectinata* (Prairie cord grass), *Scirpus atrovirens* (Green bulrush)

FORBS: *Angelica atropurpurea* (Great angelica), *Anemone canadensis* (Meadow anemone), *Bidens cernua* (Nodding bur marigold), *Thalictrum dasycarpum* (Purple meadow rue), *Napaea dioica* (Glade mallow), *Asclepias incarnata* (Swamp milkweed), ***Astragalus canadensis* (Canadian milk vetch)**, *Eupatorium perfoliatum* (Common boneset), *Euthamia graminifolia* (Common grass-leaved goldenrod), *Eutrochium maculatus* (Spotted Joe Pye weed), *Gentiana andrewsii* (Bottle gentian), *Hasteola suaveolens* (Sweet Indian plantain), *Helenium autumnale* (Sneezeweed), *Heracleum maximum* (Cow parsnip), *Hypericum ascyron* (Great St. Johns wort), *Lobelia siphilitica* (Great blue lobelia), *Lycopus americanus* (American water horehound), *Lythrum alatum* (Winged loosestrife), *Penthorum sedoides* (Ditch stonecrop), *Polygonum pensylvanicum* (Pinkweed), *Rorippa palustris* (Bog yellowcress), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Rumex orbiculatus* (Great water dock), *Senna hebecarpa* (Wild senna), *Symphyotrichum anceolatum* (Panicked aster), *Symphyotrichum novae-angliae* (New England aster), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Shortgrass Dry Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$360**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Elymus canadensis* (Canada wild rye), *Schizachyrium scoparium* (Little bluestem), *Koeleria macrantha* (June grass), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Brickellia eupatorioides* (False boneset), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea* (Purple prairie clover)**, *Echinacea pallida* (Pale purple coneflower), ***Lupinus perennis* (Wild lupine)**, *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Potentilla arguta* (Prairie cinquefoil), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphyotrichum sericeum* (Silky aster), *Verbena stricta* (Hoary vervain), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Solar Field Basics - Native and Naturalized - Well Drained Ground

SPECIAL USE
SEED MIX

AVERAGE PRICE: **\$150**/ac

GRASS: **50** seeds/sq ft

FORBS: **5** seeds/sq ft

GRASSES/GRASS-LIKE: *Lolium multiflorum* (Annual rye), *Bouteloua curtipendula* (Side oats grama), *Bouteloua hirsuta* (Hairy grama), *Carex brevior* (Short beak sedge), *Carex normalis* (Spreading oval sedge), *Elymus villosus* (Silky wild rye), *Festuca rubra* (Red fescue), *Juncus tenuis* (Path rush), *Festuca subverticillata* (Nodding fescue), *Schizachyrium scoparium* (Little bluestem), *Sporobolus cryptandrus* (Sand dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Chamaecrista fasciculata* (**Partridge pea**), *Coreopsis lanceolata* (Sand coreopsis), *Dalea purpurea* (**Purple prairie clover**), *Monarda punctata* (Horse mint), *Penstemon calycosus* (Small beard tongue), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Solidago ulmifolia* (Elm-leaved goldenrod), *Trifolium pratense* (Red clover), Annuals for sun (Annual flower)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Solar Field Pollinator Enhancement

SPECIAL USE
SEED MIX

AVERAGE PRICE: **\$240**/ac

GRASS: **0** seeds/sq ft

FORBS: **20** seeds/sq ft

FORBS: *Agalinis tenuifolia* (Slenderleaf false foxglove), *Allium cernuum* (Nodding wild onion), *Anemone canadensis* (Meadow anemone), *Asclepias tuberosa* (Butterfly weed), *Chamaecrista fasciculata* (**Partridge pea**), *Conoclinium coelestinum* (Blue mistflower), *Coreopsis lanceolata* (Sand coreopsis), *Coreopsis palmata* (Prairie coreopsis), *Dalea purpurea* (**Purple prairie clover**), *Liatis aspera* (Rough blazing star), *Monarda punctata* (Horse mint), *Oligoneuron album* (Stiff aster, goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphyotrichum ericoides* (Heath aster), *Tradescantia ohiensis* (Spiderwort), *Triodanis perfoliata* (Venus's looking glass)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

AVERAGE PRICE: **\$550/ac**

GRASS: **70** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Calamagrostis canadensis* (Blue joint grass), *Elymus virginicus* (Virginia wild rye), *Elymus canadensis* (Canada wild rye), *Juncus dudleyi* (Dudley's rush), *Panicum virgatum* (Switch grass), *Poa palustris* (Fowl bluegrass), *Sorghastrum nutans* (Indian grass), *Spartina pectinata* (Prairie cord grass), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass)

FORBS: *Anemone canadensis* (Meadow anemone), *Asclepias incarnata* (Swamp milkweed), *Bidens frondosa* (Common beggar's ticks), *Lythrum alatum* (Winged loosestrife), *Doellingeria umbellata* (Flat-topped aster), *Eutrochium maculatus* (Spotted Joe Pye weed), *Helenium autumnale* (Sneezeweed), *Physostegia virginiana* (Prairie obedient plant), *Rudbeckia laciniata* (Wild golden glow), *Symphyotrichum novae-angliae* (New England aster), *Verbena hastata* (Blue vervain), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

We Are at Your Service!

Visit **taylorcreeknurseries.com** to explore all our native plant and seed products. If you can't find what you need, we will work with you to procure the best product for your purposes—at a reasonable cost.

Questions? Contact us at (608) 897-8641 or taylorcreek@res.us to discuss your native plant needs.

Swale and Basin

WET
SEED MIX

AVERAGE PRICE: **\$360**/ac

GRASS: **25** seeds/sq ft

FORBS: **25** seeds/sq ft

GRASSES/GRASS-LIKE: *Carex scoparia* (Broom sedge), *Carex hystericina* (Bottlebrush sedge), *Carex normalis* (Spreading oval sedge), *Carex cristatella* (Crested sedge), *Carex stipata* (Owl-fruited sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass), *Juncus dudleyi* (Dudley's rush), *Elymus virginicus* (Virginia wild rye)

FORBS: *Asclepias incarnata* (Swamp milkweed), *Senna hebecarpa* (Wild senna), *Heliopsis helianthoides* (False sunflower), *Monarda fistulosa* (Wild bergamot), *Lythrum alatum* (Winged loosestrife), *Penthorum sedoides* (Ditch stonecrop), *Lycopus americanus* (American water horehound), *Oenothera biennis* (Common evening primrose), *Penstemon digitalis* (Foxglove beard tongue), *Polygonum pensylvanicum* (Pinkweed), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Verbena hastata* (Blue vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-DM Dry to Mesic Prairie

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$299**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-WM Wet to Mesic Prairie

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$160**/ac

GRASS: **25** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Dry

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$128**/ac

GRASS: **10** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Mesic

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$130**/ac

GRASS: **10** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Wet

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$120**/ac

GRASS: **10** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI Mesic CP42 Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$434**/ac

GRASS: **10** seeds/sq ft

FORBS: **30** seeds/sq ft

STATE: Wisconsin


HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

The background of the page is a close-up photograph of green fern fronds, which are slightly out of focus, creating a soft, natural texture. A dark teal rectangular box is centered on the page, containing white text.

The Taylor Creek / RES Difference

We are passionate about native plants and the ecosystems they support. For more than 35 years, our nursery has developed unique expertise in the propagation, use, and care of native species. Our professional staff is eager to educate and support our customers (and the public at large) in their species selections and land-use decisions.

Taylor Creek Restoration Nurseries, the nursery division of Resource Environmental Solutions (RES), is recognized nationally as a leader in ecological consulting, design, and ecological restoration contracting. Through RES, Taylor Creek nursery managers have direct access to the latest scientific insights and practical application successes with native plants in ecological restoration and native landscaping. In turn, Taylor Creek propagation expertise helps inform RES consultants, designers, and contracting professionals to enhance installation survival and long-term success.

We encourage our customers to ask questions and learn more about the best ways to enjoy the many benefits of native species. Our commitment to customer service, quality products, and ecological science has helped us become one of the largest, most diverse native plant and seed nurseries in the country. We're dedicated to offering you the best plants—and growing advice—to help make your landscape a source of pride and joy!

Order Form



*Tax

Residents of the United States, please add state and county sales tax.

Shipping and Handling

\$10 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost.

Add 5% of subtotal for orders over \$2,000.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost section of the form on the right.

Note: We recommend you pick up plants (plant plugs, trees, and shrubs) unless arrangements for special delivery are made in advance.

Botanical Name	Common Name	Quantity	Unit Price	Total Price

Subtotal

Unit Price

Shipping

Tax*

Total

Name

Phone

Email

Delivery Address

City

State

Zip

Preferred delivery date

If out of stock, would you prefer:

☐ Credit toward another order ☐ Substitution of similar material ☐ Refund

Payment Details

CC#

Exp.

Sec. Code

Billing Zip

Signature

☐ Discover

☐ Mastercard

☐ Visa

Please send your order back by email, fax, or mail:

Email: taylorcreek@res.us | Fax: (608) 897-2044 | Mail to: PO Box 256, Brodhead, WI 53520

Or, call to place your order and speak to our representative: (608) 897-8641

Order Form



*Tax

Residents of the United States, please add state and county sales tax.

Shipping and Handling

\$10 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost.

Add 5% of subtotal for orders over \$2,000.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost section of the form on the right.

Note: We recommend you pick up plants (plant plugs, trees, and shrubs) unless arrangements for special delivery are made in advance.

Botanical Name	Common Name	Quantity	Unit Price	Total Price

Subtotal

Unit Price

Shipping

Tax*

Total

Name

Phone

Email

Delivery Address

City

State

Zip

Preferred delivery date

If out of stock, would you prefer:

☐ Credit toward another order ☐ Substitution of similar material ☐ Refund

Payment Details

CC#

Exp.

Sec. Code

Billing Zip

Signature

☐ Discover

☐ Mastercard

☐ Visa

Please send your order back by email, fax, or mail:

Email: taylorcreek@res.us | Fax: (608) 897-2044 | Mail to: PO Box 256, Brodhead, WI 53520

Or, call to place your order and speak to our representative: (608) 897-8641



*The highest-quality, wild-type
local and regional genetic
native plants and seed.*



Taylor Creek Production Facilities

17921 W Smith Rd
PO Box 256
Brodhead, WI 53520

224 E 1260 Rd
Baldwin City, KS 66006

P (608) 897-8641
F (608) 897-2044
E taylorcreek@res.us
taylorcreeknurseries.com



RES Nurseries

Taylor Creek: Brodhead, WI | Baldwin City, KS
Plum Run, PA Magnolia, TX
Mule Ridge, IN Pointe Aux Chenes, LA