

2025
**Wholesale
Catalog**



The highest-quality, wild-type local and regional genetic native plants and seed.

Founded in 1987, Taylor Creek Restoration Nurseries (TCRN) is one of the largest, most diverse native plant and seed nurseries in the country. We have the expertise to grow native species for any situation, from backyard gardens to high-diversity restoration projects with strict genotype and quality requirements.

17921 W Smith Rd
Brodhead, WI 53520

P (608) 897-8641

F (608) 897-2044

224 E 1260 Rd
Baldwin City, KS 66006

E taylorcreek@res.us

taylorcreeknurseries.com

Contents

Native Plants at Taylor Creek	4-5
Contract Growing and Custom Propagation	6
Species List	7-20
Wholesale Seed Mix Pricing	21-22
Wholesale Seed Mix List	23-37
The Taylor Creek/RES Difference	38
Order Forms	39-40



Taylor Creek is dedicated to the genetic preservation and ethical production of the highest-quality native plants.

What are native plants?

Native plants are the species that grew in an area before humans began introducing plants to new places through colonization, global trade, and other processes. In North America, plants are generally considered native to an area if they grew there before European settlement disrupted thousands of years of land stewardship by Indigenous peoples.

These broad geographical and historical definitions are meant to exclude plant species introduced from other continents or some faraway state.

Why use native plants?

Native plants thrive because they are adapted to local soils and climates. Working *with* nature has many benefits:

- Native plants produce beautiful blooms and textures throughout the year while supporting pollinators (like bees and butterflies), birds, and other wildlife.
- Native plant communities produce deep roots that infiltrate rainwater and filter runoff naturally—better than any other system known to or made by humans.
- Established native plantings are generally easy and inexpensive to maintain. They grow year after year without fertilizers, pesticides, gas-powered lawn care equipment, or watering.

Why choose wild-type, local and regional genetic native plants and seed?

Wild-type, local genotype native plants and seed are as close as you can get to the wild native plant populations that have thrived in local habitat remnants for *thousands* of years.

Our wild-type native plants and seed originate from ethically hand-collected seed harvested from healthy wild populations in habitat remnants. These small quantities of seed are grown into hundreds of plants in our nurseries. The plants are then set into fields, producing a second generation of seed that we grow into tens of thousands of plants for further plant and seed production.

We focus on preserving and producing local genotypes because these strains of native plant species have adapted to the local area where they grow over many generations.

While *Panicum virgatum* (switch grass) is native to both Texas and Minnesota, that doesn't mean seed from switch grass adapted to soil and climate conditions in Texas will grow plants that can thrive in a Minnesota prairie—where conditions are *very* different. The opposite can also be true: A displaced genotype lacking the competition it evolved with may do *too well* and take over a site. Selecting a local genotype minimizes these issues.

For thoughts on climate-resilient plants, maintaining genetic diversity, and more, see our Growing Philosophy: taylorcreeknurseries.com/growing-philosophy

2025 Species List (A-Z)

Pricing and availability are subject to change; prices are for in-stock items only. Please contact us for quantity discounts.

Plants are available in full trays only. The minimum order for new clients is \$500 and \$250 for existing clients.

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Achillea millefolium</i>		Yarrow	18.00	18.00	1.65	
<i>Acorus americanus</i>	<i>Acorus calamus</i>	Sweet flag	10.00	12.50		1.35
<i>Actaea pachypoda</i>		White baneberry	45.00		5.50	
<i>Actaea rubra</i>		Red baneberry	45.00		5.50	
<i>Adiantum pedatum</i>		Maidenhair fern			5.50	
<i>Agalinis purpurea</i>	<i>Gerardia purpurea</i>	Purple false foxglove	100.00	100.00		
<i>Agalinis tenuifolia</i>		Slenderleaf false foxglove	60.00	60.00		
<i>Agastache foeniculum</i>		Fragrant lavender hyssop	16.00	17.00	1.80	
<i>Agastache nepetoides</i>		Yellow giant hyssop	22.00	26.00		
<i>Agastache scrophulariifolia</i>		Purple giant hyssop	28.00	28.00		
<i>Ageratina altissima</i>	<i>Eupatorium rugosum</i>	White snakeroot	40.00	40.00		
<i>Alisma subcordatum</i>	<i>Alisma plantago-aquatica</i> L. var. <i>parviflorum</i>	American water plantain	4.75	5.00	2.10	
<i>Alisma triviale</i>		Large-flowered water plantain	15.00			
<i>Allium canadense</i>		Wild garlic	12.00	16.00		
<i>Allium cernuum</i>		Nodding wild onion	20.00	24.00	1.65	1.35
<i>Allium stellatum</i>		Prairie onion	21.00	26.00	1.85	
<i>Allium tricoccum</i>	<i>Allium burdickii</i>	Wild leek	50.00	55.00		
<i>Ammannia robusta</i>		Grand redstem	6.50	6.50		
<i>Ammophila breviligulata</i>		American beachgrass	24.00		1.25 stolon	
<i>Amorpha canescens</i>		Leadplant	20.00	22.00	2.10	
<i>Amorpha fruticosa</i>		False Indigo bush	20.00	22.00		
<i>Amsonia hubrichtii</i>		Arkansas blue star			2.05	1.50
<i>Amsonia illustris</i>		Shining blue star			1.65	1.35
<i>Amsonia tabernaemontana</i>		Eastern blue star			2.05	1.50
<i>Andropogon gerardii</i>		Big bluestem	0.85	1.00	1.65	1.25
<i>Andropogon virginicus</i>		Broomsedge bluestem	18.00			1.25
<i>Anemone canadensis</i>		Meadow/Canada anemone	40.00	45.00	2.05	
<i>Anemone cylindrica</i>		Thimbleweed	70.00	80.00	1.50	
<i>Anemone virginiana</i>		Tall anemone	60.00	66.00	1.70	
<i>Angelica atropurpurea</i>		Great angelica	6.00	8.00	2.40	
<i>Antennaria neglecta</i>		field pussy toes			2.50	

Contract Growing & Custom Propagation

Our experience propagating plants for restoration projects gives us the knowledge to grow almost any species to meet your project's genotype and quality requirements. We offer contract growing and custom propagation for large projects/quantities with unique species or specific sizes.

We encourage you to speak with your representative or a member of our staff to see if a contract grow is a good fit for your needs.

Contact us at (608) 897-8641 or taylorcreek@res.us

Contract Growing Qualifications

Contract growing requires a minimum 12-week* lead time, a non-refundable security deposit, and an agreed-upon ship date. All contract growing orders and early orders require a 15% down payment.

- **Custom Grow 50 Cell:** Minimum 800-plant order / 12-week* lead time.
- **Wholesale 32 Cell Contract Grow:** Minimum 12-week* lead time.

*Orders with slower germinating species may require up to a 17-week lead time.

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Antennaria parlinii</i>		Pussy toes			2.75	
<i>Antennaria plantaginifolia</i>		Pussy toes			2.50	
<i>Aquilegia canadensis</i>		Wild columbine	45.00	55.00	1.80	
<i>Arisaema triphyllum</i>	<i>Arisaema atrorubens</i>	Jack-in-the-pulpit	37.00	50.00		
<i>Aristolochia tomentosa</i>		Dutchman's pipevine			2.50	
<i>Arnoglossum atriplicifolium</i>	<i>Cacalia atriplicifolia</i>	Pale Indian plantain	18.00	27.00		
<i>Arnoglossum plantagineum</i>	<i>Cacalia tuberosa/plantaginea</i>	Prairie Indian plantain	75.00	94.00		
<i>Artemisia campestris</i>		Field sagewort	15.00	20.00		
<i>Artemisia ludoviciana</i>		White sage			2.10	
<i>Asarum canadense</i>		Wild ginger			2.50	
<i>Asclepias exaltata</i>		Poke milkweed			2.10	
<i>Asclepias incarnata</i>		Swamp milkweed	18.00	25.00	1.50	1.35
<i>Asclepias purpurascens</i>		Purple milkweed			2.75	
<i>Asclepias speciosa</i>		Showy milkweed			2.05	
<i>Asclepias sullivanti</i>		Prairie milkweed	53.00	68.00	2.05	
<i>Asclepias syriaca</i>		Common milkweed	6.25	13.00	2.05	
<i>Asclepias tuberosa</i>		Butterfly milkweed	18.00	22.00	1.80	
<i>Asclepias verticillata</i>		Whorled milkweed	60.00	75.00	2.05	1.35
<i>Asclepias viridiflora</i>		Short green milkweed	94.00	113.00		
<i>Asclepias viridis</i>		Spider milkweed			2.05	
<i>Astragalus canadensis</i>		Canadian milk vetch	10.00	12.00		
<i>Astragalus crassicaarpus</i>		Prairie plum	90.00		2.05	
<i>Avena sativa</i>	Cover crop	Seed oats	0.06			
<i>Baptisia alba</i>	<i>Baptisia leucantha</i>	White wild indigo	18.00	40.00	2.10	
<i>Baptisia australis</i> var. <i>minor</i>		Blue indigo	26.00	29.00	2.05	
<i>Baptisia bracteata</i> var. <i>leucophaea</i>	<i>Baptisia leucophaea</i>	Cream wild indigo	80.00	90.00	2.10	
<i>Baptisia sphaerocarpa</i>		Yellow wild indigo			2.05	
<i>Beckmannia syzigachne</i>		American slough grass	3.00	3.00		
<i>Bidens aristosa</i>	<i>Bidens polyepis</i>	Bearded beggarticks	9.00	15.00		
<i>Bidens cernua</i>		Nodding bur marigold	18.00	18.00		
<i>Bidens connata</i>		Purplestem beggarticks	15.00	23.00		
<i>Bidens coronata</i>		Tall swamp marigold	18.00	25.00		
<i>Bidens frondosa</i>		Common beggarticks	20.00	24.00		
<i>Blephilia ciliata</i>		Ohio horsemint	98.00	98.00	1.80	
<i>Blephilia hirstuta</i>		Hairy pagoda plant	77.00	77.00	1.80	
<i>Boehmeria cylidrica</i>		Smallspike false nettle	25.00	30.00		
<i>Boltonia asteroides</i>	<i>Boltonia latisquama recognita</i>	False aster	12.00	14.00	1.65	
<i>Bouteloua curtipendula</i>		Side oats grama	3.00	4.00	1.50	1.35
<i>Bouteloua dactyloides</i>	<i>Buchloe dactyloides</i>	Buffalograss	1.60	1.90	1.50	
<i>Bouteloua gracilis</i>		Blue grama grass	3.50		1.50	1.25
<i>Bouteloua hirsuta</i>	<i>Hairy grama grass</i>	Hairy grama	9.00	11.00		
<i>Brickellia eupatorioides</i>	<i>Kuhnia eupatorioides</i>	False boneset	35.00	35.00		
<i>Bromus ciliatus</i>		Fringed brome	8.00	11.00		

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Bromus kalmii</i>		Arctic brome	8.00	11.00		
<i>Bromus latiglumis</i>		Tall brome	15.00	18.00		
<i>Bromus pubescens</i>	<i>Bromus purgans</i>	Woodland brome	18.00	22.00	1.65	
<i>Calamagrostis canadensis</i>		Blue joint grass	79.00	80.00		1.35
<i>Callicarpa americana</i>		American beautyberry				2.05
<i>Callirhoe bushii</i>		Bush's poppy mallow				1.65
<i>Callirhoe involucrata</i>		Purple poppy mallow				1.65
<i>Caltha palustris</i>		Marsh marigold	75.00	85.00	3.50	
<i>Camassia scilloides</i>		Wild hyacinth	55.00	65.00	3.00	
<i>Campanulastrum americanum</i>	<i>Campanula americana</i>	Tall bellflower	45.00	50.00	3.00	
<i>Campanulastrum rotundifolia</i>	<i>Campanula rotundifolia</i>	Harebell	45.00		2.10	
<i>Cardamine concatenata</i>	<i>Dentaria lacinata</i>	Toothwort	88.00	94.00		
<i>Carex albicans</i>		Whitetinge/Cedar sedge				2.25
<i>Carex annectens</i>		Yellow-fruited sedge	14.00	20.00		1.35
<i>Carex appalachica</i>		Appalachian sedge				1.50
<i>Carex aquatilis aquatilis</i>	<i>Carex aquatilis altior</i>	Water sedge				1.80
<i>Carex bebbii</i>		Bebb's sedge	15.00	20.00		1.35
<i>Carex bicknellii</i>		Bicknell's sedge	16.50	25.00	1.50	1.25
<i>Carex blanda</i>		Eastern woodland sedge				1.90
<i>Carex brevior</i>		Short beak sedge	11.00	11.00	1.50	1.25
<i>Carex bromoides</i>		Brome hummock sedge				2.10
<i>Carex buxbaumii</i>		Buxbaum's sedge	40.00	44.00	1.90	
<i>Carex cherokeensis</i>		Cherokee sedge				2.05
<i>Carex comosa</i>		Longhair sedge	11.25	15.00		1.35
<i>Carex crinita</i>		Fringed sedge	13.00	14.50	1.80	
<i>Carex cristatella</i>		Crested sedge	38.00	45.00		
<i>Carex davisii</i>		Awned graceful sedge	43.00	75.00		
<i>Carex eburnea</i>		Cedar sedge				1.90
<i>Carex emoryi</i>		Riverbank sedge				2.10
<i>Carex frankii</i>		Frank's sedge	15.00			1.35
<i>Carex gracillima</i>		Purple-sheathed graceful sedge	75.00	75.00		
<i>Carex granularis</i>		Pale sedge	32.00	35.00		
<i>Carex gravida</i>		Long-awned bracted sedge	75.00	85.00	2.10	
<i>Carex grayi</i>		Common bur sedge	28.00	40.00	1.90	1.50
<i>Carex grisea</i>		Inflated narrow-leaf sedge	60.00	75.00		
<i>Carex hirsutella</i>	<i>Carex complanata</i> var. <i>hirsuta</i>	Hairy green sedge	40.00	45.00	1.90	
<i>Carex hyalinolepis</i>	<i>Carex lacustris</i> var. <i>laxiflora</i>	Common lake sedge	60.00	75.00		
<i>Carex hystericina</i>		Bottlebrush sedge	10.00	12.50	1.50	
<i>Carex interior</i>		Inland sedge	33.00			
<i>Carex jamesii</i>		Grass sedge				2.70
<i>Carex lacustris</i>		Hairy sedge	107.00	118.00	2.90	
<i>Carex lasiocarpa</i>		Woolyfruit sedge	50.00	60.00		

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Carex lupulina</i>		Common hop sedge	22.00	24.00		1.80
<i>Carex lurida</i>		Shallow sedge	19.00	25.00	2.10	
<i>Carex meadii</i>	<i>Carex tetanica</i>	Mead's stiff sedge	32.00	32.00	2.25	
<i>Carex molesta</i>		Field oval sedge	14.00	18.00		1.80
<i>Carex muehlenbergii</i>		Sand bracted sedge	38.00	43.00		
<i>Carex muskingumensis</i>		Palm sedge	38.00	43.00	1.50	1.25
<i>Carex normalis</i>		Spreading oval sedge	19.00	20.00	1.80	
<i>Carex pellita</i>	<i>Carex languinosa</i>	Wooly sedge	75.00	118.00	1.85	
<i>Carex pennsylvanica</i>		Common oak sedge			2.50	1.70
<i>Carex plantaginea</i>		Plantain-leaved sedge			2.00	
<i>Carex praegracilis</i>		Tollway sedge				1.50
<i>Carex prairea</i>		Fen paniced sedge	75.00	90.00		
<i>Carex radiata</i>	<i>Carex rosea var. radiata</i>	Curly wood sedge	45.00	140.00	2.10	
<i>Carex retrorsa</i>		Retrorsa sedge	11.00	20.00		
<i>Carex richardsonii</i>		Richardson's sedge			2.25	
<i>Carex rosea</i>		Curly-styled wood sedge			2.05	
<i>Carex sartwelli</i>		Sartwell's sedge	90.00	120.00		2.05
<i>Carex scoparia</i>		Broom sedge	10.00	12.00		1.25
<i>Carex shortiana</i>		Short's sedge	12.00	15.00	1.85	
<i>Carex sparganioides</i>		Loose-headed bracted sedge	38.00	45.00	2.10	
<i>Carex sprengeii</i>		Long-beaked sedge	33.00	38.00	2.10	
<i>Carex sterilis</i>		Fen star sedge	65.00			
<i>Carex stipata</i>		Owl-fruited sedge	22.00	28.00	1.50	
<i>Carex stricta</i>		Common tussock sedge	85.00	113.00		1.35
<i>Carex swanii</i>		Downy green sedge	65.00	70.00		
<i>Carex texensis</i>		Texas sedge				1.50
<i>Carex tribuloides</i>		Blunt broom sedge	34.00	40.00	1.90	
<i>Carex trichocarpa</i>		Hairyfruit sedge	50.00	50.00	2.90	
<i>Carex typhina</i>		Cattail sedge	30.00	35.00		
<i>Carex vulpinoidea</i>		Fox sedge, Brown fox sedge	2.50	5.00	1.50	1.25
<i>Carex woodii</i>		Wood's sedge			1.90	
<i>Caulophyllum thalictroides</i>		Blue cohosh	18.00	20.00		
<i>Ceanothus americanus</i>		New Jersey tea	90.00	100.00	2.10	
<i>Celastrus scandens</i>		American bittersweet			2.25	
<i>Cephalanthus occidentalis</i>		Buttonbush	12.00	16.00	1.50	
<i>Chamaecrista fasciculata</i>	<i>Cassia fasciculata</i>	Partridge pea	2.00	3.00		
<i>Chasmanthium (Uniola) latifolium</i>		River oats			1.65	1.35
<i>Chelone glabra</i>		Turtlehead	69.00	81.00	2.10	
<i>Chelone obliqua</i>		Rose turtlehead			2.05	
<i>Cicuta maculata</i>		Water hemlock	16.00	18.00		
<i>Cinna arundinacea</i>		Common wood reed	35.00	40.00		
<i>Cirsium discolor</i>		Pasture thistle	60.00	70.00		
<i>Claytonia virginica</i>		Spring beauty	140.00	160.00	3.95	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Clematis virginiana</i>		Virgin's bower	18.00	29.00	2.40	
<i>Clinopodium arkansanum</i>	<i>Calamintha arkansas</i>	Limestone calamint			1.50	
<i>Conoclinium coelestinum</i>	<i>Eupatorium coelestinum</i>	Blue mistflower	31.25	31.25	1.85	
<i>Coreopsis lanceolata</i>		Sand coreopsis	2.00	3.00	1.50	
<i>Coreopsis palmata</i>		Prairie coreopsis	55.00	55.00	1.85	
<i>Coreopsis pubescens</i>		Star tickseed			1.85	
<i>Coreopsis tripteris</i>		Tall coreopsis	25.00	27.00	1.50	
<i>Dalea candida</i>	<i>Petalostemum candidum</i>	White prairie clover	2.00	3.00	1.65	
<i>Dalea purpurea</i>	<i>Petalostemum purpureum</i>	Purple prairie clover	2.00	3.00	1.65	
<i>Danthonia spicata</i>		Poverty oat grass	45.00	45.00		1.25
<i>Decodon verticillatus</i>		Swamp loosestrife			2.40	
<i>Deschampsia cespitosa</i>		Tufted hairgrass	23.00	25.00	1.65	
<i>Deschampsia flexuosa</i>		Wavy hairgrass				1.25
<i>Desmanthus illinoensis</i>		Illinois sensitive plant	2.50	2.50		
<i>Desmodium canadense</i>		Showy tick trefoil	4.50	7.00	1.80	
<i>Desmodium cuspidatum</i>		Largebracted tick trefoil	50.00	60.00		
<i>Desmodium glutinosum</i>		Pointed leaf tick trefoil	45.00	60.00		
<i>Desmodium illinoense</i>		Illinois tick trefoil	12.00	20.00		
<i>Diarrhena americana</i>		American beak grass	60.00	60.00		
<i>Diarrhena obovata</i>		Obovate beakgrass			1.90	1.50
<i>Dicentra cucullaria</i>		Dutchman's britches	75.00	95.00		
<i>Dichanthelium oligosanthes var. scribnerianum</i>	<i>Panicum oligosanthes var. scribnerianum</i>	Scribner's rosette grass	90.00		2.10	
<i>Dichanthelium leibergii</i>	<i>Panicum leibergii</i>	Prairie panic-grass	175.00	200.00		
<i>Dodecatheon meadia</i>		Shooting star	98.00	145.00	2.70	
<i>Doellingeria umbellata</i>	<i>Aster umbellatus</i>	Flat-topped aster	45.00	50.00	1.70	
<i>Echinacea angustifolia</i>		Narrow purple coneflower			1.90	
<i>Echinacea pallida</i>		Pale purple coneflower	6.00	9.00	1.50	1.35
<i>Echinacea paradoxa</i>		Yellow coneflower			1.85	
<i>Echinacea purpurea</i>		Broad-leaved purple coneflower	4.00	6.00	1.50	1.25
<i>Echinacea simulata</i>		Glade coneflower			1.85	
<i>Echinocystis lobata</i>		Wild cucumber	43.00	45.00		
<i>Eleocharis acicularis</i>		Needle spikerush	59.00	68.00	1.90	
<i>Eleocharis compressa</i>		Flat-stemmed spikerush	59.00	68.00		
<i>Eleocharis elliptica</i>		Golden-seed spikerush	55.00	82.00		
<i>Eleocharis erythropoda</i>		Red-rooted spikerush	45.00	55.00	1.90	
<i>Eleocharis obtusa</i>	<i>Eleocharis ovata</i>	Blunt spikerush	75.00	82.00	1.80	
<i>Eleocharis palustris</i>	<i>Eleocharis smallii</i>	Common spikerush	50.00	55.00	2.10	
<i>Elymus canadensis</i>		Canada wild rye	1.00	1.00		1.35
<i>Elymus hystrix</i>	<i>Hystrix patula</i>	Bottlebrush grass	8.00	15.00	1.70	1.35
<i>Elymus riparius</i>		River bank rye	1.50	2.00		
<i>Elymus trachycaulus</i>		Slender wheatgrass	1.00	1.00		
<i>Elymus villosus</i>		Silky wild rye	5.00	8.00	1.70	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Elymus virginicus</i>		Virginia wild rye	0.50	0.75		1.35
<i>Epilobium coloratum</i>		Cinnamon willow herb	60.00	60.00		
<i>Equisetum hyemale</i>		Horse tail			2.05	
<i>Eragrostis spectabilis</i>		Purple love grass	45.00	55.00	2.10	
<i>Eragrostis trichodes</i>		Sand lovegrass	35.00			
<i>Erigeron annuus</i>		Annual fleabane	6.00	8.00		
<i>Erigeron pulchellus</i>		Robin's plantain	99.50	140.00	3.00	
<i>Eryngium yuccifolium</i>		Rattlesnake master	15.00	20.00	1.65	1.35
<i>Eupatorium altissimum</i>		Tall boneset	40.00	48.00		
<i>Eupatorium perfoliatum</i>		Common boneset	32.00	35.00	1.50	
<i>Eupatorium serotinum</i>		Late boneset	24.00	29.00		
<i>Euphorbia corollata</i>		Flowering spurge	60.00	60.00	2.10	
<i>Eurybia divaricata</i>	<i>Aster divaricatus</i>	White woodland aster			2.25	
<i>Eurybia macrophylla</i>	<i>Aster macrophyllus</i>	Big-leaved aster	63.00	82.00	2.10	
<i>Euthamia graminifolia</i>	<i>Solidago graminifolia</i>	Common grass-leaved goldenrod	47.00	79.00	1.50	
<i>Eutrochium fistulosum</i>	<i>Eupatorium fistulosum</i>	Hollow Joe Pye weed			1.50	
<i>Eutrochium maculatus</i>	<i>Eupatorium maculatum, Eupatoriadelphus maculatus</i>	Spotted Joe Pye weed	24.00	28.00	1.50	
<i>Eutrochium purpureum</i>	<i>Eupatorium purpureum</i>	Purple Joe Pye weed	21.00	24.00	1.50	
<i>Festuca rubra</i>		Red fescue	0.50	0.50		
<i>Festuca subverticillata</i>	<i>Festuca obtusa</i>	Nodding fescue	49.00	60.00		
<i>Floerkea proserpinacoides</i>		Mermaid weed	90.00	90.00		
<i>Fragaria virginiana</i>		Wild strawberry			1.60	
<i>Galium boreale</i>		Northern bedstraw	45.00		2.10	
<i>Gentiana alba</i>	<i>Gentiana flavida</i>	Yellowish gentian	47.00	54.00	3.75	
<i>Gentiana andrewsii</i>		Bottle gentian	85.00	100.00	3.75	
<i>Gentiana puberulenta</i>		Downy gentian	138.00	160.00		
<i>Gentianella quinquefolia</i>	<i>Gentiana quinquefolia</i>	Stiff gentian	110.00			
<i>Gentianopsis crinita</i>	<i>Gentiana crinita</i>	Fringed gentian	75.00		3.75	
<i>Geranium maculatum</i>		Wild geranium	95.00	150.00	2.05	
<i>Geum aleppicum strictum</i>		Yellow avens	10.00	12.00		
<i>Geum triflorum</i>		Prairie smoke	200.00	200.00	2.10	
<i>Glandularia canadensis</i>		Rose verbena			1.85	
<i>Glyceria canadensis</i>		Rattlesnake manna grass	28.00	32.00		
<i>Glyceria grandis</i>		Reed manna grass	9.00	10.00		
<i>Glyceria septentrionalis</i>		Floating manna grass	35.00	35.00		
<i>Glyceria striata</i>		Fowl manna grass	19.00	27.00	1.70	
<i>Hasteola suaveolens</i>	<i>Cacalia suaveolens</i>	Sweet Indian plantain	22.00	26.00		
<i>Helenium autumnale</i>		Sneezeweed/Dogtooth daisy	18.00	20.00	1.50	
<i>Helianthus divaricatus</i>		Woodland sunflower	53.00	60.00	2.25	
<i>Helianthus grosseserratus</i>		Sawtooth sunflower	42.00	46.00		
<i>Helianthus mollis</i>		Downy sunflower			1.80	
<i>Helianthus occidentalis</i>		Western sunflower	35.00	50.00	1.65	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Helianthus pauciflorus</i>	<i>Helianthus rigidus / laetiflorus</i>	Prairie sunflower	33.00	50.00	1.70	
<i>Helianthus salicifolius</i>		Willow leaved sunflower			1.85	
<i>Helianthus strumosus</i>		Pale-leaved sunflower	31.00	45.00		
<i>Heliopsis helianthoides</i>		False sunflower	2.00	3.00	1.50	1.35
<i>Hepatica nobilis</i>	<i>Hepatica acutiloba</i>	Sharp-lobed hepatica	150.00			
<i>Heracleum maximum</i>		Cow parsnip	7.50	7.50		
<i>Hesperostipa spartea</i>	<i>Stipa spartea</i>	Porcupine grass	20.00	25.00	2.25	
<i>Heuchera americana</i>		American alumroot			1.85	
<i>Heuchera parviflora</i>		Little flower alumroot			1.85	
<i>Heuchera richardsonii</i>		Prairie alumroot	145.00	160.00	1.50	
<i>Heuchera villosa</i>		Hairy alum root			1.85	
<i>Hibiscus laevis</i>	<i>Hibiscus militaris</i>	Swamp mallow	12.00	16.00	2.10	
<i>Hibiscus lasiocarpus</i>		Rose mallow			2.10	
<i>Hibiscus moscheutos</i>	<i>Hibiscus palustris</i>	Swamp rose mallow	15.00	38.00	2.10	
<i>Hierochloa odorata</i>		Vanilla grass	75.00	82.00	2.40	
<i>Hydrangea arborescens</i>		Wild hydrangea			2.05	
<i>Hydrophyllum virginianum</i>		Virginia waterleaf	50.00	75.00	2.30	
<i>Hypericum ascyron</i>	<i>Hypericum pyramidatum</i>	Great St. John's wort	7.50	10.00		
<i>Hypericum kalminanum</i>		Kalm's St. John's wort			1.90	
<i>Hypericum prolificum</i>	<i>Hypericum spathulatum</i>	Shrubby St. John's wort	12.00	15.00		
<i>Ionactis linariifolius</i>	<i>Aster linariifolius</i>	Flax-leaved aster	48.00	53.00	1.80	
<i>Iris cristata</i>		Dwarf crested iris			2.05	
<i>Iris fulva</i>		Copper iris			2.75	
<i>Iris versicolor</i>		Northern blue flag iris	20.00	26.00	1.80	
<i>Iris virginica</i>		Blue flag iris	50.00	75.00	1.80	1.35
<i>Juncus acuminatus</i>		Tapertip rush	13.00	20.00		
<i>Juncus canadensis</i>		Canada rush	30.00	35.00		
<i>Juncus dudleyi</i>		Dudley's rush	35.00	44.00	1.50	
<i>Juncus effusus</i>		Common rush	25.00	31.00	1.65	1.35
<i>Juncus interior</i>		Inland rush	33.00	41.00		
<i>Juncus marginatus</i>		Grass-leaved rush	40.00	41.00		
<i>Juncus nodosus</i>		Joint rush	65.00	65.00		
<i>Juncus tenuis</i>		Path rush	40.00	40.00	1.65	
<i>Juncus torreyi</i>		Torrey's rush	52.00	65.00	1.85	
<i>Justicia americana</i>		American water-willow			2.10	
<i>Koeleria macrantha</i>	<i>Koeleria cristatella</i>	June grass	17.00	20.00	1.65	
<i>Krigia biflora</i>		False dandelion			3.00	
<i>Lathyrus palustris</i>		Marsh vetchling	34.00	38.00		
<i>Leersia oryzoides</i>		Rice cut grass	20.00	25.00	2.10	
<i>Lespedeza capitata</i>		Round-headed bush clove	7.50	12.00	1.70	
<i>Lespedeza violacea</i>		Violet lespedeza	32.00			
<i>Liatris aspera</i>		Rough blazing star	44.00	55.00	1.65	
<i>Liatris cylindracea</i>		Cylindrical blazing star	43.00	48.00	1.70	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Liatris ligulistylis</i>		Meadow blazing star	55.00	55.00	1.85	
<i>Liatris microcephala</i>		Smallhead blazing star			1.80	
<i>Liatris punctata</i>		Dotted blazing star	42.00	45.00	1.85	
<i>Liatris pycnostachya</i>		Prairie blazing star	22.50	25.00	1.50	1.35
<i>Liatris scariosa nieuwlandii</i>		Eastern blazing star			1.85	
<i>Liatris spicata</i>		Marsh blazing star	12.00	15.00	1.50	1.35
<i>Lilium michiganense</i>		Turk's cap lily	218.00	280.00	3.00	
<i>Lobelia cardinalis</i>		Cardinal flower	56.25	75.00	1.50	1.35
<i>Lobelia inflata</i>		Indian tobacco	95.00			
<i>Lobelia siphilitica</i>		Great blue lobelia	36.00	45.00	1.50	1.35
<i>Lobelia spicata</i>		Pale spiked lobelia	140.00			
<i>Lolium multiflorum</i>		Annual rye	0.08	0.08		
Low Maintenance Lawn Blend		Fescue blend	0.35	0.35		
<i>Ludwigia alternifolia</i>		Seedbox	45.00	45.00	2.25	
<i>Ludwigia palustris</i>		Marsh seedbox	43.00	52.00		
<i>Ludwigia polycarpa</i>		Manyfruit primrose-willow	45.00	53.00		
<i>Lupinus perennis</i>		Wild lupine	35.00	45.00	1.50	
<i>Luzula multiflora</i>		Common wood rush	75.00	87.50		
<i>Lycopus americanus</i>		American water horehound	26.00	27.00	1.90	
<i>Lycopus uniflorus</i>		Northern bugleweed	37.00			
<i>Lysimachia ciliata</i>		Fringed loosestrife	69.00	82.00	1.65	
<i>Lythrum alatum</i>		Winged loosestrife	90.00	110.00	1.65	
<i>Maianthemum racemosum</i>	<i>Smilacina racemosa</i>	Feathery false Solomon's seal	26.00	28.00	4.25	
<i>Mentha arvensis</i>		Wild mint	69.00	78.00	1.65	
<i>Mertensia virginica</i>		Virginia bluebells			3.75	
<i>Mimulus ringens</i>		Monkey flower	27.00	30.00	1.50	1.35
<i>Mitella diphylla</i>		Bishop's cap	280.00		1.80	
<i>Monarda bradburiana</i>		Eastern beebalm			1.85	
<i>Monarda didyma</i>		Scarlet beebalm			1.85	
<i>Monarda fistulosa</i>		Wild bergamot	12.50	17.00	1.50	1.35
<i>Monarda punctata</i>		Horse mint	35.00	40.00	1.65	
<i>Muhlenbergia glomerata</i>		Marsh wild Timothy	30.00	45.00		
<i>Muhlenbergia mexicana</i>		Leafy satin grass	15.00	25.00		
<i>Napaea dioica</i>		Glade mallow	7.50	11.00		
<i>Oenothera biennis</i>		Common evening primrose	3.00	3.50		
<i>Oenothera gaura</i>	<i>Gaura biennis</i>	Biennial gaura	20.00	22.00		
<i>Oenothera macrocarpa</i>		Large flowered primrose			1.65	
<i>Oenothera pilosella</i>		Prairie sundrops	80.00	95.00	1.80	
<i>Oenothera speciosa</i>		Pink petticoats primrose			1.50	
<i>Oligoneuron album</i>	<i>Solidago ptarmicoides</i> / <i>Aster ptarmicoides</i>	Stiff aster (goldenrod)	10.00	14.00	1.65	
<i>Oligoneuron ohioense</i>	<i>Solidago ohioensis</i>	Ohio goldenrod	22.00		2.10	
<i>Oligoneuron riddellii</i>	<i>Solidago riddellii</i>	Riddell's goldenrod	30.00	35.00	1.50	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Oligoneuron rigidum</i>	<i>Solidago rigida</i>	Stiff goldenrod	12.00	15.00	1.50	1.35
<i>Opuntia humifusa</i>		Prickly pear cactus	31.00	31.00	1.50	pads
<i>Opuntia macrorhiza</i>		Plains prickly pear			1.50	pads
<i>Osmorhiza claytonii</i>		Hairy sweet cicely	24.00	33.00		
<i>Osmorhiza longistylis</i>		Smooth sweet cicely	24.00	33.00		
<i>Oxypolis rigidior</i>		Cowbane	60.00	72.00		
<i>Packera aurea</i>	<i>Senecio aurea</i>	Golden ragwort			2.30	
<i>Packera obovata</i>	<i>Senecio obovatus</i>	Roundleaf ragwort			2.30	
<i>Packera paupercula</i>	<i>Senecio pauperculus</i>	Balsam ragwort	80.00	87.00	1.65	
<i>Packera plattensis</i>	<i>Senecio plattensis</i>	Prairie groundsel	80.00	87.00	1.65	
<i>Panicum virgatum</i>		Switch grass	0.75	0.90	1.50	1.25
<i>Parthenium integrifolium</i>		Wild quinine	9.00	11.00	1.65	
<i>Pascopyrum smithii</i>	<i>Agropyron smithii</i>	Western wheatgrass	0.98			
<i>Pedicularis canadensis</i>		Wood betony	93.00	131.00		
<i>Pedicularis lanceolata</i>		Swamp lousewort	10.00	31.00		
<i>Peltandra virginica</i>		Green arrow arum			2.50	1.95
<i>Penstemon calycosus</i>		Small beard tongue	13.00	14.00	1.65	
<i>Penstemon cobaea</i>		Large flowered penstemon			1.85	
<i>Penstemon digitalis</i>		Foxglove beard tongue	9.00	12.00	1.50	1.35
<i>Penstemon grandiflorus</i>		Large-flowered beard tongue	24.00	36.00	3.00	
<i>Penstemon hirsutus</i>		Hairy beard tongue	18.00	24.00	2.10	
<i>Penthorum sedoides</i>		Ditch stonecrop	8.00	14.00	1.85	
<i>Phemeranthus calycinus</i>	<i>Talinum calycinum</i>	Rock pink			2.05	
<i>Phlox bifida</i>		Sand cleft phlox			1.85	
<i>Phlox divaricata</i>		Blue/Woodland phlox	160.00	180.00	1.85	1.50
<i>Phlox glaberrima</i>		Marsh phlox	155.00	175.00	1.85	
<i>Phlox paniculata</i>		Garden phlox			2.05	
<i>Phlox pilosa</i>		Sand prairie phlox	110.00	155.00	1.85	
<i>Phryma leptostachya</i>		Lopseed	40.00	45.00		
<i>Physostegia virginiana</i>		Prairie obedient plant	20.00	25.00	1.65	
<i>Poa palustris</i>		Fowl bluegrass	3.50	3.50		
<i>Podophyllum peltatum</i>		Mayapple	150.00		2.70	
<i>Polemonium reptans</i>		Jacob's ladder	105.00	115.00	2.75	
<i>Polygonatum biflorum</i>	<i>Polygonatum canaliculatum</i>	Smooth Solomon's seal	23.00	24.00		
<i>Polygonum hydropiperoides</i>		Mild water pepper	7.50	9.50		
<i>Polygonum lapathifolium</i>		Curly-topped knotweed	3.00	4.00		
<i>Polygonum pensylvanicum</i>		Pinkweed	3.00	4.00		
<i>Polygonum sagittatum</i>		Lady's tearthumb	47.00	55.00		
<i>Polygonum virginianum</i>	<i>Tovara virginiana</i>	Woodland knotweed	25.00			
<i>Pontederia cordata</i>		Pickrel weed	39.00	40.00	3.50	
<i>Potentilla arguta</i>	<i>Drymocallis arguta</i>	Prairie cinquefoil	12.00	16.00	1.65	
<i>Pulsatilla patens</i>	<i>Anemone patens wolfgangiana</i>	Pasque flower	42.00	55.00	3.00	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Pycnanthemum muticum</i>		Blunt mountain mint			1.65	
<i>Pycnanthemum tenuifolium</i>		Slender mountain mint	42.00	55.00	1.65	1.35
<i>Pycnanthemum virginianum</i>		Virginia mountain mint	30.00	35.00	1.65	
<i>Ranunculus sceleratus</i>		Cursed buttercup	52.00	55.00		
<i>Ratibida columnifera</i>		Upright coneflower	7.00		1.65	
<i>Ratibida pinnata</i>		Yellow coneflower	3.75	6.00	1.50	1.35
<i>Regreen Triticum aestivum x Elymus trachycaulus</i>	<i>Regreen (Winter wheat x slender wheatgrass)</i>	Regreen	0.75	0.75		
<i>Rorippa palustris</i>	<i>Rorippa islandica</i>	Yellow cress	14.50	18.00		
<i>Rosa arkansana</i>		Prairie rose	25.00	42.00		
<i>Rosa blanda</i>		Early wild rose	40.00	44.00	3.75	
<i>Rosa carolina</i>		Carolina rose	40.00	44.00	3.75	
<i>Rosa palustris</i>		Swamp rose	37.00	42.00	3.75	
<i>Rosa setigera</i>		Savanna rose	37.00	42.00		
<i>Rudbeckia fulgida</i>	<i>Rudbeckia speciosa</i>	Orange coneflower	52.00	65.00	1.90	
<i>Rudbeckia fulgida sullivantii</i>	<i>Rudbeckia fulgida</i>	Showy black-eyed Susan			1.85	
<i>Rudbeckia fulgida umbrosa</i>		Orange coneflower			1.50	1.35
<i>Rudbeckia hirta</i>		Black-eyed Susan	2.00	4.00	1.90	
<i>Rudbeckia laciniata</i>		Wild golden glow	17.00	23.00	1.65	
<i>Rudbeckia maxima</i>		Giant coneflower			2.05	
<i>Rudbeckia missouriensis</i>		Missouri black-eyed Susan			1.65	
<i>Rudbeckia subtomentosa</i>		Sweet black-eyed Susan	16.00	20.00	1.65	
<i>Rudbeckia triloba</i>		Brown-eyed Susan	11.00	15.00	1.65	
<i>Ruellia humilis</i>		Wild petunia, Hairy ruellia	40.00	50.00	1.85	
<i>Rumex altissimus</i>		Pale dock	15.00	19.00		
<i>Rumex orbiculatus</i>		Great water dock	15.00	19.00		
<i>Rumex verticillatus</i>		Swamp dock	15.00	19.00		
<i>Sabatia angularis</i>		Rosepink			2.50	
<i>Sagittaria latifolia</i>		Broad-leaved duck potato	20.00	20.00	1.90	
<i>Salvia azurea</i>		Blue sage			1.85	
<i>Sanguinaria canadensis</i>		Bloodroot	45.00	53.00		
<i>Sanicula marilandica</i>		Snakeroot	45.00	53.00		
<i>Saururus cernuus</i>		Lizard's tail			2.30	
<i>Schizachyrium scoparium</i>	<i>Andropogon scoparius</i>	Little bluestem	1.50	1.50	1.50	1.35
<i>Schoenoplectus acutus</i>	<i>Scirpus acutus</i>	Hard-stemmed bulrush	25.00	30.00	1.65	
<i>Schoenoplectus fluviatilis</i>	<i>Scirpus fluviatilis</i>	River bulrush	12.00	16.00	1.65	
<i>Schoenoplectus pungens</i>	<i>Scirpus pungens / Scirpus americanus</i>	Chairmaker's rush	40.00	45.00	1.80	
<i>Schoenoplectus tabernaemontani</i>	<i>Scirpus validus creber</i>	Soft-stem bulrush	12.00	16.00		1.25
<i>Scirpus atrovirens</i>		Green bulrush	3.75	5.00		1.25
<i>Scirpus cyperinus</i>		Wool grass	9.00	10.00		1.25
<i>Scirpus pendulus</i>		Red bulrush	17.00	43.00		
<i>Scrophularia lanceolata</i>		Early figwort	32.00	45.00		
<i>Scrophularia marilandica</i>		Late figwort	22.00	26.00	1.90	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Scutellaria incarna</i>		Hoary skullcap			2.10	
<i>Scutellaria lateriflora</i>		Mad dog skullcap	43.00	43.00	3.75	
<i>Scutellaria parvula</i>		Small skullcap			2.10	
<i>Secale cereale</i>		Winter rye	0.08	0.08		
<i>Sedum ternatum</i>		Wild stonecrop			1.85	
<i>Senna hebecarpa</i>	<i>Cassia hebecarpa</i>	Wild senna	6.00	9.00	1.80	
<i>Silene antirrhina</i>		Sleepy catchfly	3.00	3.50		
<i>Silene regia</i>		Royal catchfly	84.00	90.00	2.50	
<i>Silene stellata</i>		Starry campion	95.00	145.00	2.10	
<i>Silphium integrifolium</i>		Rosin weed	16.00	19.00	1.80	
<i>Silphium laciniatum</i>		Compass plant	35.00	47.00	1.65	
<i>Silphium perfoliatum</i>		Cup plant	9.00	13.00	1.65	
<i>Silphium terebinthinaceum</i>		Prairie dock	19.00	24.00	1.65	
<i>Sisyrinchium albidum</i>		Common blue-eyed grass	85.00	118.00	2.40	
<i>Sisyrinchium angustifolium</i>		Narrow-leaved blue-eyed grass	85.00	118.00		
<i>Sisyrinchium campestre</i>		Prairie blue-eyed grass	85.00	118.00		
<i>Sium suave</i>		Hemlock waterparsnip	46.00	50.00		
<i>Solidago caesia</i>		Blue stemmed goldenrod	130.00	150.00	2.10	
<i>Solidago drummondii</i>		Cliff goldenrod			1.85	
<i>Solidago flexicaulis</i>		Broad-leaved goldenrod	95.00	95.00	1.90	
<i>Solidago gigantea</i>		Late goldenrod	88.00	113.00		
<i>Solidago juncea</i>		Early goldenrod	30.00	35.00	2.10	
<i>Solidago missouriensis</i>		Missouri goldenrod			2.05	
<i>Solidago nemoralis</i>		Old-field goldenrod	18.00	25.00	1.65	
<i>Solidago odora</i>		Sweet goldenrod			2.05	
<i>Solidago patula</i>		Swamp goldenrod	42.00	42.00	2.10	
<i>Solidago rugosa</i>		Wrinkleleaf goldenrod	60.00	65.00	1.90	
<i>Solidago speciosa</i>		Showy goldenrod	23.00	30.00	1.65	
<i>Solidago ulmifolia</i>		Elm-leaved goldenrod	42.00	46.00	1.85	
<i>Sorghastrum nutans</i>		Indian grass	0.50	0.65	1.50	1.25
<i>Sparganium emersum</i>	<i>Sparganium chlorocarpum</i>	Narrow leaved bur reed	16.00	25.00		
<i>Sparganium eurycarpum</i>		Common bur reed	8.00	10.00	1.90	
<i>Spartina pectinata</i>		Prairie cord grass	12.00	13.00		1.25
<i>Sphenopholis intermedia</i>		Slender wedge grass	100.00	120.00		
<i>Sphenopholis obtusata</i>		Prairie wedge grass	12.00	14.00		
<i>Spiraea alba</i>		Meadow sweet	56.00	63.00	3.75	
<i>Spiraea tomentosa</i>		Steeple bush			2.40	
<i>Sporobolus airoides</i>		Alkali saction or dropseed			1.50	
<i>Sporobolus compositus</i>	<i>Sporobolus asper</i>	Composite dropseed	3.75	4.00		
<i>Sporobolus cryptandrus</i>		Sand dropseed	3.75	4.00		
<i>Sporobolus heterolepis</i>		Prairie dropseed	16.00	22.00	1.50	1.50
<i>Stylophorum diphyllum</i>		Celandine poppy			2.75	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Symphyotrichum cordifolium</i>	<i>Aster sagittifolius</i> , <i>Aster cordifolius</i>	Arrow-leaved aster	95.00	120.00	2.10	
<i>Symphyotrichum drummondii</i>	<i>Aster drummondii</i>	Drummond's aster	21.00	30.00	2.10	
<i>Symphyotrichum ericoides</i>	<i>Aster ericoides</i>	Heath aster	128.00	128.00	2.10	
<i>Symphyotrichum laeve</i>	<i>Aster laevis</i>	Smooth blue aster	18.75	23.00	1.65	
<i>Symphyotrichum lanceolatum</i>	<i>Aster simplex</i>	Panicled aster	44.00	48.00		
<i>Symphyotrichum lateriflorum</i>	<i>Aster lateriflorus</i>	Side-flowering aster	70.00	70.00	1.65	
<i>Symphyotrichum novae-angliae</i>	<i>Aster n-a</i>	New England aster	37.50	45.00	1.50	1.35
<i>Symphyotrichum oblongifolium</i>	<i>Aster oblongifolius</i>	Aromatic aster	25.00	41.00	1.50	1.35
<i>Symphyotrichum oolentangiense</i>	<i>Aster azureus</i>	Sky-blue aster	37.50	45.00	1.65	
<i>Symphyotrichum pilosum</i>	<i>Aster pilosus</i>	Hairy aster	25.00	35.00		
<i>Symphyotrichum puniceum</i>	<i>Aster puniceus</i>	Marsh aster	55.00	55.00	1.65	
<i>Symphyotrichum sericeum</i>	<i>Aster sericeus</i>	Silky aster	40.00	54.00	1.90	
<i>Symphyotrichum shortii</i>	<i>Aster shortii</i>	Short's aster	85.00	90.00	2.10	
<i>Symphyotrichum urophyllum</i>	<i>Aster sagittifolius</i>	Arrow-leaved aster	95.00	120.00		
<i>Taenidia integerrima</i>		Yellow pimpernel	65.00	85.00		
<i>Tephrosia virginiana</i>		Goats rue	40.00	65.00		
<i>Teucrium canadense</i>		Wood germander	32.00	35.00		
<i>Thalictrum dasycarpum</i>		Purple meadow rue	22.00	25.00	2.10	
<i>Thalictrum dioicum</i>		Early meadow rue	75.00	77.00		
<i>Thalictrum thalictroides</i>	<i>Anemonella thalictroides</i>	Rue anemone	78.00	93.00	4.50	
<i>Thelypteris palustris</i>	<i>Dryopteris thelypteris pubescens</i>	Marsh sheild fern			3.75	
<i>Tiarella cordifolia</i>		Heartleaf foamflower			2.30	
<i>Tradescantia bracteata</i>		Long-bracted spiderwort	55.00	60.00	1.85	
<i>Tradescantia occidentalis</i>		Prairie Spiderwort	35.00	40.00	1.90	
<i>Tradescantia ohiensis</i>		Spiderwort	22.50	25.00	1.65	
<i>Tradescantia subaspera</i>		Zigzag spiderwort			1.85	
<i>Triodanis perfoliata</i>	<i>Specularia perfoliata</i>	Venus's looking glass	43.00	50.00		
<i>Triosteum perfoliatum</i>		Late horse gentian	29.00			
<i>Uvularia grandiflora</i>		Bellwort	75.00	94.00		
<i>Verbena hastata</i>		Blue vervain	5.63	8.00	1.50	
<i>Verbena stricta</i>		Hoary vervain	7.50	12.00	1.50	
<i>Verbena urticifolia</i>		White vervain	11.25	15.00		
<i>Verbesina alternifolia</i>	<i>Actinomeris alternifolia</i>	Wingstem	18.00	19.00		
<i>Vernonia arkansana</i>		Curly-topped ironweed			2.05	
<i>Vernonia fasciculata</i>		Common ironweed	18.00	23.00	1.65	
<i>Veronicastrum virginicum</i>		Culver's root	75.00	80.00	1.65	
<i>Viola lanceolata</i>		Lanceleaved violet			2.75	
<i>Viola pedata</i>		Bird's foot violet	220.00	260.00		
<i>Viola pedatifida</i>	<i>Viola palmata</i>	Prairie violet	140.00	160.00	3.00	

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Viola pubescens</i>		Yellow violet	140.00			
<i>Viola sororia</i>	<i>Viola papilionacea</i>	Common violet	115.00	130.00	1.85	
<i>Zizia aptera</i>		Heart leaved golden Alexanders	50.00	55.00	1.90	
<i>Zizia aurea</i>		Golden Alexanders	6.00	9.00	1.85	
<i>Sporobolus cryptandrus</i>		Sand dropseed	3.75	4.00		
<i>Sporobolus heterolepis</i>		Prairie dropseed	16.00	22.00	1.50	1.50
<i>Stachys aspera</i>	<i>Stachys hyssopifolia ambigua</i>	Rough hedge nettle	45.00	45.00		
<i>Stachys pilosa</i>	<i>Stachys palustris homotricha</i>	Marsh hedge nettle		40.00		
<i>Stachys tenuifolia</i>	<i>Stachys hispida</i>	Smooth nettle hedge	45.00	45.00		
<i>Stylophorum diphyllum</i>		Celandine poppy			2.75	
<i>Symphyotrichum cordifolium</i>	<i>Aster sagittifolius</i> , <i>Aster cordifolius</i>	Arrow-leaved aster	95.00	120.00	2.10	
<i>Symphyotrichum drummondii</i>	<i>Aster drummondii</i>	Drummond's aster	21.00	30.00	2.10	
<i>Symphyotrichum ericoides</i>	<i>Aster ericoides</i>	Heath aster	128.00	128.00	2.10	
<i>Symphyotrichum laeve</i>	<i>Aster laevis</i>	Smooth blue aster	25.00	30.00	1.65	
<i>Symphyotrichum lanceolatum</i>	<i>Aster simplex</i>	Panicled aster	44.00	48.00		
<i>Symphyotrichum lateriflorum</i>	<i>Aster lateriflorus</i>	Side-flowering aster	70.00	70.00	1.65	
<i>Symphyotrichum novae-angliae</i>	<i>Aster n-a</i>	New England aster	45.00	50.00	1.50	1.35
<i>Symphyotrichum oblongifolium</i>	<i>Aster oblongifolius</i>	Aromatic aster	25.00	41.00	1.50	1.35
<i>Symphyotrichum oolentangiense</i>	<i>Aster azureus</i>	Sky-blue aster	50.00	55.00	1.65	
<i>Symphyotrichum pilosum</i>	<i>Aster pilosus</i>	Hairy aster	25.00	35.00		
<i>Symphyotrichum puniceum</i>	<i>Aster puniceus</i>	Marsh aster	55.00	55.00	1.65	
<i>Symphyotrichum sericeum</i>	<i>Aster sericeus</i>	Silky aster	40.00	54.00	1.90	
<i>Symphyotrichum shortii</i>	<i>Aster shortii</i>	Short's aster	85.00	90.00	2.10	
<i>Symphyotrichum urophyllum</i>	<i>Aster sagittifolius</i>	Arrow-leaved aster	95.00	120.00		
<i>Taenidia integerrima</i>		Yellow pimpernel	65.00	85.00		
<i>Tephrosia virginiana</i>		Goats rue	40.00	65.00	2.10	
<i>Teucrium canadense</i>		Wood germander	32.00	35.00	1.65	
<i>Thalictrum dasycarpum</i>		Purple meadow rue	22.00	25.00	2.10	
<i>Thalictrum dioicum</i>		Early meadow rue	75.00	77.00	3.50	
<i>Thalictrum thalictroides</i>	<i>Anemonella thalictroides</i>	Rue anemone	78.00	93.00	4.50	
<i>Thelypteris palustris</i>	<i>Dryopteris thelypteris pubescens</i>	Marsh sheild fern			3.75	
<i>Tiarella cordifolia</i>		Heartleaf foamflower			2.30	
<i>Tradescantia bracteata</i>		Long-bracted spiderwort	55.00	60.00	1.85	
<i>Tradescantia occidentalis</i>		Prairie Spiderwort	35.00	40.00	1.90	
<i>Tradescantia ohiensis</i>		Spiderwort	25.00	28.00	1.65	1.50
<i>Tradescantia subaspera</i>		Zigzag spiderwort			1.85	
<i>Triodanis perfoliata</i>	<i>Specularia perfoliata</i>	Venus's looking glass	43.00	50.00		
<i>Triosteum perfoliatum</i>		Late horse gentian	29.00			
<i>Tripsacum dactyloides</i>		Eastern gamma grass	2.50			

Botanical Name	Alias/Notes	Common Name	Unspecified Seed (\$/oz)	Specified Seed (\$/oz)	32, 2.5" Pot (\$/plant)	Deep 50 Cell Plug (\$/plant)
<i>Uvularia grandiflora</i>		Bellwort	75.00	94.00		
<i>Verbena hastata</i>		Blue vervain	7.00	10.00	1.50	
<i>Verbena stricta</i>		Hoary vervain	12.00	15.00	1.50	
<i>Verbena urticifolia</i>		White vervain	11.25	15.00		
<i>Verbesina alternifolia</i>	<i>Actinomeris alternifolia</i>	Wingstem	18.00	19.00		
<i>Vernonia arkansana</i>		Curly-topped ironweed			2.05	
<i>Vernonia fasciculata</i>		Common ironweed	20.25	30.00	1.65	
<i>Veronicastrum virginicum</i>		Culver's root	90.00	100.00	1.65	
<i>Viola lanceolata</i>		Lanceleaved violet			2.75	
<i>Viola pedata</i>		Bird's foot violet	220.00	260.00		
<i>Viola pedatifida</i>	<i>Viola palmata</i>	Prairie violet	140.00	160.00	3.00	
<i>Viola pubescens</i>		Yellow violet	140.00			
<i>Viola sororia</i>	<i>Viola papilionacea</i>	Common violet	115.00	130.00	1.85	
<i>Zizia aptera</i>		Heart leaved golden Alexanders	50.00	55.00	1.90	
<i>Zizia aurea</i>		Golden Alexanders	6.00	9.00	1.85	



New England Aster

2025 Wholesale Seed Mix Pricing

Pricing and availability are subject to change; prices are for in-stock items only. Please contact us for quantity discounts.

Please see individual mix descriptions for more specific information (*page numbers below*). All mixes may vary slightly in composition and species. None of our mixes are premade—we custom blend each seed mix to meet your needs. To add further diversity, see our full species availability (*starting on page 7*). The minimum order for seed is \$250.

Pollinator Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Diversity Meadow - Low Growing Pollinator Meadow 20/20	40	\$500	23
Midwest Knee High Pollinator 30/15	45	\$625	29
Pollinator Friendly 15/30	45	\$500	30
Rusty Patch Bumblebee Savanna 20/20	40	\$625	31

Upland Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Clay Soils - Mesic Prairie 20/20	40	\$275	23
Dry Mesic Prairie 20/20	40	\$350	24
Herbicide Tolerant Shortgrass and Wildflower Prairie 20/20	40	\$425	25
Mesic Prairie 20/20	40	\$325	28
Shortgrass Dry Prairie 20/20	40	\$375	33

Special Use Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Landfill - Basic Native Cover 25/20	45	\$150	28
Savanna and Open Woodland 20/25	45	\$575	32
Solar Field Basics - Native and Naturalized - Well Drained Ground 50/5	55	\$275	34
Solar Field Pollinator Enhancement 0/20	20	\$225	34

Wet Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Emergent Shoreline 30/20	45	\$600	25
Herbicide Tolerant Tall Grass Wet-Mesic Prairie 20/3	23	\$275	25
Sedge Meadow 30/20	50	\$500	33
Stormwater 70/20	90	\$525	35
Swale and Basin 25/25	50	\$325	36

Conservation Seed Mixes

Seed Mix	Estimated Seeds (per square foot)	Average Price (\$/acre)	Page
Eastern KS CP42 Upland Pollinator 5/15	20	\$200	24
Eastern KS Safe Mix 15/5	20	\$150	25
IA CP2 Dry to Mesic 30/10	40	\$125	26
IA CP2 Wet to Mesic - 30/10	40	\$125	26
IL CP42 Dry to Mesic Prairie Pollinator - 10/10	20	\$150	26
IL CP42 Wet Prairie Pollinator - 10/10	20	\$175	27
IN CP42 Pollinator Habitat Poorly Drained 5/15	20	\$300	27
IN CP42 Pollinator Habitat Well Drained 5/15	20	\$250	27
KS CP43 Dry to Mesic Prairie Strips 20/20	40	\$225	27
KS CP43 Wet to Mesic Prairie Strips 20/20	40	\$200	28
MN BWSR MNDOT 32-241 Native Construction 61/4	65	\$450	29
MN BWSR U8; 35-641 Mesic Prairie Southeast - 27/4	31	\$300	29
MO Upland CP42 Pollinator 10/30	40	\$300	30
MO Wet CP42 Pollinator 10/30	40	\$275	30
WI CP25-DM Dry to Mesic Prairie-20/20	40	\$275	36
WI CP25-WM Wet to Mesic Prairie-25/8	33	\$175	36
WI CP43 Prairie Strips - Dry - 10/8	18	\$150	37
WI CP43 Prairie Strips - Mesic - 10/8	18	\$125	37
WI CP43 Prairie Strips - Wet - 10/8	18	\$125	37
WI Mesic CP42 Pollinator 10/30	40	\$325	37

2025 Wholesale Seed Mixes (A-Z)

Clay Soils - Mesic Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$275**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem), *Sorghastrum nutans* (Indian grass), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Asclepias syriaca* (Common milkweed), *Coreopsis tripteris* (Tall coreopsis), ***Dalea purpurea* (Purple prairie clover)**, ***Desmanthus illinoensis* (Illinois sensitive plant)**, ***Desmodium illinoense* (Illinois tick trefoil)**, *Eryngium yuccifolium* (Rattlesnake master), *Eupatorium altissimum* (Tall boneset), *Eutrochium maculatus* (Spotted Joe-Pye weed), *Heliopsis helianthoides* (False sunflower), *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Oligoneuron rigidum* (Stiff goldenrod), *Parthenium integrifolium* (Wild quinine), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Silphium perfoliatum* (Cup plant), *Symphyotrichum lateriflorum* (Side-flowering aster), *Symphyotrichum pilosum* (Hairy aster), *Verbena hastata* (Blue vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Diversity Meadow - Low Growing Pollinator Meadow: Diverse Option

POLLINATOR
SEED MIX

AVERAGE PRICE: **\$500**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Elymus virginicus* (Virginia wild rye), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Blephilia ciliata* (Ohio horsemint), *Brickellia eupatorioides* (False boneset), ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis lanceolata* (Sand coreopsis), ***Dalea candida* (White prairie clover)**, ***Dalea purpurea* (Purple prairie clover)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Heuchera richardsonii* (Prairie alum root), *Liatris aspera* (Rough blazing star), *Liatris cylindracea* (Cylindrical blazing star), ***Lupinus perennis* (Wild lupine)**, *Monarda punctata* (Horse mint), *Oligoneuron album* (Stiff aster, goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Tradescantia ohiensis* (Spiderwort), *Solidago nemoralis* (Old-field goldenrod), *Symphyotrichum oolentangiense* (Sky-blue aster), *Verbena stricta* (Hoary vervain)

NOTES:

- Usually about 3 feet
- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Dry Mesic Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$350**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Sorghastrum nutans* (Indian grass), *Panicum virgatum* (Switch grass), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Elymus canadensis* (Canada wild rye), *Schizachyrium scoparium* (Little bluestem), *Koeleria macrantha* (June grass), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea* (Purple prairie clover)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Verbena stricta* (Hoary vervain), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Eastern KS CP42 Upland Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$200**/ac

GRASS: **5** seeds/sq ft

FORBS: **15** seeds/sq ft

GRASSES/GRASS-LIKE: *Elymus virginicus* (Virginia wild rye), *Elymus canadensis* (Canada wild rye), *Panicum virgatum* (Switch grass), *Bouteloua curtipendula* (Side oats grama), *Sorghastrum nutans* (Indian grass), *Andropogon gerardii* (Big bluestem), *Schizachyrium scoparium* (Little bluestem)

FORBS: *Achillea millefolium* (Common yarrow), *Asclepias syriaca* (Common milkweed), ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis palmata* (Prairie coreopsis), *Coreopsis tinctoria* (Plains coreopsis), ***Dalea candida* (White prairie clover)**, ***Dalea purpurea* (Purple prairie clover)**, ***Desmanthus illinoensis* (Illinois sensitive plant)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Helianthus grosseserratus* (Sawtooth sunflower), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia fulgida* (Showy black-eyed Susan), *Rudbeckia hirta* (Black-eyed Susan), *Symphotrichum oolentangiense* (Sky-blue aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Eastern KS Safe Mix

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$150**/ac

GRASS: **15** seeds/sq ft

FORBS: **5** seeds/sq ft

GRASSES/GRASS-LIKE: *Panicum virgatum* (Switch grass), *Bouteloua curtipendula* (Side oats grama), *Sorghastrum nutans* (Indian grass), *Schizachyrium scoparium* (Little bluestem), *Andropogon gerardii* (Big bluestem)

FORBS: *Acorus americanus* (Sweet flag iris), *Alisma subcordatum* (Mud/water plantain), *Bidens cernua* (Nodding bur marigold), *Eutrochium maculatus* (Spotted Joe Pye weed), *Helenium autumnale* (Sneezeweed), *Iris virginica* (Blue flag iris), *Lobelia siphilitica* (Great blue lobelia), *Lythrum alatum* (Winged loosestrife), *Sagittaria latifolia* (Broad-leaved duck potato)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Emergent Shoreline

WET
SEED MIX

AVERAGE PRICE: **\$600**/ac

GRASS: **30** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Carex typhina* (Cattail sedge), *Carex stipata* (Owl-fruited sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Elymus canadensis* (Canada wild rye), *Elymus virginicus* (Virginia wild rye), *Juncus dudleyi* (Dudley's rush), *Panicum virgatum* (Switch grass), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass), *Schoenoplectus fluviatilis* (River bulrush), *Schoenoplectus tabernaemontani* (Soft-stem bulrush), *Spartina pectinata* (Prairie cord grass)

FORBS: *Acorus americanus* (Sweet flag iris), *Alisma subcordatum* (Mud/water plantain), *Bidens cernua* (Nodding bur marigold), *Eutrochium maculatus* (Spotted Joe Pye weed), *Helenium autumnale* (Sneezeweed), *Iris virginica* (Blue flag iris), *Lobelia siphilitica* (Great blue lobelia), *Lythrum alatum* (Winged loosestrife), *Sagittaria latifolia* (Broad-leaved duck potato)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Herbicide Tolerant Shortgrass and Wildflower Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$425**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Bouteloua curtipendula* (Side oats grama), *Elymus virginicus* (Virginia wild rye), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: ***Amorpha canescens* (Leadplant)**, *Asclepias tuberosa* (Butterfly weed), *Symphotrichum oolentangiense* (Sky-blue aster), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea* (Purple prairie clover)**, ***Desmanthus illinoensis* (Illinois sensitive plant)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Lespedeza capitata* (Round-headed bush clover), ***Lupinus perennis* (Wild lupine)**, *Rudbeckia hirta* (Black-eyed Susan)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Herbicide Tolerant Tall Grass Wet-Mesic Prairie

WET
SEED MIX

AVERAGE PRICE: **\$275**/ac

GRASS: **20** seeds/sq ft

FORBS: **3** seeds/sq ft

GRASSES/GRASS-LIKE: *Carex annectens* (Yellow-fruited sedge), *Carex scoparia* (Broom sedge), *Elymus virginicus* (Virginia wild rye), *Andropogon gerardii* (Big bluestem), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass)

FORBS: *Bidens frondosa* (Common beggarticks), *Coreopsis tripteris* (Tall coreopsis), *Desmodium canadense* (**Showy tick trefoil**), *Senna hebecarpa* (Wild senna), *Symphotrichum lanceolatum* (Panicked aster), *Symphotrichum novae-angliae* (New England aster)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

IA CP2 Dry to Mesic

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$125**/ac

GRASS: **30** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP2 Wet to Mesic

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$125**/ac

GRASS: **30** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Dry to Mesic Prairie Prairie Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$150**/ac

GRASS: **10** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Illinois

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Wet Prairie Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$175**/ac

GRASS: **10** seeds/sq ft

FORBS: **10** seeds/sq ft

STATE: Illinois

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator Habitat Well Drained

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$250**/ac

GRASS: **5** seeds/sq ft

FORBS: **15** seeds/sq ft

STATE: Indiana

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator Habitat Poorly Drained

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$300**/ac

GRASS: **5** seeds/sq ft

FORBS: **15** seeds/sq ft

STATE: Indiana

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Dry to Mesic Prairie Strips

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$225**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Kansas

HEIGHT: 3' - 5'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Wet to Mesic Prairie Strips

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$200**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Kansas

HEIGHT: 3' - 5'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Landfill - Basic Native Cover

SPECIAL USE
SEED MIX

AVERAGE PRICE: **\$150**/ac

GRASS: **25** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Elymus canadensis* (Canada wild rye), *Sorghastrum nutans* (Indian grass), *Panicum virgatum* (Switch grass), *Carex normalis* (Spreading oval sedge)

FORBS: *Dalea purpurea* (**Purple prairie clover**), *Monarda fistulosa* (Wild bergamot), *Penstemon digitalis* (Foxglove beard tongue), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Symphotrichum novae-angliae* (New England aster), *Verbena stricta* (Hoary vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Mesic Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$325**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Elymus canadensis* (Canada wild rye), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem), *Sorghastrum nutans* (Indian grass)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias syriaca* (Common milkweed), *Asclepias tuberosa* (Butterfly weed), ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis palmata* (Prairie coreopsis), ***Dalea purpurea* (Purple prairie clover)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Hypericum ascyron* (Great St. Johns wort), *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Solidago juncea* (Early goldenrod), *Solidago speciosa* (Showy goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Symphotrichum novae-angliae* (New England aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Midwest Knee High Pollinator 30/15

POLLINATOR
SEED MIX

AVERAGE PRICE: **\$625**/ac

GRASS: **30** seeds/sq ft

FORBS: **15** seeds/sq ft

GRASSES/GRASS-LIKE: *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Copper-shouldered oval sedge), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Anemone virginiana* (Virginia anemone), *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Asclepias verticillata* (Whorled milkweed), *Brickellia eupatorioides* (False boneset), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea candida* (White prairie clover)**, ***Dalea purpurea* (Purple prairie clover)**, *Liatris cylindracea* (Cylindricia blazing star), ***Lupinus perennis* (Wild lupine)**, *Monarda punctata* (Horsemint), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

MN BWSR MNDOT 32-241 Native Construction

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$450**/ac

GRASS: **60** seeds/sq ft

FORBS: **5** seeds/sq ft

STATE: Minnesota

HEIGHT: 3' - 5'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie / Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR U8; 35-641 Mesic Prairie Southeast

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$300**/ac

GRASS: **3** seeds/sq ft

FORBS: **35** seeds/sq ft

STATE: Minnesota

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Upland CP42 Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$300**/ac

GRASS: **10** seeds/sq ft

FORBS: **30** seeds/sq ft

STATE: Missouri

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Wet CP42 Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$275**/ac

GRASS: **10** seeds/sq ft

FORBS: **30** seeds/sq ft

STATE: Missouri

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Pollinator Friendly

POLLINATOR
SEED MIX

AVERAGE PRICE: **\$500**/ac

GRASS: **30** seeds/sq ft

FORBS: **10** seeds/sq ft

GRASSES/GRASS-LIKE: *Schizachyrium scoparium* (Little bluestem), *Elymus canadensis* (Canada wild rye)

FORBS: *Agastache nepetoides* (Yellow giant hyssop), *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis lanceolata* (Sand coreopsis), *Coreopsis palmata* (Prairie coreopsis), ***Dalea purpurea* (Purple prairie clover)**, *Echinacea pallida* (Pale purple coneflower), *Echinacea purpurea* (Broad-leaved purple coneflower), *Eryngium yuccifolium* (Rattlesnake master), *Eutrochium purpureum* (Purple Joe Pye weed), ***Lupinus perennis* (Wild lupine)**, *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Solidago juncea* (Early goldenrod), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Symphotrichum novae-angliae* (New England aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Rusty Patch Bumblebee Savanna 20/20

POLLINATOR
SEED MIX

AVERAGE PRICE: **\$625**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Elymus canadensis* (Canada wild rye), *Elymus villosus* (Silky wild rye), *Elymus hystrix* (Bottlebrush grass), *Schizachyrium scoparium* (Little bluestem), *Carex normalis* (Spreading oval sedge), *Carex brevior* (Fescue sedge)

FORBS: *Agastache nepetoides* (Yellow giant hyssop), *Ageratina altissima* (White snakeroot), *Anemone virginiana* (Virginia anemone), ***Amorpha canescens* (Leadplant)**, *Aquilegia canadensis* (Wild columbine), ***Baptisia alba* (White wild indigo)**, ***Dalea purpurea* (Purple prairie clover)**, *Dodecatheon meadia* (Shooting star), *Echinacea purpurea* (Broad-leaved purple coneflower), *Eupatorium altissimum* (Tall boneset), *Eutrochium purpureum* (Purple Joe Pye weed), *Gentiana alba* (Yellowish gentian), *Geranium maculatum* (Wild geranium), *Liatris aspera* (Rough blazing star), ***Lupinus perennis* (Wild lupine)**, *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Penstemon calycosus* (Small beard tongue), *Penstemon digitalis* (Foxglove beard tongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Solidago speciosa* (Showy goldenrod), *Solidago ulmifolia* (Elm-leaved goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Veronicastrum virginicum* (Culver's root)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Supporting Monarchs

We understand that no milkweed means no monarchs. That's why we've partnered with non-profits to distribute more than one million milkweed plugs throughout the Eastern United States since 2012.

Including milkweed (*Asclepias* spp.) in your garden or restoration project is a great way to support these migrating marvels.



Savanna and Open Woodland

SPECIAL USE
SEED MIX

AVERAGE PRICE: **\$575**/ac

GRASS: **20** seeds/sq ft

FORBS: **25** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Bromus pubescens* (Woodland brome), *Carex normalis* (Spreading oval sedge), *Carex radiata* (Curly wood sedge), *Carex shortiana* (Short's sedge), *Carex sprengei* (Long-beaked sedge), *Elymus canadensis* (Canada wild rye), *Elymus hystrix* (Bottlebrush grass), *Luzula multiflora* (Common wood rush), *Muhlenbergia mexicana* (Leafy satin grass), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem)

FORBS: *Allium cernuum* (Nodding wild onion), *Anemone canadensis* (Meadow anemone), *Anemone virginiana* (Tall/Virginia anemone), *Aquilegia canadensis* (Wild columbine), ***Baptisia alba* (White wild indigo)**, ***Chamaecrista fasciculata* (Partridge pea)**, *Coreopsis palmata* (Prairie coreopsis), *Claytonia virginica* (Spring beauty), *Arnoglossum atriplicifolium* (Pale Indian plantain), ***Dalea purpurea* (Purple prairie clover)**, ***Desmodium canadense* (Showy tick trefoil)**, *Dicentra cucullaria* (Dutchman's britches), *Dodecatheon meadia* (Shooting star), *Eupatorium altissimum* (Tall boneset), *Eutrochium purpureum* (Purple Joe Pye weed), *Geranium maculatum* (Wild geranium), *Helianthus pauciflorus* (Prairie sunflower), *Heuchera richardsonii* (Prairie alum root), *Hypericum ascyron* (Great St. Johns wort), *Lupinus prennis* (Wild lupine), *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Oenothera gaura* (Biennial gaura), *Solidago juncea* (Early goldenrod), *Parthenium integrifolium* (Wild quinine), *Penstemon calycosus* (Small beard tongue), *Penstemon digitalis* (Foxglove beard tongue), *Polygonatum biflorum* (Smooth Solomon's seal), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia triloba* (Brown-eyed Susan), *Sanguinaria canadensis* (Bloodroot), *Solidago juncea* (Early goldenrod), *Solidago ulmifolia* (Elm-leaved goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Thalictrum dasycarpum* (Purple meadow rue), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Sedge Meadow

WET
SEED MIX

AVERAGE PRICE: **\$500**/ac

GRASS: **30** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Calamagrostis canadensis* (Blue joint grass), *Carex annectens* (Yellow-fruited sedge), *Carex comosa* (Longhair sedge), *Carex bebbii* (Bebb's sedge), *Carex cristatella* (Crested sedge), *Carex hystericina* (Bottlebrush sedge), *Carex muskingumensis* (Palm sedge), *Carex scoparia* (Broom sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Eleocharis obtusa* (Blunt spike bush), *Elymus virginicus* (Virginia wild rye), *Juncus dudleyi* (Dudley's rush), *Spartina pectinata* (Prairie cord grass), *Scirpus atrovirens* (Green bulrush)

FORBS: *Angelica atropurpurea* (Great angelica), *Anemone canadensis* (Meadow anemone), *Bidens cernua* (Nodding bur marigold), *Thalictrum dasycarpum* (Purple meadow rue), *Napaea dioica* (Glade mallow), *Asclepias incarnata* (Swamp milkweed), ***Astragalus canadensis* (Canadian milk vetch)**, *Eupatorium perfoliatum* (Common boneset), *Euthamia graminifolia* (Common grass-leaved goldenrod), *Eutrochium maculatum* (Spotted Joe Pye weed), *Gentiana andrewsii* (Bottle gentian), *Hasteola suaveolens* (Sweet Indian plantain), *Helenium autumnale* (Sneezeweed), *Heracleum maximum* (Cow parsnip), *Hypericum ascyron* (Great St. Johns wort), *Lobelia siphilitica* (Great blue lobelia), *Lycopus americanus* (American water horehound), *Lythrum alatum* (Winged loosestrife), *Penthorum sedoides* (Ditch stonecrop), *Polygonum pensylvanicum* (Pinkweed), *Rorippa palustris* (Bog yellowcress), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Rumex orbiculatus* (Great water dock), *Senna hebecarpa* (Wild senna), *Symphotrichum anceolatum* (Panicled aster), *Symphotrichum novae-angliae* (New England aster), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Shortgrass Dry Prairie

UPLAND
SEED MIX

AVERAGE PRICE: **\$375**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Elymus canadensis* (Canada wild rye), *Schizachyrium scoparium* (Little bluestem), *Koeleria macrantha* (June grass), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Brickellia eupatorioides* (False boneset), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea* (Purple prairie clover)**, *Echinacea pallida* (Pale purple coneflower), ***Lupinus perennis* (Wild lupine)**, *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Potentilla arguta* (Prairie cinquefoil), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum sericeum* (Silky aster), *Verbena stricta* (Hoary vervain), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Solar Field Basics – Native and Naturalized – Well Drained Ground

SPECIAL USE
SEED MIX

AVERAGE PRICE: **\$275**/ac

GRASS: **50** seeds/sq ft

FORBS: **5** seeds/sq ft

GRASSES/GRASS-LIKE: *Lolium multiflorum* (Annual rye), *Bouteloua curtipendula* (Side oats grama), *Bouteloua hirsuta* (Hairy grama), *Carex brevior* (Short beak sedge), *Carex normalis* (Spreading oval sedge), *Elymus villosus* (Silky wild rye), *Festuca rubra* (Red fescue), *Juncus tenuis* (Path rush), *Festuca subverticillata* (Nodding fescue), *Schizachyrium scoparium* (Little bluestem), *Sporobolus cryptandrus* (Sand dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), ***Chamaecrista fasciculata*** (Partridge pea), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea*** (Purple prairie clover), *Monarda punctata* (Horse mint), *Penstemon calycosus* (Small beard tongue), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Solidago ulmifolia* (Elm-leaved goldenrod), *Trifolium pratense* (Red clover), Annuals for sun (Annual flower)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Solar Field Pollinator Enhancement

SPECIAL USE
SEED MIX

AVERAGE PRICE: **\$225**/ac

GRASS: **0** seeds/sq ft

FORBS: **20** seeds/sq ft

FORBS: *Agalinis tenuifolia* (Slenderleaf false foxglove), *Allium cernuum* (Nodding wild onion), *Anemone canadensis* (Meadow anemone), *Asclepias tuberosa* (Butterfly weed), ***Chamaecrista fasciculata*** (Partridge pea), *Conoclinium coelestinum* (Blue mistflower), *Coreopsis lanceolata* (Sand coreopsis), *Coreopsis palmata* (Prairie coreopsis), ***Dalea purpurea*** (Purple prairie clover), *Liatris aspera* (Rough blazing star), *Monarda punctata* (Horse mint), *Oligoneuron album* (Stiff aster, goldenrod), *Penstemon digitalis* (Foxglove beard tongue), *Penstemon hirsutus* (Hairy beard tongue), *Rudbeckia hirta* (Black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum ericoides* (Heath aster), *Tradescantia ohiensis* (Spiderwort), *Triodanis perfoliata* (Venus's looking glass)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres
- Legumes are listed in **bold**

Stormwater

WET
SEED MIX

AVERAGE PRICE: **\$525**/ac

GRASS: **70** seeds/sq ft


FORBS: **20** seeds/sq ft

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Calamagrostis canadensis* (Blue joint grass), *Elymus virginicus* (Virginia wild rye), *Elymus canadensis* (Canada wild rye), *Juncus dudleyi* (Dudley's rush), *Panicum virgatum* (Switch grass), *Poa palustris* (Fowl bluegrass), *Sorghastrum nutans* (Indian grass), *Spartina pectinata* (Prairie cord grass), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass)

FORBS: *Anemone canadensis* (Meadow anemone), *Asclepias incarnata* (Swamp milkweed), *Bidens frondosa* (Common beggarticks), *Lythrum alatum* (Winged loosestrife), *Doellingeria umbellata* (Flat-topped aster), *Eutrochium maculatus* (Spotted Joe Pye weed), *Helenium autumnale* (Sneezeweed), *Physostegia virginiana* (Prairie obedient plant), *Rudbeckia laciniata* (Wild golden glow), *Symphotrichum novae-angliae* (New England aster), *Verbena hastata* (Blue vervain), *Zizia aurea* (Golden Alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres



We Are at Your Service!

Visit taylorcreeknurseries.com to explore all our native plant and seed products. If you can't find what you need, we will work with you to procure the best product for your purposes—at a reasonable cost.

Questions? Contact us at (608) 897-8641 or taylorcreek@res.us to discuss your native plant needs.

Swale and Basin

WET
SEED MIX

AVERAGE PRICE: **\$325**/ac

GRASS: **25** seeds/sq ft

FORBS: **25** seeds/sq ft

GRASSES/GRASS-LIKE: *Carex scoparia* (Broom sedge), *Carex hystericina* (Bottlebrush sedge), *Carex normalis* (Spreading oval sedge), *Carex cristatella* (Crested sedge), *Carex stipata* (Owl-fruited sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass), *Juncus dudleyi* (Dudley's rush), *Elymus virginicus* (Virginia wild rye)

FORBS: *Asclepias incarnata* (Swamp milkweed), *Senna hebecarpa* (Wild senna), *Heliopsis helianthoides* (False sunflower), *Monarda fistulosa* (Wild bergamot), *Lythrum alatum* (Winged loosestrife), *Penthorum sedoides* (Ditch stonecrop), *Lycopus americanus* (American water horehound), *Oenothera biennis* (Common evening primrose), *Penstemon digitalis* (Foxglove beard tongue), *Polygonum pensylvanicum* (Pinkweed), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Verbena hastata* (Blue vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-DM Dry to Mesic Prairie

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$275**/ac

GRASS: **20** seeds/sq ft

FORBS: **20** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-WM Wet to Mesic Prairie

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$175**/ac

GRASS: **25** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Dry

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$150**/ac

GRASS: **10** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Mesic

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$125**/ac

GRASS: **10** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie Strips - Wet

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$125**/ac

GRASS: **10** seeds/sq ft

FORBS: **8** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI Mesic CP42 Pollinator

CONSERVATION
SEED MIX

AVERAGE PRICE: **\$325**/ac

GRASS: **10** seeds/sq ft

FORBS: **30** seeds/sq ft

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

The Taylor Creek/RES Difference

We are passionate about native plants and the ecosystems they support. For more than 35 years, our nursery has developed unique expertise in the propagation, use, and care of native species. Our professional staff is eager to educate and support our customers (and the public at large) in their species selections and land-use decisions.

TCRN, the nursery division of Resource Environmental Solutions (RES), is recognized nationally as a leader in ecological consulting, design, and ecological restoration contracting. Through RES, Taylor Creek nursery managers have direct access to the latest scientific insights and practical application successes with native plants in ecological restoration and native landscaping. In turn, TCRN propagation expertise helps inform RES consultants, designers, and contracting professionals to enhance installation survival and long-term success.

We encourage our customers to ask questions and learn more about the best ways to enjoy the many benefits of native species. Our commitment to customer service, quality products, and ecological science has helped us become one of the largest, most diverse native plant and seed nurseries in the country. We are dedicated to offering you the best plants—and growing advice—to help make your landscape a source of pride and joy!



Order Form

Botanical Name	Common Name	Quantity	Unit Price	Total Price

*Tax

Residents of the United States, please add state and county sales tax. Order minimum is \$250 for trays of plants.

Subtotal

Unit Price

Shipping

Tax*

Total

Shipping and Handling

\$10 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost.

Add 5% of subtotal for orders over \$2,000.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost section of the form on the right.

Note: We recommend you pick up plants (plant plugs, trees, and shrubs) unless arrangements for special delivery are made in advance.

Name

Phone

Email

Delivery Address

City

State

Zip

Preferred delivery date

If out of stock, would you prefer:

Credit toward another order Substitution of similar material Refund

Payment Details

CC#

Exp.

Sec. Code

Billing Zip

Signature

Discover

Mastercard

Visa

Please send your order back by email, fax, or mail:

Email: taylorcreek@res.us | Fax: (608) 897-2044 | Mail to: 17921 Smith Rd, Brodhead, WI 53520

Or, call to place your order and speak to our representative: (608) 897-8641

Order Form



Botanical Name	Common Name	Quantity	Unit Price	Total Price

***Tax**

Residents of the United States, please add state and county sales tax. Order minimum is \$250 for trays of plants.

Subtotal
Unit Price
Shipping
Tax*
Total

Shipping and Handling

\$10 minimum
Add 10% of subtotal for shipping and handling cost of seed.
Shipping of plant material is generally 20% of total plant cost.
Add 5% of subtotal for orders over \$2,000.
To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost section of the form on the right.

Note: We recommend you pick up plants (plant plugs, trees, and shrubs) unless arrangements for special delivery are made in advance.

Name _____

Phone _____ Email _____

Delivery Address _____

City _____ State _____ Zip _____

Preferred delivery date _____

If out of stock, would you prefer:

Credit toward another order Substitution of similar material Refund

Payment Details

CC# _____ Exp. _____ Sec. Code _____

Billing Zip _____ Signature _____

Discover Mastercard Visa

This page has been intentionally left blank.

Please send your order back by email, fax, or mail:

Email: taylorcreek@res.us | Fax: (608) 897-2044 | Mail to: 17921 Smith Rd, Brodhead, WI 53520

Or, call to place your order and speak to our representative: (608) 897-8641



**The highest-quality, wild-type
local and regional genetic
native plants and seed.**

Taylor Creek Production Facilities

17921 W Smith Rd
Brodhead, WI 53520

224 E 1260 Rd
Baldwin City
KS 66006

P (608) 897-8641

F (608) 897-2044

E taylorcreek@res.us

taylorcreeknurseries.com

RES Nurseries

Taylor Creek: Brodhead, WI | Baldwin City, KS

Plum Run, PA Magnolia, TX

Mule Ridge, IN Pointe Aux Chenes, LA